

## HITECHEDOS\_Hitech\_GKS

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
#0002	1p/19q Co-Deletion, Tissue **	Hitech_GKS	D	12400	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
#0003	3-Methyl Histidine - Quantitative, Urine **	Hitech_GKS	D	6200	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
#0004	3-Methyl Histidine - Quantitative, Plasma**	Hitech_GKS	R	6200	Daily : 11:30am	7th day : 6:00pm	3ml of EDTA plasma or Heparin plasma in Sterile Plain tube	No
#0006	5-HIAA, Urine 24Hrs **	Hitech_GKS	D	3100	Tue & Fri : 11:30am	Same day : 9:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
#0007	5q Deletion/Monosomy (MDS), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
#0008	5q Deletion/Monosomy (MDS), Heparin Bone Marrow**	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in Sodium Heparin Vacutainer	No
#0011	7q Deletion/Monosomy (MDS), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
#0012	7q Deletion/Monosomy (MDS), Heparin Bone Marrow **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in Sodium Heparin Vacutainer	No
#0013	7q11.23 Deletion in Williams-Beuren Syndrome, Heparin Blood **	Hitech_GKS	R	10500	Daily : 11:30am	12th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
#0014	FGFR 1 gene rearrangement t(8p11.2), Heparin Blood **	Hitech_GKS	E	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
#0015	FGFR 1 gene rearrangement t(8p11.2), Heparin	Hitech_GKS	E	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in Sodium Heparin Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Bone Marrow **							
#0017	11q Deletion ATM (CLL), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
#0018	11q Deletion ATM (CLL), Heparin Bone Marrow **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in Sodium Heparin Vacutainer	No
#0021	13q Deletion MM (CLL), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
#0022	13q Deletion MM (CLL), Heparin Bone Marrow **	Hitech_GKS	D	4800	Daily : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in Sodium Heparin Vacutainer	No
#0023	14q32.3 IGH Gene rearrangement (ALL,NHL), Heparin Blood **	Hitech_GKS	D	5500	Daily : 9:00am	3rd day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
#0024	14q32.3 IGH Gene rearrangement (ALL,NHL), Heparin Bone Marrow **	Hitech_GKS	D	5500	Daily : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in Sodium Heparin Vacutainer	No
#0026	17 OH Corticosteroids, Urine 24Hrs **	Hitech_GKS	D	4100	Tue & Fri : 11:30am	Same day : 9:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
#0027	17-Hydroxy Progesterone, Dried Blood	Hitech_GKS	C	480	Daily : 9:00am	2nd day : 6:00pm	1 drop of heel prick or finger prick blood on special filter paper DBS card.	No
#0028	17-Hydroxy Progesterone, Serum **	Hitech_GKS	C	1500	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
#0029	17 Ketosteroids, Urine 24Hrs **	Hitech_GKS	C	3800	Tue & Fri : 11:30am	Same day : 9:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
#0030	17p Deletion p53 (MM, CLL), Heparin Bone Marrow **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in Sodium Heparin Vacutainer	No
#0031	17p Deletion p53 (MM, CLL), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
#0034	20q Chromosome Deletion (MDS), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
#0035	20q Chromosome Deletion (MDS), Heparin Bone Marrow **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in Sodium Heparin Vacutainer	No
#0036	22q Deletion ( Microdeletion digeorge Syndrome), Heparin Blood **	Hitech_GKS	D	5300	Daily : 9:00am	7th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
#1018	5 Nucleotidase activity, Serum **	Hitech_GKS	R	6000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0002	Absolute Basophil Count	Hitech_GKS	A	180	Daily 9:00 am	6Hrs		Yes
A0003	Absolute Eosinophil Count, EDTA Blood	Hitech_GKS	A	170	Daily : 9:00am	After 6hrs	3ml of Whole Blood in EDTA Vacutainer	Yes
A0005	Absolute Lymphocytes Count, EDTA Blood	Hitech_GKS	A	150	Daily : 9:00am	After 6hrs	3ml of Whole Blood in EDTA Vacutainer	Yes
A0006	Absolute Monocyte Count, EDTA Blood	Hitech_GKS	A	100	Daily : 9:00am	After 6hrs	3ml of Whole Blood in EDTA Vacutainer	Yes
A0007	Absolute Neutrophil Count, EDTA Blood	Hitech_GKS	A	180	Daily : 9:00am	After 6hrs	3ml of Whole Blood in EDTA Vacutainer	Yes
A0008	Acetone, Urine	Hitech_GKS	A	100	Daily : 9:00am	After 5hrs	15ml of Spot Urine in Sterile leak proof container	Yes
A0012	AChR (Acetyl Choline Receptor Antibodies), Serum	Hitech_GKS	C	3300	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0013	Acid Phosphatase Total, Serum	Hitech_GKS	A	350	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0014	Acid Phosphatase Profile, Serum	Hitech_GKS	C	500	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0015	ACTH Stimulation Test - 17 OH Progesterone, Serum	Hitech_GKS	C	1200	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
A0016	ACTH Stimulation Test - Aldosterone, Serum **	Hitech_GKS	C	5500	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
A0017	ACTH Stimulation Test - Androstenedione,	Hitech_GKS	C	4500	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Serum **							
A0018	ACTH Stimulation Test - Cortisol, Serum	Hitech_GKS	C	500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
A0019	ACTH Stimulation Test - DHEAS, Serum	Hitech_GKS	C	2750	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
A0020	ACTH (Adreno Corticotropic Hormone), EDTA Plasma	Hitech_GKS	C	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Tube/ EDTA Vacutainer	Yes
A0021	Actinomyces Culture, Sputum **	Hitech_GKS	D	1300	Daily : 9:00am to 9:00pm	5th day : 6:00pm	2ml of Sputum in Sterile leak proof container	No
A0022	Actinomyces Culture, Tissue **	Hitech_GKS	D	1300	Daily : 9:00am to 9:00pm	5th day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container	No
A0023	Actitest and Fibrotest Profile **	Hitech_GKS	E	16500	Daily : 7:30am	5th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0024	Acyl Carnitine Neonatal - Quantitative, Dried blood spot **	Hitech_GKS	R	4500	Daily : 11:30am	8th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	No
A0025	ADA (Adenosine Deaminase), Ascitic Fluid	Hitech_GKS	B	800	Daily : 9:00am	After 6hrs	3ml of Ascitic Fluid in Sterile leak proof container	Yes
A0026	ADA (Adenosine Deaminase), CSF	Hitech_GKS	B	750	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or container	Yes
A0027	ADA (Adenosine Deaminase), Pericardial Fluid	Hitech_GKS	B	750	Daily : 9:00am	After 6hrs	3ml of Pericardial Fluid in Sterile leak proof container	Yes
A0028	ADA (Adenosine	Hitech_GKS	B	750	Daily : 9:00am	After 6hrs	3ml of Peritoneal Fluid in Sterile leak proof	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Deaminase), Peritoneal Fluid						container	
A0029	ADA (Adenosine Deaminase), Pleural Fluid	Hitech_GKS	B	800	Daily : 9:00am	After 6hrs	3ml of Pleural Fluid in Sterile leak proof container	Yes
A0030	ADA (Adenosine Deaminase), Pus **	Hitech_GKS	B	800	Daily : 9:00am to 9:00pm	After 6hrs	2ml of PUS in Sterile leak proof container	No
A0031	ADA (Adenosine Deaminase), Serum	Hitech_GKS	B	750	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
A0032	Adenovirus DNA Qualitative by PCR, Respiratory Fluid **	Hitech_GKS	D	4350	Daily : 11:30am	10th day : 6:00pm	3ml of Fluid in Sterile leak proof container	No
A0033	Adenovirus DNA Qualitative by PCR, Oral swab **	Hitech_GKS	D	4500	Daily : 11:30am	10th day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer	No
A0034	Adenovirus DNA Qualitative by PCR, Eye swab **	Hitech_GKS	D	4350	Daily : 11:30am	10th day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer	No
A0035	Adenovirus DNA Qualitative by PCR, Nasal swab **	Hitech_GKS	D	4500	Daily : 11:30am	10th day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer	No
A0036	Adenovirus IgG antibody, Serum **	Hitech_GKS	D	1600	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0037	Adenovirus IgM antibody, Serum **	Hitech_GKS	D	1650	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0038	ADH (Anti Diuretic Hormone Vasopressin), EDTA Plasma **	Hitech_GKS	D	5400	Mon : 11:30am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Tube/ EDTA Vacutainer	No
A0039	Adiponectin, Serum **	Hitech_GKS	D	3000	Wed : 11:30am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0041	Adrenaline (Epinephrine), EDTA Plasma **	Hitech_GKS	D	3600	Wed : 11:30am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Tube/ EDTA Vacutainer, Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0042	Adrenaline (Epinephrine), Urine 24Hrs **	Hitech_GKS	D	3100	Wed : 11:30am	Next day : 5:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
A0052	AFB Rapid Culture, Blood **	Hitech_GKS	C	1260	Daily : 9:00am	After 6 weeks : 6:00pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin	No
A0053	AFB Rapid Culture, Body Fluid	Hitech_GKS	C	1260	Daily : 9:00am	After 6 weeks : 6:00pm	2ml of Body Fluid in Sterile leak proof container	Yes
A0054	AFB Rapid Culture, Bone Marrow **	Hitech_GKS	C	1260	Daily : 9:00am	After 6 weeks : 6:00pm	3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin	Yes
A0055	AFB Rapid Culture, BAL /Other Respiratory samples	Hitech_GKS	C	1260	Daily : 9:00am	After 6 weeks : 6:00pm	2ml of BAL / Other Respiratory samples in Sterile leak proof container	Yes
A0056	AFB Rapid Culture, CSF	Hitech_GKS	C	1260	Daily : 9:00am	After 6 weeks : 6:00pm	2ml of CSF in Sterile leak proof tube or container	Yes
A0057	AFB Rapid Culture, Endometrium	Hitech_GKS	C	2050	Daily : 9:00am	After 6 weeks : 6:00pm	2ml of Endometrium in Sterile leak proof container	Yes
A0058	AFB Rapid Culture, Other Samples	Hitech_GKS	C	990	Daily : 9:00am	After 6 weeks : 6:00pm	2ml of Any Specimen in Sterile leak proof container. Except Stool & Blood	Yes
A0059	AFB Rapid Culture, Pus/Abscess/ Aspirates	Hitech_GKS	C	1260	Daily : 9:00am	After 6 weeks : 6:00pm	2ml of Pus / Abscess / Aspirate in Sterile leak proof container	Yes
A0060	AFB Rapid Culture, Sputum	Hitech_GKS	C	1260	Daily : 9:00am	After 6 weeks : 6:00pm	2ml of Sputum in Sterile leak proof container	Yes
A0061	AFB Rapid Culture, Tissue/Biopsy	Hitech_GKS	C	1260	Daily : 9:00am	After 6 weeks : 6:00pm	Tissue with Normal Saline in Sterile leak proof container	Yes
A0062	AFB Rapid Culture, Urine	Hitech_GKS	C	1260	Daily : 9:00am	After 6 weeks : 6:00pm	15ml of Spot Urine in Sterile leak proof container	Yes
A0063	MOTT Antibigram for Rapid Growers (10 Drugs), Pure Culture **	Hitech_GKS	D	8000	Daily : 9:00am	After 4 weeks : 6:00pm	Isolated colony on culture plates	No
A0065	AFB Antibigram for MTb complex - Amikacin, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0066	AFB Antibigram for MTb complex -	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Capreomycin, Pure Culture **							
A0067	AFB Antibigram for MTb complex - Clofazimine, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0068	AFB Antibigram for MTb complex - Ethambutol, Pure Culture **	Hitech_GKS	C	750	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0069	AFB Antibigram for MTb complex - Ethionamide, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0070	AFB Antibigram for MTb complex - Isoniazid, Pure Culture **	Hitech_GKS	C	500	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0071	AFB Antibigram for MTb complex - Kanamycin, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0072	AFB Antibigram for MTb complex - Levofloxacin, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0073	AFB Antibigram for MTb complex - Moxifloxacin, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0074	AFB Antibigram for MTb complex - Ofloxacin, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0075	AFB Antibigram for MTb complex - PAS, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	15th day : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0076	AFB Antibigram for MTb complex - Pyrazinamide, Pure Culture **	Hitech_GKS	C	2600	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0077	AFB Antibigram for MTb complex - Rifabutin, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0078	AFB Antibigram for MTb complex - Rifampicin, Pure Culture **	Hitech_GKS	C	750	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0079	AFB Antibigram for MTb complex - Streptomycin, Pure Culture **	Hitech_GKS	C	750	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0080	AFB DNA detection by Real time PCR, Sputum/BAL	Hitech_GKS	C	2000	Daily : 9:00am	After 24hrs	3ml of Whole Blood in EDTA Vacutainer	No
A0081	AFB DNA detection by Real time PCR, Body Fluid	Hitech_GKS	C	1750	Daily : 9:00am	After 24hrs	2ml of Ascitic Fluid in Sterile leak proof container	No
A0082	AFB DNA detection by Real time PCR, CSF	Hitech_GKS	C	1750	Daily : 9:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container	No
A0083	AFB DNA detection by Real time PCR, Pus/ Abscess/Aspirates	Hitech_GKS	C	1750	Daily : 9:00am	After 24hrs	2ml of Pus / Abscess / Aspirate in Sterile leak proof container	No
A0084	AFB DNA detection by Real time PCR, Other Sample	Hitech_GKS	C	2050	Daily : 9:00am	After 24hrs	2ml of Sputum/ BAL/ Other respiratory samples in Sterile leak proof container	No
A0085	AFB DNA detection by Real time PCR, Tissue/ Biopsy	Hitech_GKS	C	2200	Daily : 9:00am	After 24hrs	Tissue/ Endometrium with Normal Saline/ Biopsy/ Lymph nodes in Sterile leak proof container	No
A0086	AFB DNA detection by Real time PCR, Urine	Hitech_GKS	C	2050	Daily : 9:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container	No
A0087	AFB Drug Susceptibility panel - 1st and 2nd	Hitech_GKS	D	9500	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Line (10 drugs), Pure Culture **							
A0088	AFB Drug Susceptibility panel - 1st Line (4 drugs) SIRE, Pure Culture **	Hitech_GKS	D	5000	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0089	AFB Drug Susceptibility panel - 2nd Line (4 drugs) KEPO, Pure Culture **	Hitech_GKS	D	5800	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0090	AFB Drug Susceptibility panel - (4 drugs) MACC, Pure Culture **	Hitech_GKS	D	5600	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0091	AFB Drug Susceptibility panel - Comprehensive (13 drugs), Pure Culture **	Hitech_GKS	D	13500	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0092	AFB differentiation & Speciation by Hains LPA, Pure Culture **	Hitech_GKS	D	3500	Tue : 9:00am	Next day : 6:00pm	Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle	No
A0093	AFB MDR Screen by Hains LPA, Pulmonary samples **	Hitech_GKS	D	1900	Tue : 9:00am	Next day : 6:00pm	2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container	No
A0094	AFB MDR Screen by Hains LPA, Extra Pulmonary samples **	Hitech_GKS	D	1900	Tue : 9:00am	Next day : 5:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy in Sterile leak proof container, 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, Synovial fluid)	No
A0102	AFB Smear Examination by Fluorescent Stain, Body Fluids	Hitech_GKS	C	425	Daily : 9:00am	2nd day : 6:00pm	2ml of Body Fluid in Sterile leak proof container	Yes
A0103	AFB Smear Examination by Fluorescent Stain, BAL /Other Respiratory samples	Hitech_GKS	C	425	Daily : 9:00am	2nd day : 6:00pm	2ml of BAL / Other Respiratory samples in Sterile leak proof container	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0104	AFB Smear Examination by Fluorescent Stain, Pus/ Abscess/Aspirates	Hitech_GKS	C	250	Daily : 9:00am	2nd day : 6:00pm	2ml of Pus / Abscess / Aspirate in Sterile leak proof container	Yes
A0105_1	AFB Smear Examination by Fluorescent Stain, Sputum (1 sample )	Hitech_GKS	C	300	Daily : 9:00am	2nd day : 6:00pm	2ml of Sputum in Sterile leak proof container	Yes
A0105_3	AFB Smear Examination by Fluorescent Stain, Sputum (3 samples )	Hitech_GKS	C	1200	Daily : 9:00am	3rd day : 6:00pm	2ml of Sputum in Sterile leak proof container	Yes
A0106	AFB Smear Examination by Fluorescent Stain, Tissue/Biopsy	Hitech_GKS	C	425	Daily : 9:00am	2nd day : 6:00pm	Tissue with Normal Saline / Biopsy / Lymph nodes in Sterile leak proof container	Yes
A0107_1	AFB-Smear Examination by Fluorescent Stain, Urine (1 sample )	Hitech_GKS	C	350	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	Yes
A0107_3	AFB Smear Examination by Fluorescent Stain, Urine (3 samples )	Hitech_GKS	C	1200	Daily : 9:00am	3rd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	Yes
A0108	AFB Smear Examination by ZN Stain, Body Fluids	Hitech_GKS	B	300	Daily : 9:00am	2nd day : 6:00pm	2ml of Body Fluid in Sterile leak proof container	Yes
A0109	AFB Smear Examination by ZN Stain, BAL /Other Respiratory samples	Hitech_GKS	B	390	Daily : 9:00am	2nd day : 6:00pm	2ml of BAL / Other Respiratory samples in Sterile leak proof container	Yes
A0110	AFB Smear Examination by ZN Stain, Pus/Abscess/ Aspirates	Hitech_GKS	B	250	Daily : 9:00am	2nd day : 6:00pm	2ml of Pus / Abscess / Aspirate in Sterile leak proof container	Yes
A0111_1	AFB Smear Examination by ZN Stain, Sputum (1	Hitech_GKS	B	390	Daily : 9:00am	2nd day : 6:00pm	2ml of Sputum in Sterile leak proof container	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	sample)							
A0111_3	AFB-Smear Examination by ZN Stain, Sputum (3 samples)	Hitech_GKS	B	800	Daily : 9:00am	3rd day : 6:00pm	2ml of Sputum in Sterile leak proof container	Yes
A0112	AFB-Smear Examination by ZN Stain, Tissue/Biopsy	Hitech_GKS	B	390	Daily : 9:00am	2nd day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container	Yes
A0113_1	AFB-Smear Examination by ZN Stain, Urine (1 sample)	Hitech_GKS	B	390	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	Yes
A0113_3	AFB-Smear Examination by ZN Stain, Urine (3 samples)	Hitech_GKS	B	800	Daily : 9:00am	3rd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	Yes
A0114	AFB Speciation (MOTT) species by Hains LPA, Pure culture **	Hitech_GKS	C	4300	Tue : 9:00am	Next day : 6:00pm	Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle	No
A0115	AFB XDR Screen by Hains LPA, Pulmonary samples **	Hitech_GKS	C	7500	Tue : 9:00am	Next day : 6:00pm	2ml of Sputum/BAL/other respiratory samples in Sterile leak proof container	No
A0116	AFB XDR Screen by Hains LPA, Extra Pulmonary samples **	Hitech_GKS	C	5150	Tue : 9:00am	Next day : 5:00pm	Extra - Pulmonary Smear positive samples or Culture positive specimen	No
A0117	AFB-Xpert panel (M.Tb Detection & Rifamipicin resistance) by CBNAAT, Pulmonary	Hitech_GKS	D	2450	Daily : 9:00am	2nd day : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container	Yes
A0118	AFB-Xpert panel (M.Tb Detection & Rifamipicin resistance) by CBNAAT, Extra Pulmonary	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid) Expect Blood & Stool	Yes
A0119	AFP (Alpha Feto Protein), Serum	Hitech_GKS	B	750	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0120	AFP (Alpha Feto	Hitech_GKS	C	1100	Daily : 9:00am	2nd day :	20ml of Amniotic Fluid in Sterile Leak proof	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Protein), Amniotic Fluid **					6:00pm	Falcon Tube/ Sterile Container	
A0121	AFP (Alpha Feto Protein), CSF	Hitech_GKS	C	1000	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	Yes
A0122	Alberts Stain, Throat swab	Hitech_GKS	B	200	Daily : 9:00am	2nd day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
A0123	Albumin - Qualitative, Urine	Hitech_GKS	A	100	Daily : 9:00am	After 5hrs	15ml of Spot Urine in Sterile leak proof container	Yes
A0124	Albumin - Quantitative, Urine 24 Hrs **	Hitech_GKS	B	550	Daily : 9:00am	2nd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	Yes
A0125	Albumin, Serum	Hitech_GKS	A	180	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
A0126	Albumin, CSF	Hitech_GKS	C	1200	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	Yes
A0127	Albumin / Creatinine Ratio, Urine	Hitech_GKS	A	550	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
A0128	Alcohol (Ethanol), Urine **	Hitech_GKS	C	1300	Daily : 9:00am to 9:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container	No
A0129	Alcohol (Ethanol), Serum **	Hitech_GKS	C	1000	Daily : 9:00am to 9:00pm	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
A0130	Aldehyde Chopra Test, Serum **	Hitech_GKS	R	450	Daily : 11:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0131	Aldolase, Serum **	Hitech_GKS	C	990	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0132	Aldosterone, 24 Hrs Urine **	Hitech_GKS	C	2270	Daily : 11:30am	Next day : 5:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
A0133	Aldosterone, Serum **	Hitech_GKS	C	1950	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0134	ALK Gene Rearrangement, Tissue **	Hitech_GKS	E	8500	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
A0135	Alkaline Phosphatase, Serum	Hitech_GKS	A	190	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0136	Alkaline Phosphatase Isoenzymes, Serum **	Hitech_GKS	D	5000	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0137	Alkaline Phosphatase Bone Isoenzymes, Serum **	Hitech_GKS	C	1800	Mon & Thu : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0138	Animal Allergen - Cat Dander, Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0140	Animal Allergen - Cow Dander, Serum **	Hitech_GKS	C	1300	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0141	Animal Allergen - Dog Dander, Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0143	Animal Allergen - Guinea Pig Epithelium, Serum **	Hitech_GKS	C	1300	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0145	Animal Allergen - Horse Dander, Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0152	Drug Allergen - ACTH, Serum **	Hitech_GKS	C	1650	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0156	Drug Allergen - Cephalosporin (Antibiotic), Serum	Hitech_GKS	C	1500	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0158	Drug Allergen - Ciprofloxacin (Antibiotic), Serum **	Hitech_GKS	C	1500	Tue & Fri : 11:30am	5th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0159	Drug Allergen - Diclofenac (Pain Killer), Serum	Hitech_GKS	C	1500	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0170	Drug Allergen - Paracetamol (Pain Killer), Serum	Hitech_GKS	C	1500	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0171	Drug Allergen - Penicilloyl G (Antibiotic), Serum	Hitech_GKS	C	1500	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0173	Drug Allergen - Sulpha (Antibiotic), Serum **	Hitech_GKS	C	1500	Tue & Fri : 11:30am	5th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0175	Dust Allergen - Dermatophagoides Farinae (House Dust Mite), Serum	Hitech_GKS	C	1300	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0176	Dust Allergen - Dermatophagoides Farinae (House Dust Mite), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0178	Dust Allergen - Hollistier House Dust, Serum	Hitech_GKS	C	1300	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0179	Dust Allergen - Greer Labs House Dust, Serum	Hitech_GKS	C	1300	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0180	Food Allergen - Almond Badam(Amygdalus Communis), Serum	Hitech_GKS	C	1400	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0181	Food Allergen - Alpha Lactalbumin (Milk protein), Serum	Hitech_GKS	C	450	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0182	Food Allergen - Apple Safarchand (Malus X Domestica), Serum	Hitech_GKS	C	450	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0185	Food Allergen - Brinjal Baingan (Aubergine), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0186	Food Allergen - Bakers Yeast (Saccharomyces Cerevisiae), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0187	Food Allergen - Banana (Kela/Musa Spp.), Serum	Hitech_GKS	C	450	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0189	Food Allergen - Basil (Ocimum basilicum), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0192	Food Allergen - Beta-Lactoglobulin (Milk	Hitech_GKS	C	450	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Protein), Serum							
A0193	Food Allergen - Black Pepper (Piper nigrum), Serum **	Hitech_GKS	C	1400	Mon & Thu : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0194	Food Allergen - Blue Mussel (Mytilus Edulis), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0195	Food Allergen - Brazil Nut (Bertholletia excelsa), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0198	Food Allergen - Cabbage (Gobi/ Brassica Oleracea var. Capitata), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0199	Food Allergen - Cardamom (Elettaria cardamomum), Serum **	Hitech_GKS	C	1400	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0201	Food Allergen - Casein (Dahi/ Milk Protein), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0202	Food Allergen - Cashew Nut (Anacardium occidentale), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0204	Food Allergen - Celery (Apium graveolens), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0205	Food Allergen - Cheddar Cheese, Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0207	Food Allergen - Chick Pea (Kabuli Chana / Cicer arietinus), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0208	Food Allergen - Chicken Meat (Murgi), Serum	Hitech_GKS	C	1400	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0209	Food Allergen - Chili Pepper (Capsicum frutescens), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0211	Food Allergen - Clove (Syzygium aromaticum), Serum **	Hitech_GKS	C	1400	Mon & Thu : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0212	Food Allergen - Cocoa (Chocolate / Theobroma cacao), Serum	Hitech_GKS	C	1400	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0213	Food Allergen - Coconut (Narial /Cocos nucifera), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0214	Food Allergen - Cod Fish (Gadus Morhua), Serum	Hitech_GKS	C	1400	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0215	Food Allergen - Coffee, Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0216	Food Allergen - Coriander, Serum **	Hitech_GKS	C	1400	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0217	Food Allergen - Corn / Maize, Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0218	Food Allergen - Cow Milk (Doodh), Serum	Hitech_GKS	C	1400	Mon, Wed & Fri : 7:30am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
A0224	Food Allergen - Egg White (Anda), Serum	Hitech_GKS	C	1400	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0225	Food Allergen - Egg Yolk (Anda), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0228	Food Allergen - Garlic (Allium Sativum), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0230	Food Allergen - Gluten, Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0232	Food Allergen - Grape fruit (Citrus paradisi), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0234	Food Allergen - Green Pea, Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0236	Food Allergen - Hazelnut (Corylus avellana), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0238	Food Allergen - Kiwi Fruit (Actinidia deliciosa), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0242	Food Allergen - Lemon (Citrus Limon), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0243	Food Allergen - Lentil (Masoor Dal - Lens Esculenta), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0245	Food Allergen-Lobster (Homarus gammarus), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0249	Food Allergen - Mango ( Mangifera indica), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0250	Food Allergen - Melon (Cucumis melo spp.), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0253	Food Allergen - Mustard Sarson (Brassica / Sinapsis Spp.), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0254	Food Allergen - Mutton (Ovis Spp.), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0256	Food Allergen - Olive (Olea Europaea), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0257	Food Allergen - Onion ( Piaz / Allium cepa), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0258	Food Allergen - Orange (santra / Citrus sinensis), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0260	Food Allergen - Papaya (Carica papaya), Serum **	Hitech_GKS	C	1500	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0261	Food Allergen - Paprica (Simla Mirchi / Capsicum annuum), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0263	Food Allergen - Peach (Prunus persica), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0264	Food Allergen - Peanut (Moongfali - Arachis Hypogaea), Serum	Hitech_GKS	C	1400	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0265	Food Allergen - Pear (Pyrus communis), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0266	Food Allergen - Pecan nut (Carya Illinoensis), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0267	Food Allergen - Pineapple (Ananas), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0268	Food Allergen - Pistachio, Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0269	Food Allergen - Plaice Fish (Pleuronectes platessa), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0272	Food Allergen - Pork (Pig meat), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0273	Food Allergen - Potato (Aaloo / Solanum tuberosum),Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0277	Food Allergen - Rice (Chawal - Oryza Sativa), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0278	Food Allergen - Salmon	Hitech_GKS	C	1400	Daily : 11:30am	2nd day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	(Rawas Fish - Salmo Salar), Serum **					6:00pm		
A0280	Food Allergen - Sesame Seed (Sesamum indicum), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0281	Food Allergen - Shrimp / Prawns, Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0282	Food Allergen - Soybean (Glycine Max), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0283	Food Allergen - Spinach (Palak / Spinachia oleracea), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0284	Food Allergen - Strawberry (Fragaria vesca), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0289	Food Allergen-Tomato (Tamatar / Lycopersicon lycopersicum), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0290	Food Allergen - Tuna Fish (Pleuronectes Platessa), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0291	Food Allergen - Vanilla (Vanilla planifolia), Serum **	Hitech_GKS	C	1400	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0292	Food Allergen - Walnut (Juglans californica), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0294	Food Allergen - Wheat (Gehon - Triticum Aestivum), Serum	Hitech_GKS	C	1400	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0295	Food Allergen - FoodWhite Bean	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	(Phaseolus Vulgaris), Serum							
A0298	Grass Allergen - Bermuda Grass (Durva/ Cynodon Grass), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0302	Grass Allergen - Johnson Grass (Jowar/ Sorghum Grass), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0304	Grass Pollen Allergen - Meadow Grass ( Poa pratensis), Serum **	Hitech_GKS	C	600	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0308	Grass Pollen Allergen - Timothy Grass (Ghass / Phleum pratense), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0311	Insect Allergen - Cockroach (German - Blatella Germanica), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0312	Insect Allergen - Honey Bee VenomMadhu Makhhi (Apis Mellifera), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0316	Micro organism Allergen - Aspergillus Fumigatus (Fungus), Serum	Hitech_GKS	C	1000	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0317	Micro organism Allergen - Candida Albicans (Fungus), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0318	Micro organism Allergen - Cladosporium Herbarum (Fungus), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 7:30am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0320	Insect Allergen - Insect Mosquito Machhar (Aedes Communis), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0322	Micro organism Allergen - Penicillium Notatum (Penicillium chrysogenum - Fungus), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0324	Micro organism Allergen - Trichophyton (Fungus), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0338	Tree Pollen Allergen - Acasia Babool (Acasia Longifolia), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0339	Tree Pollen Allergen - Alder (Alnus Incana), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0340	Tree Pollen Allergen - Birch (Betula Verrucosa), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0342	Tree Pollen Allergen - Eucalyptus Nilgiri (Safeda), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0345	Tree Pollen Allergen - Mesquite (Pahadi Keekar - Prosopis Juliflora), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0347	Tree Pollen Allergen - Oak Quercus Alba, Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0351	Weed Pollen Allergens - Common Pigweed (Kaantewali Chauli - Amaranthus Retroflexus), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0352	Weed Pollen Allergens -	Hitech_GKS	C	600	Mon, Wed &	2nd day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Common Ragweed (Close To Parthenium / Congress Grass - Ambrosia Elatior), Serum				Fri : 9:00am	6:00pm		
A0353	Weed Pollen Allergens - English Plantain (Plantago Lanceolata), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0355	Weed Pollen Allergens - Goose Foot (Chenopodium Album), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0356	Weed Pollen Allergens - Mugwort (Sita Bani - Artemisia Vulgaris / BanoBarna), Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0360	Allergy Profile - Fruit **	Hitech_GKS	D	6300	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0361	Allergy Profile - Food: Fx5 (For Infants) **	Hitech_GKS	D	4900	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0364	Allergy Profile - Nuts **	Hitech_GKS	D	6240	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0367	Allergy Profile - Spices **	Hitech_GKS	D	5600	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0370	Allergy Profile - Vegetarian + Non- Vegetarian Food **	Hitech_GKS	D	16500	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0372	Allergy Profile - Adult Comprehensive Profile **	Hitech_GKS	D	17900	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0373	Allergy Profile - Animal **	Hitech_GKS	D	4200	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0382	Allergy Profile - Environmental **	Hitech_GKS	D	15600	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0383	Allergy Profile -	Hitech_GKS	D	18150	Daily : 11:30am	Next day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Gastrointestinal (GIT) **					5:00pm		
A0384	Allergy Profile - Grass **	Hitech_GKS	D	3500	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0389	Allergy Profile - Mold (Profile 2) **	Hitech_GKS	D	4500	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0398	IgE Total antibody, Serum	Hitech_GKS	B	600	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
A0399	Allergy Screening - Total IgE Antibodies with Phadiatop (Adult) **	Hitech_GKS	D	1600	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0400	Allergy Screening - Phadiatop (Adult, > 5 Years) **	Hitech_GKS	C	1310	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0401	Allergy Screening - Phadiatop (Infant, < 5 Years) **	Hitech_GKS	C	1300	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0403	Alpha 1 Acid Glycoprotein, Serum **	Hitech_GKS	D	2350	Mon & Thu : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0404	Alpha 1 Antitrypsin, Serum	Hitech_GKS	C	2200	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0406	Alpha 2 Macroglobulin, Serum **	Hitech_GKS	D	3100	Mon & Thu : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0407	Alpha Fucosidase, EDTA Blood **	Hitech_GKS	R	7500	Daily : 11:30am	10th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
A0408	Alpha Galactosidase, EDTA Blood **	Hitech_GKS	R	6000	Daily : 11:30am	10th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
A0409	Alpha Glucosidase, EDTA Blood **	Hitech_GKS	R	7700	Daily : 11:30am	10th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
A0410	Alpha Iduronidase, EDTA Blood **	Hitech_GKS	R	6500	Daily : 11:30am	10th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
A0411	Alpha Mannosidase, EDTA Blood **	Hitech_GKS	R	6000	Daily : 11:30am	10th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
A0412	Alpha N-	Hitech_GKS	R	6000	Daily : 11:30am	After 4 weeks :	3ml of Blood in Sodium Heparin Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Acetylgalactosaminidase, EDTA Blood **					6:00pm		
A0413	Alpha Thalassemia Mutations Analysis, EDTA Blood **	Hitech_GKS	D	5500	Tue & Sat : 9:00am	7th day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
A0414	Aluminium, Serum **	Hitech_GKS	C	2700	Daily : 7:30am	3rd day : 6:00pm	3ml of Serum in Metal Free Vacutainer	No
A0415	Aluminium, Urine 24Hrs **	Hitech_GKS	C	2700	Daily : 11:30am	3rd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
A0416	Aluminium, Urine **	Hitech_GKS	C	2700	Daily : 11:30am	3rd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
A0417	AMH (Mullerian Inhibiting Substance), Serum	Hitech_GKS	B	1700	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
A0422	Amino Acid - Quantitative, EDTA Plasma **	Hitech_GKS	D	7250	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA Plasma or Heparin Plasma in Plain Tube	No
A0423	Amino Acid - Quantitative, Urine **	Hitech_GKS	D	2000	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
A0424	Amino Levulinic Acid, Urine 24Hrs **	Hitech_GKS	D	4100	Thu : 11:30am	Next day : 5:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
A0425	Amino Levulinic Acid, Urine **	Hitech_GKS	D	4230	Thu : 11:30am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
A0427	Ammonia, Plasma	Hitech_GKS	B	920	Daily : 9:00am	After 4hrs	3ml of Whole Blood in EDTA Vacutainer	No
A0428	Amoebiasis Antibodies - IgG, Serum **	Hitech_GKS	C	1450	Mon & Thu : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0429	Amphetamine - Quantitative, Urine **	Hitech_GKS	B	680	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
A0430	Amphiphysin Antibody, Serum	Hitech_GKS	D	4700	Mon : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
A0431	Amylase, Ascitic Fluid	Hitech_GKS	B	375	Daily : 9:00am	After 6hrs	2ml of Ascitic Fluid in Sterile leak proof container	Yes
A0431_BDF	Amylase, Body Fluid	Hitech_GKS	B	500	Daily : 9:00am	After 6hrs	2ml of Cystic Fluid in Sterile leak proof container	Yes
A0432	Amylase, Serum	Hitech_GKS	B	460	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0433_24	Amylase, Urine	Hitech_GKS	B	400	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	No
A0433_24H	Amylase, Urine 24Hrs	Hitech_GKS	B	250	Daily : 9:00am	After 6hrs	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
A0434	Amyloid A, Serum **	Hitech_GKS	D	4050	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0435	ANA (Anti Nuclear Antibody) Blot Profile (18 Antigens), Serum	Hitech_GKS	C	3000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0436	ANA (Anti Nuclear Antibody) Screening by ELISA, Serum **	Hitech_GKS	B	860	Daily : 11:00am & 5:00pm	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0437	ANA (Anti Nuclear Antibody) Screening by IFA, Serum	Hitech_GKS	C	990	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
A0440	Anaemia Profile - Haemolytic Type	Hitech_GKS	C	2250	Daily : 9:00am	2nd day : 6:00pm	3ml Heparin Blood in Heparin Vacutainer 3ml of Whole Blood in EDTA Vacutainer 3ml of Serum in Gel/Plain Vacutainer	No
A0441	Anaemia Profile - Maxi	Hitech_GKS	C	7750	Daily : 9:00am	2nd day : 6:00pm	3ml Heparin Blood in Heparin Vacutainer 3ml of Whole Blood in EDTA Vacutainer 3ml of Serum in Gel/Plain Vacutainer	No
A0442	Anaemia Profile - Mini	Hitech_GKS	C	1800	Daily : 9:00am	2nd day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer 3ml of Serum in Gel/Plain Vacutainer	No
A0443	Anaemia Profile - Nutritional	Hitech_GKS	C	3750	Daily : 9:00am	2nd day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer 3ml of Serum in Gel/Plain Vacutainer	No
A0444	Anaemia Profile - Pernicious	Hitech_GKS	C	3600	Mon & Thu : 7:30am	2nd day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer 3ml of Serum in Gel/Plain Vacutainer	No
A0445	ANCA (Anti neutrophil cytoplasmic antibody), Serum	Hitech_GKS	C	1850	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0446	Androgen Profile	Hitech_GKS	C	4500	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
A0447	Androstenedione, Serum **	Hitech_GKS	C	1890	Daily : 9:00am to 9:00pm	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0448	ACE (Angiotensin Converting Enzyme), Serum	Hitech_GKS	C	1100	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0449	ACE (Angiotensin Converting Enzyme), CSF **	Hitech_GKS	D	3200	Daily : 11:30am	4th day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
A0451	Antenatal Profile - 1	Hitech_GKS	C	2900	Daily : 9:00am	After 24hrs	3ml of Whole Blood in EDTA Vacutainer 3ml of Serum in Gel/Plain Vacutainer 2ml Fluoride plasma in Fluoride Vacutainer 15ml of Spot Urine in Sterile leak proof container	No
A0453	Anti - A Titre, Serum **	Hitech_GKS	D	1550	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0454	Anti - B Titre, Serum **	Hitech_GKS	D	1550	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0455	Anti DNase B, Seum **	Hitech_GKS	D	2080	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Red Top Vacutainer	No
A0458	Anti Thrombin III Activity Functional, Citrated Plasma	Hitech_GKS	D	3500	Mon & Thu : 9:00am	After 6hrs	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	Yes
A0459	Anti Thrombin III Antigen, Citrated Plasma **	Hitech_GKS	D	4800	Mon & Thu : 9:00am	Next day : 1:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
A0462	Antimony, Urine **	Hitech_GKS	R	2750	Daily : 11:30am	10th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
A0463_N	Phospholipid Profile - 3 **	Hitech_GKS	D	7900	Thu : 9:00am	Same day : 7:00pm	3ml of Citrate plasma in 3.2 % Sodium citrate Vacutainer 3ml of serum in Gel/Plain Vacutainer	No
A0464	APA - IgG Phospholipid Antibody, Serum	Hitech_GKS	C	950	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0465	APA - IgM Phospholipid Antibody, Serum	Hitech_GKS	C	950	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0466	APCR (Activated Protein C Resistance), Citrated plasma **	Hitech_GKS	D	4200	Mon & Thu : 9:00am	Next day : 1:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
A0467	Apolipoproteins A1, Serum	Hitech_GKS	B	580	Mon, Wed & Fri : 7:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0468	Apolipoproteins B/A1, Serum	Hitech_GKS	C	1100	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
A0469	Apolipoproteins B,	Hitech_GKS	B	580	Mon, Wed &	3rd day :	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Serum				Fri : 7:30am	6:00pm		
A0470	Apolipoproteins Profile, Serum	Hitech_GKS	C	1900	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0471	aPTT (Activated Partial Thromboplastin Time), Citrated plasma	Hitech_GKS	B	350	Daily : 9:00am	After 4hrs	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	Yes
A0472	Arginine - Quantitative, EDTA Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or Heparin plasma in Sterile Plain tube	No
A0473	Arginine - Quantitative, Urine **	Hitech_GKS	R	6200	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
A0474	Arsenic, K-EDTA Blood **	Hitech_GKS	D	2000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
A0475	Arsenic, Urine 24Hrs **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
A0476	Arsenic, Urine **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
A0477	Arthritis Profile	Hitech_GKS	C	2100	Daily : 9:00am	After 24hrs	2 ml of EDTA whole blood, 3ml of serum, 20 ml of spot urine	No
A0478	Aryl Sulphatase A, Heparin Blood **	Hitech_GKS	R	6000	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
A0479	Aryl Sulphatase B, Heparin Blood **	Hitech_GKS	R	8900	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
A0480	ASCA - IgA, Serum	Hitech_GKS	C	2100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0481	ASCA - IgG, Serum	Hitech_GKS	C	2100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0482	Alcoholic & Non-Alcoholic Steatohepatitis Profile	Hitech_GKS	E	16000	Daily : 9:00am	After 24hrs	5 ml of serum and 2 ml of fluoride plasma . Fasting sample	No
A0483	ASKA Skeletal (Striated) Muscle Antibody, Serum **	Hitech_GKS	D	3400	Mon, Wed & Fri : 11:30am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0484	ASMA Smooth Muscle	Hitech_GKS	C	1700	Daily : 9:00am	2nd day :	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Antibody, Serum					6:00pm		
A0485	ASO Titre - Quantitative, Serum	Hitech_GKS	B	540	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
A0486	Asparagine - Quantitative, EDTA Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
A0487	Asparagine - Quantitative, Urine **	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
A0488	Aspartic Acid - Quantitative, EDTA Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
A0489	Aspartic Acid - Quantitative, Urine**	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
A0490	Aspergillosis IgG Antibodies, Serum	Hitech_GKS	C	1600	Mon & Thu : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0491	Aspergillosis IgM Antibodies, Serum **	Hitech_GKS	C	2450	Mon & Thu : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0492	Galactomannan Aspergillus Antigen, Serum	Hitech_GKS	C	5500	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0496	Autoimmune Liver Disease Profile - 4 **	Hitech_GKS	D	12000	Daily : 11:30am	Next day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0497	Autoimmune Encephalitis Profile - 1, Serum	Hitech_GKS	E	22500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0499	Acid Lipase Disorder, Heparin Blood **	Hitech_GKS	R	7000	Daily : 11:30am	15th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
A0500	ACTN3 Genotyping, EDTA Blood **	Hitech_GKS	R	4000	Thu : 11:30am	10th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
A0509	AFB-Xpert Combo	Hitech_GKS	D	3250	Daily : 9:00am	After 6 weeks :	Tissue, Lymph Node, Endometrium, Biopsy,	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Profile, Extrapulmonary					6:00pm	Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)	
A0510	AFB-Xpert Combo Profile, Pulmonary	Hitech_GKS	D	2500	Daily : 9:00am	After 6 weeks : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container	Yes
A0512	ANCA by IFA reflex MPO/PR3 Antibodies, Serum	Hitech_GKS	C	2500	Mon, Wed & Fri : 7:30am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
A0513	Apolipoprotein E, Serum **	Hitech_GKS	R	4100	Wed : 11:30am	4th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0519	Tree Pollen Allergens - Papdi Chibil / Elm, Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0520	Weed Pollen Allergens - Saltwort ( Salsola kali / Pestifer), Serum **	Hitech_GKS	C	1400	Daily : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0522	ALK (D5F3) reflex FISH, Tissue	Hitech_GKS	D	6000	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
A0525	Animal Allergen - Animal Pigeon Feathers, Serum **	Hitech_GKS	C	1300	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0528	Food Allergen - Brinjal (Aubergine, eggplant/ Solanum melongena), Serum **	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0533	ADA (Adenosine Deaminase), Synovial Fluid	Hitech_GKS	B	750	Daily : 9:00am	After 6hrs	3ml of Synovial Fluid in Sterile leak proof container	Yes
A0536	APA (Antiphospholipid Antibody )IgA, Serum	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Red Top Vacutainer	Yes
A0537	Atherosclerosis Profile - 1	Hitech_GKS	D	4950	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0538	Atherosclerosis Profile	Hitech_GKS	D	6950	Mon & Thu :	2nd day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
- 3					9:00am	6:00pm		
A0539	Aldosterone/PRA ratio, EDTA Plasma **	Hitech_GKS	D	6900	Tue & Fri : 11:30am	Next day : 5:00pm	2 ml of EDTA Plasma and 2 ml Serum	No
A0560	Galactomannan Aspergillus Antigen, BAL Fluid	Hitech_GKS	C	5500	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Fluid in Sterile leak proof container	No
A0563	AFB Antibiogram for MTb complex - Cycloserine, Pure Culture **	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0564	Albumin, Body Fluid	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
A0567	Food Allergen - Black Gram (Vigna mungo), Serum **	Hitech_GKS	D	4600	Daily : 7:30am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
A0568	ALK/NPM1: t(2;5)Translocation, Heparin Blood **	Hitech_GKS	D	4600	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
A0570	ECP (Eosinophil cationic protein), Serum **	Hitech_GKS	D	1500	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0571	Allergy - Flexi Profile (Any 10 allergen) **	Hitech_GKS	D	8500	Daily : 9:00am	4th day : 6:00pm	-	No
A0572	Allergy - Flexi Profile (Any 15 allergen) **	Hitech_GKS	D	12000	Daily : 9:00am	4th day : 6:00pm	-	No
A0573	Allergy - Flexi Profile (Any 20 allergen) **	Hitech_GKS	D	15000	Daily : 9:00am	4th day : 6:00pm	-	No
A0574	Allergy - Flexi Profile (Any 25 allergen) **	Hitech_GKS	D	17500	Daily : 9:00am	4th day : 6:00pm	-	No
A0575	Allergy - Flexi Profile (Any 30 allergen) **	Hitech_GKS	D	19500	Daily : 9:00am	4th day : 6:00pm	-	No
A0576	Allergy - Flexi Profile (Any 5 Allergens) **	Hitech_GKS	D	4500	Daily : 9:00am	4th day : 6:00pm	-	No
A0580	Allergy Panel - GIT Profile (Veg + Non Veg) **	Hitech_GKS	D	25000	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0584	Allergy Screening - Tryptase **	Hitech_GKS	C	2000	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0585	Anaemia Profile - Macrocytic	Hitech_GKS	C	1900	Daily : 9:00am	2nd day : 6:00pm	3ml EDTA blood & Serum	No
A0586	Anaemia Profile - Microcytic Hypochromic	Hitech_GKS	C	1900	Daily : 9:00am	2nd day : 6:00pm	3ml EDTA blood & Serum	No
A0587	Anaemia Workup Profile	Hitech_GKS	C	2100	Daily : 9:00am	2nd day : 6:00pm	3ml EDTA blood & Serum	No
A0588	Trisomy (Aneuploidy) for Chromosome (13, 18, 21, X, Y), Semen **	Hitech_GKS	D	4800	Daily : 9:00am	7th day : 6:00pm	CytogeneticsandFISH.pdf	No
A0595	Adrenoleukodystrophy (X-linked ALD) Sequencing of ABCD1 Gene Analysis, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
A0596	Autoimmune Encephalitis Profile - 1, CSF	Hitech_GKS	E	21000	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	Yes
A0599	APC (Adenomatous polyposis coli) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	17850	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
A0608	AFB Susceptibility - Linezolid	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0613	Alpha Thalassemia Gene Analysis (HBA1 & HBA2), EDTA Blood **	Hitech_GKS	E	16000	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A0616	Aldosterone/Direct Renin ratio, Serum **	Hitech_GKS	D	6950	Daily : 7:30am	Same day : 5:00pm	2 ml of EDTA Plasma and 2 ml Serum	No
A0618	APOE Genotyping, EDTA Blood **	Hitech_GKS	R	25000	Daily : 11:30am	12th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
A0623	Alzheimer Disease Screening Profile **	Hitech_GKS	D	12500	Daily : 11:30am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
A0624	Arsenic, K-EDTA Blood **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
A0625	SAAG (Serum Ascites Albumin Gradient) Profile	Hitech_GKS	D	500	Daily : 9:00am	After 24hrs	Serum 1 ml, Fluid 1 ml	No
A0626	Allergy Adult Screening Profile - 4 **	Hitech_GKS	D	5600	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0629	Aspergillus broncho pulmonary aspergillosis (ABPA)	Hitech_GKS	D	2900	Mon & Thu : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0630	AFB Drug Susceptibility - Flexi panel (4 drugs)	Hitech_GKS	D	6000	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A0632	Allergy Asthma/Rhinitis Profile - Comprehensive **	Hitech_GKS	D	11500	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0635	Allergy Adult Screening Profile - 2 **	Hitech_GKS	D	4900	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0636	Allergy Adult Screening Profile - 3 **	Hitech_GKS	D	7700	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0638	Aluminium, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
A0639	Aluminium, Water **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	2 Liters of Water in Sterile leak proof container	No
A0640	Amphetamines -	Hitech_GKS	R	9000	Daily : 11:30am	10th day :	15ml of Spot Urine in Sterile leak proof	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Qualitative, Urine **					6:00pm	container	
A0641	Antimony, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
A0642	Arsenic, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
A0644	Acute intermittent porphyria (HMBS ) NGS Gene Panel, EDTA Blood **	Hitech_GKS	E	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
A0645	Alkaptonuria (HGD) NGS Gene Panel, EDTA Blood **	Hitech_GKS	E	19000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
A0647	AFB-DNA detection by Real time PCR - Other Sample Type	Hitech_GKS	C	2050	Daily : 9:00am	After 24hrs	Mycobacteriology.pdf	No
A0649	Mycobacterial Culture Identification, Pure Culture **	Hitech_GKS	C	2200	Daily : 9:00am	15th day : 6:00pm	Pure growth of Mycobacterium spp. on LJ slant/ MGIT Tube/ Bactec alert bottle.	No
A0650	SARS-CoV2 Nucleocapsid antibody - Qualitative, Serum	Hitech_GKS	C	600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0650_ IgG	Anti-SARS-CoV-2 IgG*	Hitech_GKS	C	350	Daily : 9:00am	After 6hrs	-	No
A0653	ALPS Screen Profile **	Hitech_GKS	R	9100	Daily : 11:30am	5th day : 6:00pm	sample : 3ml of EDTA Blood	No
A0654	SARS-CoV2 Coviprotect antibody - Quantitative, Serum	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0656	Aspergillus DNA Detection by Real Time	Hitech_GKS	D	6000	Daily : 7:30am	3rd day : 6:00pm	3ml of Body fluids/ CSF/ EDTA Blood/ Pure culture/ Sputum/ Tissue in Sterile leak proof	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	PCR, Body Fluids **						container	
A0657	Arrayfeto Profile, POC	Hitech_GKS	E	16800	Daily : 9:00am	8th day : 6:00pm	Upto 12 weeks of gestation: 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container In 12-18 weeks of gestation: a) 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. If possible in 20ml normal saline with 2-3 drops of gentamycin and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies.	No
A0658	Amniochrome Profile, Amniotic Fluid	Hitech_GKS	E	19000	Daily : 9:00am	8th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
A0659	Arraychrome Profile, Heparin Blood	Hitech_GKS	E	16000	Daily : 9:00am	8th day : 6:00pm	3ml Peripheral Blood in EDTA Vacutainers	No
A0660	Anti complement Factor H, Serum **	Hitech_GKS	R	5000	Daily : 11:30am	6th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0661	ADAMTS 13 Activity, Citrate Plasma **	Hitech_GKS	R	7380	Daily : 11:30am	6th day : 6:00pm	3ml Citrate Plasma ( Frozen mandatory)	No
A0662	ADAMTS 13 Autoantibody, Citrate Plasma **	Hitech_GKS	E	8000	Daily : 11:30am	5th day : 6:00pm	3ml Citrate Plasma ( Frozen mandatory)	No
A0680	Allergy Component Testing (CRD) Profile **	Hitech_GKS	E	20000	Daily : 9:00am	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0684	ASPERGILLUS NIGER(M33) - SPECIFIC IGE	Hitech_GKS	C	450	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0685	ASPIRIN ( C 51)- SPECIFIC IGE	Hitech_GKS	C	450	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A0686	Anti RNP Ab	Hitech_GKS	O	1750	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0687	Alternaria	Hitech_GKS	O	450	Mon, Wed &	2nd day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	alternata(Specific IgE)				Fri : 9:00am	6:00pm		
A0688	Anti GBM Antibody	Hitech_GKS	C	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0689	Autoimmune Liver Disease Profile -1**	Hitech_GKS	D	4500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
A0690	AQUAPORIN & MOG ( MYELINE OLIGODENDROCYTE) Serum	Hitech_GKS	O	5000	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
A1009	Adrenal Gland Antibodies, Serum **	Hitech_GKS	R	6000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A1810	ANOMALY SCAN (20 - 22 WEEKS)	Hitech_GKS	O	1500	Daily : 9:00am	After 24hrs	-	No
A5529	AMH Plus	Hitech_GKS	D	2500	Daily : 9:00am	2nd day : 6:00pm	-	No
A5583	AMH Premium Health Package	Hitech_GKS	D	2920	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A5592	AMH Supreme Health Package	Hitech_GKS	D	4300	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A5664	Allergy Prone	Hitech_GKS	O	1350	Daily : 9:00am	After 24hrs	-	No
A5702	Allergy Comprehensive Profile **	Hitech_GKS	D	15000	Daily : 9:00am	Same day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A5703	Allergy Comprehensive Eczema Profile **	Hitech_GKS	D	11000	Daily : 9:00am	Same day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A5704	Allergy Common Food Profile **	Hitech_GKS	D	6000	Daily : 9:00am	Same day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8121	Amylase, Pleural Fluid	Hitech_GKS	B	400	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
A8285	AFB Susceptibility - Bedaqiline	Hitech_GKS	C	2400	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A8289	Automated Fungal (Yeast) culture & sensitivity	Hitech_GKS	E	1050	Daily : 9:00am	After 24hrs	-	No
A8386	ACTH Stimulating - 30mins, EDTA Plasma	Hitech_GKS	C	1900	Daily : 9:00am	After 6hrs	-	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A8387	ACTH Stimulating - 60mins, EDTA Plasma	Hitech_GKS	C	1900	Daily : 9:00am	After 6hrs	-	Yes
A8403	APLA Profile	Hitech_GKS	O	5000	Daily : 9:00am	After 24hrs	-	No
A8455	AFB Drug Susceptibility panel - Comprehensive (14 drugs), Pure Culture	Hitech_GKS	D	14000	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A8456	AFB Drug Susceptibility - First Line Panel (HREZ) 4 Drugs	Hitech_GKS	D	5800	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A8457	AFB Drug Susceptibility panel - Comprehensive (11 drugs), Pure Culture	Hitech_GKS	D	10450	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A8458	AFB Drug Susceptibility - Oral Bedaquiline Panel (8 Drugs), Pure Culture	Hitech_GKS	D	8000	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A8459	AFB Drug Susceptibility - Isoniazid Monoresistance Panel (LFxREZ) 4 drugs	Hitech_GKS	D	5800	Daily : 9:00am	After 4 weeks : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
A8522	AQUAPORIN & MOG ( MYELINE OLIGODENDROCYTE) CSF	Hitech_GKS	D	5000	Daily : 9:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container	No
A8525	AUTOIMMUNE HEPATITIS PROFILE	Hitech_GKS	D	12240	Daily : 9:00am	After 24hrs	-	No
A8527	ASPERGILLOSIS AMSTELODAMI(M17) - SPECIFIC IGE	Hitech_GKS	C	450	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8599	Drug Allergen - Lidocaine, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8600	Drug Allergen - Benzocaine, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8601	Drug Allergen -	Hitech_GKS	D	1350	Tue & Fri :	Next day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Mepivacane, Serum **				11:30am	5:00pm		
A8602	Drug Allergen - Prilocaine, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8604	Drug Allergen - Pyrazolone, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8605	Drug Allergen - Piroxycam, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8607	Drug Allergen - Ibuprofen, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8609	Drug Allergen - Penicilloyl V, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8610	Drug Allergen - Doxycycline, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8611	Drug Allergen - Cloxacillin, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8612	Drug Allergen - Neomycin, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8613	Drug Allergen - Oxacillin, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8614	Drug Allergen - Chloramphenicol, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8615	Drug Allergen - Metronidazole, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8616	Drug Allergen - Ampicillin, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8617	Drug Allergen - Amoxicillin, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8618	Drug Allergen - Tetracycline, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8619	Drug Allergen - Gentamycin, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8620	Drug Allergen - Erythromycin, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A8621	Drug Allergen - Streptomycin, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8623	Drug Allergen - Sulfamethoxazole, Serum	Hitech_GKS	D	1350	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8624	Drug Allergen - Insulin Human, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8625	Drug Allergen - Cortisone, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8626	Drug Allergen - Prednisolone, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8627	Drug Allergen - Theophylline, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8628	Drug Allergen - Ambroxol, Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8629	Drug Allergen - Pyridoxamine (Vitamin B6), Serum **	Hitech_GKS	D	1350	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8630	Drug Allergen - Cobalamin (Vitamin B12), Serum	Hitech_GKS	D	1350	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
A8689	ANALGESIC-PANEL	Hitech_GKS	O	1200	Daily : 9:00am	After 24hrs	-	No
A8700	ANA Profile	Hitech_GKS	O	3500	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
AZ001	AFB Smear Examination by ZN Stain, Other Samples	Hitech_GKS	B	250	Daily : 9:00am	2nd day : 6:00pm	-	Yes
B0007	Bacterial Meningitis Profile (5 antigen), CSF	Hitech_GKS	D	4400	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or container	No
B0008	Bacterial Meningitis Profile (5 antigen), Urine	Hitech_GKS	D	4400	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
B0010	Barbiturates - Quantitative, Urine **	Hitech_GKS	B	680	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
B0013	Bence Jones Proteins - Qualitative, Urine	Hitech_GKS	B	900	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
B0014	Bence Jones Proteins Immunofixation and free light chains, Urine**	Hitech_GKS	D	7800	Tue & Fri : 9:00am	After 24hrs	-	No
B0015	Benzodiazepine - Quantitative, Urine **	Hitech_GKS	B	680	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
B0017	Beta Galactocerebrosidase, EDTA Blood **	Hitech_GKS	R	8200	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
B0018	Beta Galactosidase, EDAT Blood **	Hitech_GKS	R	5600	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
B0019	Beta Glucosidase, EDTA Blood **	Hitech_GKS	R	5600	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
B0020	Beta Hexosaminidase A, EDTA Blood **	Hitech_GKS	R	7500	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
B0021	Beta Hexosaminidase T, EDTA Blood **	Hitech_GKS	R	7500	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
B0022	Beta Mannosidase, EDTA Blood **	Hitech_GKS	R	6000	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
B0023	Beta Thalassemia Mutations Gene Sequencing, Amniotic Fluid / CVS **	Hitech_GKS	D	16500	Daily : 9:00am	7th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
B0025	Beta Thalassemia Mutations Gene Sequencing, EDTA Blood **	Hitech_GKS	D	8800	Wed & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.	No
B0026	Beta-2 Crosslaps CTx-1, EDTA Plasma **	Hitech_GKS	C	1800	Mon & Thu : 7:30am	Same day : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
B0027	Beta-2 Glycoprotein 1 - IgA Antibody, Serum **	Hitech_GKS	C	1300	Tue & Fri : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
B0028	Beta-2 Glycoprotein 1 - IgG Antibody, Serum	Hitech_GKS	C	1100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
B0029	Beta-2 Glycoprotein 1 - IgM Antibody, Serum	Hitech_GKS	C	1100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
B0030	Beta-2 Microglobulin, CSF **	Hitech_GKS	C	1700	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
B0031	Beta-2 Microglobulin, Serum	Hitech_GKS	C	1500	Mon, Wed & Fri : 7:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
B0032	Beta-2 Microglobulin, Urine **	Hitech_GKS	C	2000	Daily : 9:00am to 9:00pm	After 6hrs	15ml of Spot Urine in Sterile leak proof container	No
B0033	Bicarbonate, Serum	Hitech_GKS	B	400	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
B0034	Bile Acids - Total, Serum	Hitech_GKS	C	1650	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
B0036	Bilirubin Direct, Serum	Hitech_GKS	A	160	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
B0037	Bilirubin Total, Serum	Hitech_GKS	A	180	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
B0038	Bilirubin Total, Direct, Indirect, Serum	Hitech_GKS	A	225	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
B0039	Biotinidase - Neonatal, Dried Blood	Hitech_GKS	C	300	Daily : 9:00am	2nd day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clincial history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper.The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							history and sample to be collected post 72 hrs after transfusion. Spot Urine: 10 ml of Spot urine required with clinical history and clinician number. Amino acid Plasma: 3ml of separated EDTA plasma required. Sample to be shipped at Frozen condition. Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolism suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to be stopped based on physician recommendations	
B0040	Biotinidase - Quantitative, Serum **	Hitech_GKS	R	5200	Daily : 11:30am	10th day : 6:00pm	4ml of Heparin plasma in Red top Vacutainer	No
B0044	BK Virus DNA Detection, Urine **	Hitech_GKS	C	4710	Mon & Thu : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
B0045	Bleeding & Clotting Time	Hitech_GKS	B	100	Daily : 9:00am	2nd day : 6:00pm	NA	No
B0046	Blood Group (ABO & Rh Typing), EDTA Blood	Hitech_GKS	B	190	Daily : 9:00am	After 6hrs	3ml of EDTA whole blood and Serum sample required	No
B0047	Bombay Blood Group Evaluation, EDTA Blood **	Hitech_GKS	D	1000	Daily : 11:30am	3rd day : 6:00pm	3ml EDTA whole blood	No
B0051	BNP B Type Natriuretic Peptide Plasma**	Hitech_GKS	C	1950	Daily : 9:00am to 9:00pm	After 6hrs	-	No
B0053	BOH (Bad Obstetric History) Profile - Maxi	Hitech_GKS	C	15100	Daily : 9:00am	8th day : 6:00pm	3ml EDTA whole blood, 5 ml of serum, 4 ml of heparin whole blood (husband and wife), 3ml of citrate plasma	No
B0054	BOH (Bad Obstetric History) Profile - Mini	Hitech_GKS	C	5600	Daily : 9:00am	After 24hrs	3ml EDTA whole blood, 5 ml of serum, 3ml of citrate plasma	No
B0055	Bone Marrow Aspiration	Hitech_GKS	C	500	Daily : 9:00am	After 24hrs	2 Stained, 2 Unstained Fixed BM Smears and 2 Peripheral Smears Required.	No
B0056	Bone Screening Profile	Hitech_GKS	C	1850	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
B0057	Bordetella Pertussis IgG Antibodies -	Hitech_GKS	C	2750	Fri : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Quantitative, Serum **							
B0058	BRAF V600 Mutation Detection, FFPE Tissue **	Hitech_GKS	D	6000	Mon, Wed & Fri : 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
B0059	BRAF V600E Mutation Detection, EDTA Blood **	Hitech_GKS	D	5500	Mon & Thu : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
B0062	Cancer Marker Profile, Breast	Hitech_GKS	D	1920	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
B0063	Brucella Antibodies, Serum **	Hitech_GKS	B	1000	Daily : 9:00am & 3:00pm	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
B0064	Brucella IgG Antibody, Serum	Hitech_GKS	C	800	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
B0065	Brucella IgM Antibody, Serum	Hitech_GKS	C	1400	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
B0066	Bullous Pemphigoid 180 Vesiculobullous Disorders, Serum **	Hitech_GKS	D	4020	Mon & Thu : 9:00am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	No
B0067	Bullous Pemphigoid 230 Vesiculobullous Disorders, Serum **	Hitech_GKS	D	4000	Mon & Thu : 9:00am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	No
B0068	BUN, Serum	Hitech_GKS	A	180	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
B0069	BUN, Urine 24 Hrs	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	10ml aliquot of 24 hrs Urine in Sterile Urine Container	Yes
B0070	BUN, Pericardial Fluid	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	2ml of Pericardial Fluid in Sterile leak proof container	Yes
B0071	BUN, Urine	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
B0074	Bladder Cancer Marker Profile **	Hitech_GKS	R	14000	Daily : 11:30am	10th day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
B0075	BRCA Deletion/ Duplication Analysis, EDTA Blood **	Hitech_GKS	E	15750	Tue & Fri : 9:00am	7th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
B0076	NextGen BRCA Targeted Mutation Analysis, EDTA Blood **	Hitech_GKS	E	5000	Daily : 9:00am	7th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
B0077	NextGen BRCA Comprehensive (NGS & MLPA), EDTA Blood	Hitech_GKS	E	30000	Daily : 9:00am	3rd day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Duly signed BRCA Proforma, BRCA1-2 Consent Form	No
B0078	BUN, Body Fluid	Hitech_GKS	A	100	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
B0080	16s rRNA Sequencing â €" Bacterial Identification **	Hitech_GKS	D	3000	Daily : 9:00am	7th day : 6:00pm	Isolated colony on culture plates.	No
B0081	Beta Thalassemia (Prenatal + Parental Testing ) - 30 Mutaions, EDTA Blood **	Hitech_GKS	D	18500	Daily : 9:00am	7th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
B0083	BCR-ABL Breakpoint Detection by Real Time PCR, EDTA Blood **	Hitech_GKS	D	4500	Tue & Fri : 9:00am	3rd day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
B0084	BCR-ABL Breakpoint Detection by Real Time PCR, EDTA Bone Marrow **	Hitech_GKS	D	4500	Tue & Fri : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in EDTA Vacutainer	No
B0090	BTP (Beta-Trace Protein) CSF Leakage, Body Fluid **	Hitech_GKS	D	5500	Daily : 11:30am	Next day : 5:00pm	2 ml Nasal Fluid in Sterile leak proof container and 3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
B0101	BCL6 Gene Rearrangement, Tissue **	Hitech_GKS	E	8000	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
B0104	Beta D Glucan Level, Serum **	Hitech_GKS	D	7210	Daily : 7:30am	Same day : 5:00pm	Collect sample in gel tube directly and send after centrifugation. Kindly do not open tube or separate serum from gel tube to another tube to avoid contamination. Aliquot sample will not accepted. Kindly send minimum 2 ml serum.	No
B0106	NextGen : BRCA Somatic Mutation Analysis, Tissue/FFPE **	Hitech_GKS	E	22000	Daily : 7:30am	25th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
B0108	Pneumonia Profile by FilmArray, Sputum/ BAL/Endotracheal secretions **	Hitech_GKS	E	26500	Daily : 9:00am to 9:00pm	After 10hrs	2ml of BAL/ Sputum/ Endotracheal secretions in Sterile leak proof container	No
B0109	Barbiturates, Urine **	Hitech_GKS	R	9000	Daily : 11:30am	10th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
B0111	Barium, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
B0112	Barium, Urine **	Hitech_GKS	R	2750	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf	No
B0116	Beryllium, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
B0118	Brain tumor comprehensive profile	Hitech_GKS	E	18480	Daily : 9:00am	After 24hrs	-	No
B0119	Biotinidase Deficiency NGS Gene Panel, EDTA Blood **	Hitech_GKS	E	19000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Do not freeze. TRF, history is mandatory.	
B0120	Bone Marrow-2 Comprehensive	Hitech_GKS	D	6500	Daily : 9:00am	After 24hrs	Bone marrow biopsy (in 10% Neutral buffered formalin) & aspirate (in EDTA) examination with special stain & IHC. Send PBS as well.	No
B0121	BK Virus DNA Detection, EDTA Blood **	Hitech_GKS	C	4500	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Whole Blood in EDTA Vacutainer	No
B0122	Bismuth, K-EDTA Blood **	Hitech_GKS	R	2750	Daily : 11:30am	10th day : 6:00pm	3ml EDTA Blood / Metal free EDTA Blood	No
B0125	Bone Marrow Iron Stain **	Hitech_GKS	C	450	Daily : 9:00am	2nd day : 6:00pm	1 Stained, 2 Unstained air dried Bone marrow smears with good particles and 1 Peripheral smear required.	No
B0126	BCID - Blood Profile by FilmArray **	Hitech_GKS	D	16800	Daily : 9:00am to 9:00pm	After 10hrs	Positive blood culture bottle	No
B0137	BENTGRASS [AGROSTIS STOLONIFERA]( G9)-SPECIFIC IG	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
B1008	Beta Carotene, Serum **	Hitech_GKS	R	2160	Mon : 11:30am	5th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
B1017	Borreliosis IgG Antibody, Serum **	Hitech_GKS	R	12800	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
B1029	Bacterial Meningitis Profile (5 antigen), Serum **	Hitech_GKS	D	4400	Daily : 9:00am & 3:00pm	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
B1030	Bone Formation Markers Profile	Hitech_GKS	D	6250	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
B1031	Bone Resorption Markers Profile	Hitech_GKS	D	4250	Daily : 9:00am	After 24hrs	3ml of serum , 2 ml of EDTA Plasma and 20 ml of spot urine	No
B1032	NextGen : BRCA 1&2 Germline Profile, EDTA Blood	Hitech_GKS	E	16000	Daily : 9:00am	After 24hrs	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Duly signed BRCA Proforma, BRCA1-2 Consent Form	No
B5627	Basic Full Body Check	Hitech_GKS	O	700	Daily : 9:00am	After 24hrs	-	No
B5628	Basic Full Body Check and Urine	Hitech_GKS	O	800	Daily : 9:00am	After 24hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
B7009	Beta HCG (Total), serum CLIA.	Hitech_GKS	B	550	Daily : 9:00am	2nd day : 6:00pm	-	Yes
B7011	Bile pigments	Hitech_GKS	A	50	Daily 9:00 am	5Hrs		No
B7016	Bleeding time by Ilys method	Hitech_GKS	A	100	Daily : 9:00am	After 6hrs	-	No
B8001	Bacteriological Examination of Air	Hitech_GKS	B	500	Daily : 9:00am	3rd day : 6:00pm	Blood agar plate , Kindly mention time of plate exposure.	No
B8009	BLOOD CULTURE MANUAL	Hitech_GKS	C	365	Daily : 9:00am	6th day : 6:00pm	-	Yes
B8015	BMD (DEXA)	Hitech_GKS	D	3600	Daily : 9:00am	After 24hrs	-	No
B8030	Blood Pressure (BP)	Hitech_GKS	O	20	Daily : 9:00am	2nd day : 6:00pm	-	No
B8046	BK Polyoma Virus Quantitative by Real Time PCR, Urine **	Hitech_GKS	C	5000	Mon & Thu : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
B8047	BK Polyoma Virus Quantitative by Real Time PCR, Blood **	Hitech_GKS	C	6200	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Whole Blood in EDTA Vacutainer	No
B8054	BLOOD GAS ANALYSIS (ABG)	Hitech_GKS	C	800	Daily : 9:00am	After 24hrs	-	No
B8074	Bicarbonate Urine	Hitech_GKS	B	260	Daily : 9:00am	After 6hrs	10ml aliquot of 24 hrs Urine in Sterile Urine Container	Yes
B8119	Bone Mineral Profile	Hitech_GKS	D	1750	Daily : 9:00am	After 6hrs	-	No
B8275	Bone Dexa	Hitech_GKS	O	2500	Daily : 9:00am	After 24hrs	-	No
B8276	Bone Mineral Density	Hitech_GKS	O	1500	Daily : 9:00am	After 24hrs	-	No
B8590	Bone Mineral Profile	Hitech_GKS	D	1800	Daily : 9:00am	After 24hrs	-	No
C0001	C1 Esterase Inhibitor, Serum **	Hitech_GKS	D	3450	Mon & Thu : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0003	C3 (Complement-3), Serum	Hitech_GKS	C	720	Mon, Wed & Fri : 7:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0004	C4 (Complement-4), Serum	Hitech_GKS	C	720	Mon, Wed & Fri : 7:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0005	CA 125, Serum	Hitech_GKS	B	1100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0005_BF	CA-125, Body fluid	Hitech_GKS	B	743	Daily : 9:00am	After 6hrs	-	Yes
C0006	CA 15-3, Serum	Hitech_GKS	B	1250	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0007	CA 19-9, Serum	Hitech_GKS	B	1250	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0007_BF	CA-19.9, Body fluid	Hitech_GKS	B	800	Daily : 9:00am	After 6hrs	-	Yes
C0009	CA 125, Serum **	Hitech_GKS	C	1600	Tue & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0010	Cadmium, K-EDTA Blood **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0011	Cadmium, 24Hrs Urine **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0013	CAH (Congenital Adrenal Hyperplasia) Profile	Hitech_GKS	C	6250	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
C0014	Calcitonin Thyrocalcitonin, Serum **	Hitech_GKS	C	2250	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0015	Calcium, Urine 24 Hrs	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	10ml aliquot of 24 hrs Urine in Sterile Urine Container	Yes
C0016	Calcium Ionised, Serum	Hitech_GKS	C	500	Daily : 9:00am	After 6hrs	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	Yes
C0017	Calcium, Serum	Hitech_GKS	A	190	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0018	Calcium Profile	Hitech_GKS	C	550	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0019_24	Calcium/Creatinine Ratio, Urine 24 Hrs **	Hitech_GKS	A	400	Daily : 9:00am	2nd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
C0019_SP	Calcium/Creatinine Ratio, Urine	Hitech_GKS	A	450	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
C0020	Campylobacter Antigen Detection, Stool **	Hitech_GKS	C	1450	Daily : 9:00am & 3:00pm	After 4hrs	5gm of Stool specimen in Sterile leak proof container	No
C0021	Cancer Detection Profile - Female	Hitech_GKS	D	9250	Daily : 9:00am	5th day : 6:00pm	3ml of EDTA whole blood, 5 ml of serum, 1 thin prep container	No
C0022	Cancer Screen Profile - Male	Hitech_GKS	D	7500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0028	Candida Albicans - Confirmation, Serum **	Hitech_GKS	R	11000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0029	Cannabis Marijuana, Urine **	Hitech_GKS	B	680	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
C0031	Calprotectin, Stool	Hitech_GKS	C	2800	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	5gms of Stool in Sterile leak proof container	Yes
C0032	Carbamazepine Tegretol, Serum	Hitech_GKS	C	750	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0033	Cardiac Injury Profile - Maxi	Hitech_GKS	D	4700	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0034	Cardiac Injury Profile - Mini	Hitech_GKS	D	1400	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0035	Cardiac Risk Profile	Hitech_GKS	D	2500	Daily : 9:00am	2nd day : 6:00pm	3ml of serum and 3ml of citrate plasma	No
C0036	Cardiac Screen Profile - 2	Hitech_GKS	C	1400	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood, 3ml of serum, 2 ml of flouride plasma, 10 ml of spot urine	No
C0037	Cardiolipin Antibody IgA antibody, Serum	Hitech_GKS	C	890	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0038	Cardiolipin Antibody IgG antibody, Serum	Hitech_GKS	C	850	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0039	Cardiolipin Antibody IgM antibody, Serum	Hitech_GKS	C	850	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0042	Catecholamines, EDTA Plasma **	Hitech_GKS	D	6400	Wed : 11:30am	5th day : 6:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
C0043	Catecholamines, Urine 24Hrs	Hitech_GKS	D	5500	Wed : 9:00am	After 24hrs	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
C0044	CBC Haemogram, EDTA Blood	Hitech_GKS	A	350	Daily : 9:00am	After 6hrs	3ml EDTA whole blood	Yes
C0045	CBF Beta Inversion (16), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
C0046	CBF Beta Inversion (16), Heparin Bone Marrow **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
C0047	CCP Antibody, Serum	Hitech_GKS	C	1300	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
C0048	CD2 Count, EDTA Blood	Hitech_GKS	C	2300	Daily : 7:30am	4th day :	3ml of EDTA whole blood required. Sample	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	**					6:00pm	stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	
C0049	CD3 Count, EDTA Blood **	Hitech_GKS	C	1600	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0050	CD3 / CD4 / CD8 Count, EDTA Blood **	Hitech_GKS	C	1900	Daily : 9:00am	After 6hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0051	CD3 / CD4 / CD8 / CD45 Count, EDTA Blood **	Hitech_GKS	C	1900	Daily : 9:00am	After 6hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0052	CD4 / CD8 Count, Body Fluid **	Hitech_GKS	R	4200	Daily : 11:30am	5th day : 6:00pm	5ml BAL fluids to be send in Sterile container. Clinical history and clinician number required. (Sample require as soon as possible after collection, Avoid weekend and Holiday)	No
C0053	CD4 Count, EDTA Blood **	Hitech_GKS	C	1150	Daily : 9:00am	After 6hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0054	CD4 / CD8 Count, EDTA Blood **	Hitech_GKS	C	2200	Daily : 9:00am	After 6hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0055	CD5 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0056	CD7 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0057	CD8 Count, EDTA Blood **	Hitech_GKS	C	2000	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0058	CD10 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0059	CD13 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0060	CD14 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0061	CD15 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0062	CD16/56 Count, EDTA Blood **	Hitech_GKS	C	4100	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0063	CD19 Count, EDTA Blood **	Hitech_GKS	C	2750	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							condition(preferably). Clinical history and clinician number required.	
C0064	CD20 Count, EDTA Blood **	Hitech_GKS	C	2400	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0065	CD22 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0066	CD23 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0067	CD25 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0068	CD33 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0069	CD34 Stem Cells, EDTA Blood **	Hitech_GKS	C	5500	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0070	CD34 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0071	CD38 Count, EDTA	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Blood **						stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	
C0074	CD45 Count, EDTA Blood **	Hitech_GKS	C	1600	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0075	CD79A Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0076	CD103 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0077	CEA (Carcino Embryonic Antigen), Body Fluid	Hitech_GKS	B	500	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	No
C0078	CEA (Carcino Embryonic Antigen), Serum	Hitech_GKS	B	780	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0079	Celiac Disease Profile	Hitech_GKS	D	5200	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0080	Cell Count	Hitech_GKS	A	100	Daily : 9:00am	After 24hrs	2ml of Body Fluid in Sterile leak proof container	Yes
C0081	Centromere Antibody, Serum	Hitech_GKS	C	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0082	Ceruloplasmin, Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0083	Cervical Screening Profile - 1	Hitech_GKS	D	4500	Daily : 9:00am	3rd day : 6:00pm	Smear & Thin Prep LBC Container	No
C0084	Cervical Screening Profile - 2 **	Hitech_GKS	D	3300	Daily : 9:00am	3rd day : 6:00pm	Cervical scraping in 10 ml LBC Container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0085	Cervical Screening-3 LBC PAP and HPV-DNA, reflex CISH	Hitech_GKS	D	360	Daily : 9:00am	7th day : 6:00pm	-	No
C0086	CH-50 Complement, Serum **	Hitech_GKS	C	3900	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0087	Chikungunya RNA Detection, EDTA Plasma **	Hitech_GKS	C	4500	Daily : 10:00am	After 24hrs	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
C0088	Chikungunya IgM Antibody, Serum	Hitech_GKS	B	800	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0090	Chitotriosidase Storage Disorder, EDTA Plasma **	Hitech_GKS	R	4000	Daily : 11:30am	10th day : 6:00pm	4ml of Heparin plasma in Red top Vacutainer	No
C0091	Chlamydia Trachomatis DNA Detection, Swab	Hitech_GKS	D	3700	Daily : 9:00am	After 24hrs	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
C0092	Chlamydia Trachomatis DNA Detection, Fluid	Hitech_GKS	D	3700	Daily : 9:00am	After 24hrs	2ml of Body Fluid in Sterile leak proof container	No
C0093	Chlamydia Trachomatis DNA Detection, Urine	Hitech_GKS	D	3700	Daily : 9:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container	No
C0094	Chlamydia Trachomatis DNA Detection, Vaginal Swab	Hitech_GKS	D	3700	Daily : 9:00am	After 24hrs	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
C0096	Chlamydia Pneumoniae IgG antibody, Serum **	Hitech_GKS	C	2240	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0097	Chlamydia Pneumoniae IgM antibody, Serum **	Hitech_GKS	C	2240	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0098	Chlamydia Trachomatis IgA antibody, Serum	Hitech_GKS	C	1020	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0099	Chlamydia	Hitech_GKS	C	600	Daily : 9:00am	2nd day :	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Trachomatis IgG antibody, Serum					6:00pm		
C0100	Chlamydia Trachomatis IgM antibody, Serum	Hitech_GKS	C	950	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0101	Chloride, Serum	Hitech_GKS	A	200	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0102	Chloride, Urine 24Hrs	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	10ml aliquot of 24 hrs Urine in Sterile Urine Container	Yes
C0103	Chloride, Urine	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
C0104	Chloride, Body Fluid	Hitech_GKS	A	150	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
C0105	Cholesterol Total, Body Fluid	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
C0106	Cholesterol Total, Serum	Hitech_GKS	A	160	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0107	Chromium, K-EDTA Blood **	Hitech_GKS	D	3160	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0108	Chromium, Urine 24Hrs **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0109	Chromium, Urine **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0110	Chromogranin A, Plasma	Hitech_GKS	D	6900	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of EDTA plasma to be sent in aliquot tube at proper temperature.	Yes
C0113	Fanconis Anemia - Chromosomal Breakage Anaylsis, Heparin Blood **	Hitech_GKS	R	7500	Daily : 11:30am	20th day : 6:00pm	Clinical history and TRF mandatory. Blood : 5 ml Heparine Whole Blood, Sample sent as soon as possible after collection	No
C0115	Chylomicron - Qualitative, Urine **	Hitech_GKS	B	520	Daily : 9:00am to 9:00pm	After 6hrs	15ml of Spot Urine in Sterile leak proof container	No
C0117	Citrate, Urine 24Hrs **	Hitech_GKS	C	1180	Daily : 11:30am	5th day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
C0118	Citrulline - Quantitative, EDTA Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
C0119	Citrulline - Quantitative,	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Urine **						container	
C0121	C-Kit (GIST)Mutation Detection, Tissue/FFPE **	Hitech_GKS	D	11000	Mon, Wed & Fri : 9:00am	10th day : 6:00pm	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
C0122	C-Kit (GIST)Mutation Detection, EDTA Bone Marrow **	Hitech_GKS	D	5500	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
C0123	C-Kit (GIST)Mutation Detection, Tissue/FFPE **	Hitech_GKS	D	7200	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
C0124	CPK-MB Fraction, Serum	Hitech_GKS	B	620	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0128	Clostridium Difficile, Stool	Hitech_GKS	C	2400	Daily : 9:00am	2nd day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	No
C0130	Clotting Time	Hitech_GKS	A	100	Daily : 9:00am	2nd day : 6:00pm	NA	No
C0131	Clozapine, Serum **	Hitech_GKS	D	3900	Wed : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0132	CMV Avidity, Serum **	Hitech_GKS	C	1300	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0133	CMV DNA Detection, Amniotic Fluid	Hitech_GKS	C	4800	Daily : 9:00am	After 24hrs	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
C0134	CMV DNA Detection, CSF	Hitech_GKS	C	4800	Daily : 9:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container	No
C0135	CMV DNA Detection, Plasma	Hitech_GKS	C	4000	Daily : 9:00am	After 24hrs	3ml of EDTA Plasma in Sterile Plain Vacutainer	Yes
C0136	CMV DNA Detection, Saliva	Hitech_GKS	C	4800	Daily : 9:00am	After 24hrs	2ml of BAL/ Saliva in Sterile Leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0137	CMV DNA Detection, Urine	Hitech_GKS	C	4800	Daily : 9:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container	No
C0138	CMV GCV Resistance, EDTA Plasma **	Hitech_GKS	R	11000	Daily : 11:30am	12th day : 6:00pm	3ml of EDTA Whole Blood in EDTA Vacutainer	No
C0139	CMV (IgG & IgM)antibody, Serum	Hitech_GKS	B	1200	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0141	CMV IgG Antibody, Serum	Hitech_GKS	B	600	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0142	CMV IgM Antibody, Serum	Hitech_GKS	B	550	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0143	CMV DNA Viral Load, EDTA Plasma	Hitech_GKS	C	8600	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	Yes
C0144	CMV by CISH, FFPE **	Hitech_GKS	D	2700	Daily : 9:00am	4th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
C0145	Cobalt, K-EDTA Blood **	Hitech_GKS	D	3300	Daily : 11:30am	3rd day : 6:00pm	3ml of Blood in Metal Free Vacutainer	No
C0145_ CS	Cobalt, Serum **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0146	Cobalt, Urine 24Hrs **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0147	Cobalt, Urine **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0148	Cocaine - Qualitative, Urine **	Hitech_GKS	B	680	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
C0149	Cold Agglutinin, Serum **	Hitech_GKS	B	600	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0150	Cancer Marker Profile, Colorectal	Hitech_GKS	D	5200	Wed & Sat : 9:00am	After 24hrs	3ml of Serum and 3ml of EDTA plasma	No
C0151	Coombs Test - Direct, EDTA Blood	Hitech_GKS	C	600	Daily : 9:00am	After 6hrs	3ml EDTA whole blood	Yes



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0152	Coombs Test - Indirect, Serum	Hitech_GKS	C	700	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0153	CopperBiochemicalSerum	Hitech_GKS	B	2100	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
C0154	Copper, Urine 24Hrs **	Hitech_GKS	D	2100	Daily : 11:30am	3rd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
C0155	Copper, Urine **	Hitech_GKS	D	2200	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0156	Copper, Serum **	Hitech_GKS	D	2200	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0157	Cortisol, Serum (8AM)	Hitech_GKS	B	640	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0157_4PM	Cortisol, Serum (4PM)	Hitech_GKS	B	600	Daily : 9:00am	After 10hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0157_R	Cortisol, Serum (Random)	Hitech_GKS	B	740	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0158	Cortisol - Free, Urine 24Hrs **	Hitech_GKS	B	2500	Daily : 9:00am	2nd day : 6:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
C0159	Coxiella Burnetii IgG antibody, Serum **	Hitech_GKS	D	1950	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0160	Coxiella Burnetii IgM antibody, Serum **	Hitech_GKS	D	1950	Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0161	Coxsackie IgG antibody, Serum **	Hitech_GKS	C	1950	Wed : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0162	Coxsackie IgM antibody, Serum **	Hitech_GKS	C	2540	Wed : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0163	C-Peptide - Fasting, Serum	Hitech_GKS	C	1080	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0163_PP	C-Peptide - Post Prandial, Serum	Hitech_GKS	C	1200	Daily : 9:00am	After 10hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0163_R	C-Peptide - Random, Serum	Hitech_GKS	C	990	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C0164	CPK Isoenzymes, Serum **	Hitech_GKS	D	7500	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0165	CPK Total, Serum	Hitech_GKS	A	350	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0166	Creatinine Clearance Test, Serum & Urine	Hitech_GKS	B	480	Daily : 9:00am	After 6hrs	3ml Serum And 24 Hrs Urine . No Preservative	Yes
C0167	Creatinine - Quantitative, Urine 24 Hrs	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	10ml aliquot of 24 hrs Urine in Sterile Urine Container	Yes
C0168	Creatinine, Body Fluid	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
C0169	Creatinine, Serum	Hitech_GKS	A	180	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0170	CRP (C Reactive Protein), Serum	Hitech_GKS	B	450	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C0171	Cryoglobulin - Qualitative, Serum **	Hitech_GKS	C	1000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0172	Cryptococcus Antigen Detection, CSF **	Hitech_GKS	C	2450	Daily : 9:00am & 3:00pm	After 6hrs	2ml of CSF in Sterile leak proof tube or container	No
C0173	Cryptococcus Antigen Detection, Serum **	Hitech_GKS	C	1500	Daily : 9:00am & 3:00pm	After 6hrs	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
C0179	Cryptosporidium Smeat Examination	Hitech_GKS	C	550	Daily : 9:00am	12th day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	No
C0180	Cryptosporidium Parvum Antigen, Stool **	Hitech_GKS	C	1400	Daily : 9:00am & 3:00pm	After 4hrs	5gm of Stool specimen in Sterile leak proof container	No
C0181	CSF Index, CSF and Serum **	Hitech_GKS	D	2730	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container 3ml of Serum in Gel/ Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0182	Culture & Sensitivity - Aerobic bacteria, Blood single bottle	Hitech_GKS	C	990	Daily : 9:00am	6th day : 6:00pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin	Yes
C0183	Culture & Sensitivity - Aerobic bacteria, Blood Two bottle set	Hitech_GKS	C	2800	Daily : 9:00am	6th day : 6:00pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin	Yes
C0184	Culture & Sensitivity - Aerobic bacteria, Blood	Hitech_GKS	C	1600	Daily : 9:00am	8th day : 6:00pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin	Yes
C0185	Culture & Sensitivity - Aerobic bacteria, Body Fluids	Hitech_GKS	C	750	Daily : 9:00am	6th day : 6:00pm	2ml of Body Fluid in Sterile leak proof container	Yes
C0185_C	Culture and Identification, Aerobic bacteria, Body Fluids	Hitech_GKS	C	300	Daily : 9:00am	2nd day : 6:00pm	-	Yes
C0186	Culture & Sensitivity - Aerobic bacteria, Bone Marrow	Hitech_GKS	C	950	Daily : 9:00am	6th day : 6:00pm	3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin	Yes
C0187	Culture & Sensitivity - Aerobic bacteria, Central Line Catheter Tip	Hitech_GKS	C	550	Daily : 9:00am	3rd day : 6:00pm	Central Line Catheter Tip in sterile container	Yes
C0188	Culture & Sensitivity - Aerobic bacteria, Clot **	Hitech_GKS	C	950	Daily : 9:00am	5th day : 6:00pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin	No
C0189	Culture & Sensitivity - Aerobic bacteria, CSF	Hitech_GKS	C	750	Daily : 9:00am	6th day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	Yes
C0190	Culture & Sensitivity - Aerobic bacteria, Ear Samples	Hitech_GKS	C	950	Daily : 9:00am	3rd day : 6:00pm	Ear specimens in Sterile leak proof container	Yes
C0191	Culture & Sensitivity - Aerobic bacteria, Eye Samples	Hitech_GKS	C	550	Daily : 9:00am	3rd day : 6:00pm	Eye specimens in Sterile leak proof container	Yes
C0192	Culture & Sensitivity - Aerobic bacteria, Other samples	Hitech_GKS	C	400	Daily : 9:00am	3rd day : 6:00pm	2ml of Specimen in Sterile leak proof container	Yes
C0192_	Culture and	Hitech_GKS	C	1250	Daily : 9:00am	2nd day :	Pure culture isolate is required	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C	Identification, Aerobic bacteria, Other Samples					6:00pm		
C0192_M	Culture & Sensitivity, Aerobic bacteria Other samples_Manual	Hitech_GKS	C	350	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C0193	Culture & Sensitivity - Aerobic bacteria, Pus	Hitech_GKS	C	1050	Daily : 9:00am	3rd day : 6:00pm	2ml of PUS in Sterile leak proof container	Yes
C0194	Culture & Sensitivity - Aerobic bacteria, Respiratory Sample	Hitech_GKS	C	750	Daily : 9:00am	6th day : 6:00pm	2ml of BAL / Other Respiratory samples in Sterile leak proof container	Yes
C0195	Culture & Sensitivity - Aerobic bacteria, Semen	Hitech_GKS	C	1100	Daily : 9:00am	3rd day : 6:00pm	2ml of Semen in Sterile leak proof container	Yes
C0196	Culture & Sensitivity - Aerobic bacteria, Sputum	Hitech_GKS	C	1100	Daily : 9:00am	3rd day : 6:00pm	2ml of Sputum in Sterile leak proof container	Yes
C0196_C	Culture and Identification, Aerobic bacteria, Sputum Samples	Hitech_GKS	C	300	Daily : 9:00am	2nd day : 6:00pm	-	Yes
C0197	Culture & Sensitivity - Aerobic bacteria, Stool	Hitech_GKS	C	1100	Daily : 9:00am	3rd day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	Yes
C0198	Culture & Sensitivity - Aerobic bacteria, Throat Swab	Hitech_GKS	C	1800	Daily : 9:00am	3rd day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	Yes
C0199	Culture & Sensitivity - Aerobic bacteria, Throat Swab For C.Diphtheriae	Hitech_GKS	C	550	Daily : 9:00am	3rd day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
C0200	Culture & Sensitivity - Aerobic bacteria, Tissue/Biopsy	Hitech_GKS	C	1050	Daily : 9:00am	3rd day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container	Yes
C0201	Culture & Sensitivity - Aerobic bacteria, Urethral Discharge	Hitech_GKS	C	750	Daily : 9:00am	3rd day : 6:00pm	2ml of Urethral Discharge in Sterile leak proof container	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0202	Culture & Sensitivity - Aerobic bacteria, Urine	Hitech_GKS	C	840	Daily : 9:00am	3rd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	Yes
C0203	Culture & Sensitivity - Aerobic bacteria, Vaginal Sample	Hitech_GKS	C	1100	Daily : 9:00am	3rd day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	Yes
C0204	Culture & Identification - Anaerobic bacteria, Blood Single bottle	Hitech_GKS	C	1250	Daily : 9:00am	8th day : 6:00pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin	No
C0205	Culture & Identification - Anaerobic bacteria, High Vaginal Discharge	Hitech_GKS	C	1400	Daily : 9:00am	8th day : 6:00pm	2ml of Vaginal Discharge in Sterile leak proof container	No
C0206	Culture & Identification - Anaerobic bacteria, Pus	Hitech_GKS	C	1400	Daily : 9:00am	8th day : 6:00pm	2ml of PUS in Sterile leak proof container	No
C0207	Culture & Identification - Anaerobic bacteria, Stool **	Hitech_GKS	C	1400	Daily : 9:00am to 9:00pm	5th day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	No
C0208	Culture & Identification - Anaerobic bacteria, Tissue/Biopsy	Hitech_GKS	C	750	Daily : 9:00am	8th day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container	No
C0209	Cyclospora Smear Examination **	Hitech_GKS	C	550	Daily : 9:00am & 3:00pm	After 6hrs	5gm of Stool specimen in Sterile leak proof container	No
C0210	Cyclosporine, EDTA Blood **	Hitech_GKS	C	2600	Daily : 7:30am	Same day : 8:00pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.	No
C0212	Cyfra (Ca) 21-1, Serum **	Hitech_GKS	D	3400	Tue & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0213	CYP2C19 Genotyping, EDTA Blood **	Hitech_GKS	D	9300	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius .	No
C0214	Cystatin C, Serum	Hitech_GKS	C	1100	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
C0218	Cystic Fibrosis Delta	Hitech_GKS	E	4300	Tue & Thu :	7th day :	3-5 ml of EDTA whole blood required. Sample	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	F508 Mutation Analysis, EDTA Blood **				9:00am	6:00pm	stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	
C0219	Cystic Fibrosis IRT (Neonatal Screen), Dried Blood	Hitech_GKS	C	300	Daily : 9:00am	2nd day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	No
C0220	Cysticercus IgG antibody, CSF **	Hitech_GKS	C	1700	Tue & Fri : 7:30am	Same day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
C0221	Cysticercus IgG antibody, Serum	Hitech_GKS	C	1575	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0222	Cystine - Quantitative, Serum **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
C0223	Cystine - Quantitative, Serum **	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
C0224	Cytochemistry Panel**	Hitech_GKS	C	2200	Daily : 9:00am	3rd day : 6:00pm	Direct smears & 3ml of EDTA blood	No
C0226	Cytology - Ascitic Fluid (Conventional Method) **	Hitech_GKS	C	900	Daily : 9:00am	2nd day : 6:00pm	More than 1 ML fluid in plain leak proof container along with relevant clinical details	No
C0227	Cytology - Bronchoalveolar	Hitech_GKS	C	1265	Daily : 9:00am	2nd day : 6:00pm	Bronchoalveolar lavage in a plain leak proof container along with bronchoscopy findings &	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Lavage (BAL) (Conventional Method) **						relevant clinical/radiological details	
C0228	Cytology - CSF (Conventional Method) **	Hitech_GKS	C	800	Daily : 9:00am	2nd day : 6:00pm	More than 0.5 ML fluid in plain leak proof container along with relevent clinical details & CT/MRI reports	No
C0229	Cytology - Drain Fluid (Conventional Method) **	Hitech_GKS	C	900	Daily : 9:00am	2nd day : 6:00pm	More than 1 ML fluid in plain leak proof container along with relevant clinical details	No
C0230	Cytology - Nipple Discharge (Conventional Method) **	Hitech_GKS	C	900	Daily : 9:00am	2nd day : 6:00pm	Prefixed smears along with relevant clinical & radiological details	No
C0233	Cytology - Other Fluids/ Scraping (Conventional Method) **	Hitech_GKS	C	900	Daily : 9:00am	2nd day : 6:00pm	2ml of Body Fluid in Sterile leak proof container	No
C0234	Cytology - Pericardial Fluid (Conventional Method) **	Hitech_GKS	C	900	Daily : 9:00am	2nd day : 6:00pm	More than 1 ML fluid in plain leak proof container along with relevant clinical details	No
C0235	Cytology - Peritoneal washings (Conventional Method) **	Hitech_GKS	C	900	Daily : 9:00am	2nd day : 6:00pm	More than 1 ML fluid in plain leak proof container along with relevant clinical details	No
C0236	Cytology - Pleural Fluid (Conventional Method) **	Hitech_GKS	C	1100	Daily : 9:00am	2nd day : 6:00pm	More than 1 ML fluid in plain leak proof container along with relevant clinical details	No
C0238	Cytology - Sputum (Conventional Method) **	Hitech_GKS	C	900	Daily : 9:00am	2nd day : 6:00pm	Sputum in a plain leak proof container along with relevant clinical/radiological details	No
C0239	Cytology - Synovial (Conventional Method) **	Hitech_GKS	C	900	Daily : 9:00am	2nd day : 6:00pm	2ml of Synovial Fluid in Sterile leak proof container	No
C0241	Cytology - Urine (Conventional Method) **	Hitech_GKS	C	1100	Daily : 9:00am	2nd day : 6:00pm	More than 1 MI Urine in a leak proof plain container along with relvent clinical & radiological details	No
C0242	Cytology Reflex to cell block and relevant IHC	Hitech_GKS	C	4000	Daily : 9:00am	3rd day : 6:00pm	More than 1 ML fluid in plain leak proof container along with relevant clinical details	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Body fluid **							
C0244	Carbohydrate-deficient transferrin **	Hitech_GKS	R	4000	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0246	Chromosomal Array CGH - Pediatrics Profile, Heparin Blood **	Hitech_GKS	E	16000	Daily : 9:00am	15th day : 6:00pm	3ml of EDTA Whole Blood	No
C0247	Chromosomal Array CNV+SNP Array POC**	Hitech_GKS	E	11200	Daily : 9:00am	15th day : 6:00pm	Upto 12 weeks of gestation: 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container In 12-18 weeks of gestation: a) 50-100mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. If possible in 20ml normal saline with 2-3 drops of gentamycin and 1-4ml Maternal blood in EDTA tube is required for maternal cell contamination (MCC) studies.	No
C0248	Clostridium Difficile, Stool by PCR **	Hitech_GKS	C	3300	Wed & Sat : 7:30am	Next day : 5:00pm	5gm of Stool specimen in Sterile leak proof container	No
C0250	Copper reflex Ceruloplasmin, Serum	Hitech_GKS	D	2750	Daily : 9:00am	5th day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C0251	CALR (Calreticulin) Exon 9 Mutation Analysis, EDTA Blood**	Hitech_GKS	D	6300	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
C0252	CALR (Calreticulin) Exon 9 Mutation Analysis, EDTA Bone Marrow **	Hitech_GKS	D	6300	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
C0253	Chromium, Serum **	Hitech_GKS	R	2750	Daily : 11:30am	12th day : 6:00pm	BD RED TOP VACCUTAINER, CENTRIFUGE, SEPARATE SERUM in red top	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0254	Calcium Urine Spot_C0254	Hitech_GKS	A	220	Daily : 9:00am	After 6hrs	-	Yes
C0255	Creatinine, Urine	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
C0256	CPEO (Chronic Progressive External Ophthalmoplegia), EDTA Blood **	Hitech_GKS	R	7200	Daily : 11:30am	8th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
C0260	NextGen : HotSpot Cancer Gene Profile, Tissue/FFPE **	Hitech_GKS	E	28000	Daily : 11:30am	After 4 weeks : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
C0264	CD64 Count, EDTA Blood **	Hitech_GKS	C	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
C0265	CEBPA Mutations Analysis, EDTA Blood **	Hitech_GKS	E	6000	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood or 3ml EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
C0267	Cervical Cancer Screening profile 3	Hitech_GKS	D	5500	Daily : 9:00am	4th day : 6:00pm	Cervical scraping in 10 ml LBC Container	No
C0269	Cancer Marker Profile, Brain & Pituitary	Hitech_GKS	D	3450	Tue & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0272	Cancer Marker Profile, Gall Bladder	Hitech_GKS	D	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0273	Cancer Marker Profile, Liver-2	Hitech_GKS	D	5750	Wed & Sat : 9:00am	After 24hrs	3ml of Serum and 3ml of EDTA plasma	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0275	Cancer Marker Profile, Neuroendocrine tumors	Hitech_GKS	D	6200	Tue & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum and 3ml of EDTA plasma	No
C0276	Cancer Marker Profile, Ovarian	Hitech_GKS	D	2250	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0277	Cancer Marker Profile, Thyroid-DTC	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0281	cMYC Gene Rearrangement, Heparin Bone Marrow **	Hitech_GKS	D	4000	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
C0282	cMYC Gene Rearrangement, Heparin Blood **	Hitech_GKS	D	4000	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
C0283	cMYC Gene Rearrangement, Heparin Tissue **	Hitech_GKS	D	8000	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
C0286	COMT (Catechol-O-Methyltransferase) Genotyping, EDTA Blood **	Hitech_GKS	E	6000	Daily : 9:00am	7th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
C0289	CMV DNA Detection, Tissue **	Hitech_GKS	C	4800	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	Tissue with Normal Saline in Sterile leak proof container	No
C0290	Chloride, CSF	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or container	Yes
C0292	CMV DNA Viral Load, BAL/Saliva	Hitech_GKS	C	7400	Daily : 9:00am	2nd day : 6:00pm	2ml of BAL/ Saliva in Sterile Leak proof container	No
C0295	Complete Blood Count with ESR	Hitech_GKS	C	350	Daily : 9:00am	After 6hrs	-	Yes
C0297	C3 Nephritic Factor, Serum **	Hitech_GKS	R	5000	Daily : 11:30am	8th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0302	Cryofibrinogen	Hitech_GKS	D	900	Daily : 9:00am	4th day : 6:00pm	Collect Blood In Pre-warmed Red Plain Top & Citrate Tube And Pre-warmed Syringe.	No
C0306	Chimerism Pre-Transplant Profile **	Hitech_GKS	E	9900	Daily : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Chimerism Analysis - Information Sheet Clinical details of the recipient Bone Marrow Transplant Date, Donor and Recipient relationship	No
C0307	Chimerism Post-Transplant Profile **	Hitech_GKS	E	9900	Daily : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Chimerism Analysis Information Sheet Clinical details of the recipient Bone Marrow Transplant Date, Donor and Recipient relationship	No
C0311	Cardiomyopathy NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetic history is mandatory.	No
C0318	Chylomicron - Qualitative, Body Fluid **	Hitech_GKS	B	590	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	2ml of Body Fluid in Sterile leak proof container	No
C0319	Clinical Exome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	22050	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetic history is mandatory.	No
C0326	Carba R (Carbapenem Resistance) by CBNAAT, Swabs **	Hitech_GKS	D	9000	Daily : 9:00am & 3:00pm	After 6hrs	Culture Plate / Anal Swab with Sufficient Material in Sterile Falcon Tube	No
C0332	Cortisol/Creatinine ratio, Urine **	Hitech_GKS	B	1100	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C0337_ Adult	Creatinine - Advanced Profile (Above18 years), Urine	Hitech_GKS	A	250	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
C0338	Haemogram Advanced Profile - 1 (CBC & ESR), EDTA Blood	Hitech_GKS	A	330	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood sample	Yes
C0340	Chromosomal Array CGH Cancer Profile - Prenatal, Amniotic Fluid **	Hitech_GKS	E	16000	Daily : 9:00am	15th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
C0342	Allergy Profile - Child **	Hitech_GKS	D	12350	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0343	Clustered AchR, MuSK, LRP4 Antibodies, Serum **	Hitech_GKS	R	15000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0348	Chromosomal Array CGH Cancer Profile, EDTA Blood & Bone Marrow **	Hitech_GKS	E	25000	Daily : 9:00am	After 4 weeks : 6:00pm	3ml of EDTA whole blood and 3ml of Bone marrow	No
C0349	Cadmium, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
C0351	Chromium, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
C0353	Cobalt, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
C0354	Cocaine - Quantitative, Urine **	Hitech_GKS	R	9000	Daily : 11:30am	10th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
C0356	Copper, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
C0360	CLL Prognostication/ Risk Stratification NGS Gene Panel, EDTA Blood **	Hitech_GKS	E	17000	Daily : 11:30am	20th day : 6:00pm	4 ml EDTA Whole blood/bone marrow aspirate	No
C0361	Carrier Screening NGS Gene Panel - Gold (500 genes), EDTA Blood **	Hitech_GKS	E	41000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	
C0362	Carrier Screening Profile - Platinum (2000 genes), EDTA Blood **	Hitech_GKS	E	67000	Daily : 7:30am	After 6 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
C0363	Carrier Screening NGS Gene Panel - Silver (100 genes), EDTA Blood **	Hitech_GKS	E	35100	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
C0365	Congenital Cataract NGS Gene Panel, EDTA Blood **	Hitech_GKS	E	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
C0366	Congenital Hepatic Fibrosis NGS Gene Panel, EDTA Blood **	Hitech_GKS	E	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
C0368	Chromosomal Array CGH - High Resolution, Heparin Blood **	Hitech_GKS	R	25000	Daily : 9:00am	20th day : 6:00pm	3ml of EDTA Whole Blood	No
C0369	Chikungunya RNA Detection, Serum **	Hitech_GKS	C	4500	Daily : 10:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
C0370	CMV DNA Viral Load,	Hitech_GKS	C	7400	Daily : 9:00am	2nd day :	2ml of CSF in Sterile leak proof tube or	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	CSF					6:00pm	container	
C0371	CMV DNA Viral Load, Urine	Hitech_GKS	C	7400	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
C0372	CT-NG (Chlamydia Trachomatis & Neisseria Gonorrhoeae) Profile, Genital Swab	Hitech_GKS	D	5000	Daily : 9:00am	2nd day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
C0373	CT-NG (Chlamydia Trachomatis & Neisseria Gonorrhoeae) Profile, Urine	Hitech_GKS	D	5000	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
C0374	Covid Monitor Initial Profile	Hitech_GKS	C	5800	Daily : 9:00am	2nd day : 6:00pm	2 ml of EDTA whole blood, 3ml of serum ,3ml of citrate plasma	No
C0375	Covid Monitor Maintenance Profile	Hitech_GKS	C	4000	Daily : 9:00am	2nd day : 6:00pm	2 ml of EDTA whole blood, 3ml of serum ,3ml of citrate plasma	No
C0376	Covid Monitor Recovery Profile	Hitech_GKS	C	2800	Daily : 9:00am	2nd day : 6:00pm	2 ml of EDTA whole blood, 3ml of serum ,3ml of citrate plasma	No
C0377	Cardiac Screen Profile - 1	Hitech_GKS	C	6000	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0378	Conventional Karyotyping for CLL (B-Cell Stimulation), Heparin Blood **	Hitech_GKS	R	12000	Daily : 11:30am	20th day : 6:00pm	10ml of Blood in Sodium Heparin Vacutainer	No
C0379	CoviRisk TBNK, EDTA Blood **	Hitech_GKS	D	4500	Daily : 9:00am to 9:00pm	After 4hrs	3ml of EDTA Whole Blood	No
C0381	Covid Associated Biomarkers Profile	Hitech_GKS	C	4499	Daily : 9:00am	2nd day : 6:00pm	2 ml of EDTA whole blood, 3ml of serum ,3ml of citrate plasma	No
C0393	Colorectal Cancer (Theranostic) ot Spot NGS Gene Panel, Tissue/FFPE **	Hitech_GKS	E	32000	Daily : 9:00am	After 4 weeks : 6:00pm	Paraffin Block with Histopath report Mandatory	No
C0394	Cytology - Brush Cytology by conventional method **	Hitech_GKS	C	2500	Daily : 9:00am	After 24hrs	Unstained slides, Complete clinical & radiology details, clinician contact number	No
C0402	COCKSFOOT(DACCTYLI S GLOMERATA)( G3)-	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	SPECIFIC IGE							
C0405	CAT EPITHELIUM( E1)- SPECIFIC IGE	Hitech_GKS	O	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C0406	CULTIVATE WHEAT [TRICUM AESTIVUM] ( G15)- SPECIFIC	Hitech_GKS	O	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C1001	Anti C1Q antibodies, Serum **	Hitech_GKS	R	6500	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
C1013	Cannabis - confirmation**	Hitech_GKS	D	8800	Daily : 9:00am	After 24hrs	-	No
C1014	Carnitine free and total plasma**	Hitech_GKS	R	12500	Daily : 11:30am	10th day : 6:00pm	4ml of Heparin plasma in Red top Vacutainer	No
C1036	Citric acid serum**	Hitech_GKS	C	9880	Daily : 9:00am	After 24hrs	-	No
C1801	Colour Doppler - Abdominal	Hitech_GKS	O	2200	Daily : 9:00am	After 6hrs	-	No
C1802	Colour Doppler - Carotid	Hitech_GKS	O	1800	Daily : 9:00am	After 6hrs	-	No
C1803	Colour Doppler - Limb (Arterial and Venous)	Hitech_GKS	O	2400	Daily : 9:00am	After 6hrs	-	No
C1804	Colour Doppler - Limbs - Both (Arterial and Venous)	Hitech_GKS	O	4800	Daily : 9:00am	After 6hrs	-	No
C1805	Colour Doppler - Obstetric	Hitech_GKS	O	1200	Daily : 9:00am	After 6hrs	-	No
C1806	Colour Doppler - Pelvis **	Hitech_GKS	O	2200	Daily : 9:00am	After 6hrs	-	No
C1807	Colour Doppler - Portal System **	Hitech_GKS	O	2200	Daily : 9:00am	After 6hrs	-	No
C1808	Colour Doppler - Renal	Hitech_GKS	O	2000	Daily : 9:00am	After 6hrs	-	No
C1809	Colour Doppler - Scrotal	Hitech_GKS	O	1500	Daily : 9:00am	After 6hrs	-	No
C1818	Cephalogram **	Hitech_GKS	O	500	Daily : 9:00am	After 24hrs	-	No
C1820	Colour Doppler - Limb (Venous Flow)	Hitech_GKS	O	1440	Daily : 9:00am	After 6hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C1821	Colour Doppler - Limbs - Both (Venous Flow)	Hitech_GKS	O	2400	Daily : 9:00am	After 6hrs	-	No
C1822	Colour Doppler - Limbs - Both (Arterial Flow)	Hitech_GKS	O	2400	Daily : 9:00am	After 6hrs	-	No
C5054	Cadmium / Creatinine ratio, Urine **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
C5521	CD4/CD8 & Hemoglobin	Hitech_GKS	O	1800	Daily : 9:00am	2nd day : 6:00pm	-	No
C5526	Complete metabolic profile	Hitech_GKS	O	2310	Daily : 9:00am	2nd day : 6:00pm	-	No
C5613	Covid Immunity Check Standard	Hitech_GKS	D	1600	Daily : 9:00am	2nd day : 6:00pm	-	No
C5614	Covid Immunity Check Advanced	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	-	No
C5615	Covid Immunity Check Expert	Hitech_GKS	D	2800	Daily : 9:00am	2nd day : 6:00pm	-	No
C5621	CoviTravel NV ((Non Vaccinated)	Hitech_GKS	O	999	Daily : 9:00am	After 24hrs	-	No
C5622	CoviTravel V ( Vaccinated)	Hitech_GKS	O	1799	Daily : 9:00am	After 24hrs	-	No
C5623	CARDIAC RISK ASSESSMENT	Hitech_GKS	O	3100	Daily : 9:00am	After 24hrs	-	No
C5630	C-Peptide, Serum	Hitech_GKS	O	2800	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
C5631	Coviprotect Plus Profile	Hitech_GKS	C	2400	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
C5643	Comprehensive Metabolic Profile	Hitech_GKS	D	4690	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood, 2 ml of Flouride plasma, 4 ml of serum, 20 ml of spot urine	No
C7001	c-ANCA (1:10) , serum by IF	Hitech_GKS	C	1400	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
C8010	Culture & sensitivity - Vitek	Hitech_GKS	C	820	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8019	Covid risk stratification prognostic panel*	Hitech_GKS	O	6400	Daily : 9:00am	2nd day : 6:00pm	-	No
C8040	C-Peptide and Glucose - Fasting	Hitech_GKS	C	1100	Daily : 9:00am	After 6hrs	-	Yes



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
C8041	C-Peptide and Glucose - PP	Hitech_GKS	C	1100	Daily : 9:00am	After 6hrs	-	Yes
C8078	Culture & Sensitivity Manual Body Fluid	Hitech_GKS	C	430	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8079	Culture & Sensitivity - Manual Blood	Hitech_GKS	C	900	Daily : 9:00am	6th day : 6:00pm	-	Yes
C8080	Culture & Sensitivity Manual CSF	Hitech_GKS	C	485	Daily : 9:00am	3rd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	Yes
C8081	Culture & Sensitivity - Manual Fungus	Hitech_GKS	C	700	Daily : 9:00am	11th day : 6:00pm	-	No
C8082	Culture and Sensitivity Manual PUS	Hitech_GKS	C	750	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8083	Culture & Sensitivity Manual Semen	Hitech_GKS	C	750	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8084	Culture & Sensitivity - Manual Sputum	Hitech_GKS	C	750	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8085	Culture & Sensitivity - Manual Stool	Hitech_GKS	C	750	Daily : 9:00am	3rd day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	Yes
C8086	Culture & Sensitivity Manual Throat swab	Hitech_GKS	C	750	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8087	Culture & Sensitivity Manual vaginalSwab	Hitech_GKS	C	750	Daily : 9:00am	3rd day : 6:00pm	2ml of Vaginal Discharge in Sterile leak proof container	Yes
C8089	Culture & Sensitivity - Manual Ear Swab	Hitech_GKS	C	450	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8090	Culture & Sensitivity - Manual Eye Swab	Hitech_GKS	C	450	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8091	Culture & Sensitivity - Urine	Hitech_GKS	C	550	Daily : 9:00am	3rd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	Yes
C8092	Culture & Sensitivity - Manual OT Swab	Hitech_GKS	C	430	Daily : 9:00am	8th day : 6:00pm	-	No
C8103	Cytopathology - Expert opinion **	Hitech_GKS	C	2500	Daily : 9:00am	3rd day : 6:00pm	Stained/unstained slides with original cytopathology report & relevant clinical & radiological details	No
C8110	Cardiac profile	Hitech_GKS	D	960	Daily : 9:00am	After 24hrs	-	No
C8114	CRP C Reactive Protein	Hitech_GKS	B	250	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	CSF						container	
C8133	Cardiolipin Antibodies	Hitech_GKS	D	2450	Daily : 9:00am	After 24hrs	-	No
C8136	Chyle, Urine	Hitech_GKS	C	100	Daily 9:00 am	6Hrs		No
C8244	Coagulation Profile	Hitech_GKS	E	750	Daily : 9:00am	After 24hrs	-	Yes
C8308	COMPLETE THYROID PACKAGE	Hitech_GKS	O	1825	Daily : 9:00am	After 24hrs	-	No
C8328	Comperhensive AFB Culture Package	Hitech_GKS	D	4200	Daily : 9:00am	16th day : 6:00pm	-	No
C8357	Culture & Sensitivity Aerobic bacteria Nasal Swab (Right and Left)	Hitech_GKS	C	800	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8358	Culture & Sensitivity Aerobic bacteria Right Nasal Swab	Hitech_GKS	C	400	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8359	Culture & Sensitivity Aerobic bacteria Left Nasal Swab	Hitech_GKS	C	400	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8369	COVID RT PCR REFLEX COVID VARIANT SCREENING **	Hitech_GKS	D	750	Daily : 7:30am	After 24hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM).NASOPHARYNGEAL /orOPHARYNGEAL	No
C8385	Culture & Sensitivity	Hitech_GKS	C	600	Daily : 9:00am	3rd day : 6:00pm	-	Yes
C8397	CORTISOL POST SYNACTHEN 60 MIN	Hitech_GKS	O	4500	Daily : 9:00am	After 24hrs	-	No
C8404	Cervical spine (AP plus Lateral)	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
C8405	Cervical spine Flex / Extend View	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
C8406	Clavicle (AP)	Hitech_GKS	C	350	Daily : 9:00am	After 24hrs	-	No
C8407	Coccyx Lateral View	Hitech_GKS	O	400	Daily : 9:00am	After 24hrs	-	No
C8408	Coccyx (AP/Lateral)	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
C8538	CD 117	Hitech_GKS	C	1350	Daily : 9:00am	After 24hrs	-	No
C8541	CARDIAC RISK PANEL	Hitech_GKS	D	1530	Daily : 9:00am	After 24hrs	-	No
C8547	Coeliac disease	Hitech_GKS	O	2600	Mon & Thu :	2nd day :	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	profile-2 Comprehensive**				7:30am	6:00pm		
C8549	Cardiac Screening	Hitech_GKS	O	6255	Daily : 9:00am	After 24hrs	-	No
C8550	Culture Identification Aerobic bacteria_C8550	Hitech_GKS	O	470	Daily : 9:00am	3rd day : 6:00pm	-	No
C8551	Comprehensive Ophthalmic Genetic Disorder NGS Gene Panel, EDTA Blood	Hitech_GKS	R	20000	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood	No
C8552	Culture & Sensitivity, Aerobic bacteria Blood	Hitech_GKS	O	950	Daily : 9:00am	6th day : 6:00pm	-	Yes
D0001 _DCP	DCP (Decarboxy Prothrombin) - PIVKA II, Serum **	Hitech_GKS	D	3350	Mon, Wed & Fri : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0002	D-Dimer Quant,plasma	Hitech_GKS	C	1350	Daily : 9:00am	After 6hrs	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	Yes
D0003	Dengue IgG antibody, Serum	Hitech_GKS	C	750	Daily : 2:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
D0004	Dengue IgM antibody, Serum	Hitech_GKS	C	750	Daily : 2:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
D0005	Dengue NS1 Antigen, Serum	Hitech_GKS	C	750	Daily : 2:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
D0006	Dengue Profile - 1	Hitech_GKS	C	2100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0006_ 2	Dengue Profile - 2	Hitech_GKS	C	2200	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0007	Dengue RNA Detection, CSF**	Hitech_GKS	C	3700	Daily : 10:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container	No
D0008	Dengue RNA Detection, EDTA Plasma **	Hitech_GKS	C	3920	Daily : 10:00am	After 24hrs	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
D0009	Desmoglein I AntibodyVesiculobullou s disordersSerum **	Hitech_GKS	D	2900	Mon & Thu : 11:30am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0010	Desmoglein III	Hitech_GKS	D	2900	Mon & Thu :	Same day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	AntibodyVesiculobullous disordersSerum **				11:30am	9:00pm		
D0011	Dexamethasone Suppression test-High dose for ACTH **	Hitech_GKS	C	2450	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA Plasma each	No
D0012	Dexamethasone Suppression test for Cortisol-High dose, Serum	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0013	Dexamethasone Suppression test-Low dose for ACTH **	Hitech_GKS	C	2450	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA Plasma each	No
D0014	Dexamethasone Suppression test for Cortisol-Low dose, Serum	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0015	Dexamethasone Suppression test Overnight suppression for ACTH, Plasma	Hitech_GKS	C	2450	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA Plasma each	No
D0016	Dexamethasone Suppression test Overnight suppression for Cortisol, Serum	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0017	DHEADehydroepiandrosteroneSerum **	Hitech_GKS	C	2750	Tue & Fri : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0018	DHEASDehydroepiandrosterone SulphateSerum	Hitech_GKS	B	1070	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
D0019	DHTDi Hydro TestosteroneSerum **	Hitech_GKS	C	3000	Mon, Wed & Fri : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0020	Diabetes Profile - Mini	Hitech_GKS	E	950	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood, 3ml of serum, 2 ml of flouride plasma, 10 ml of spot urine	No
D0021	Diabetes Profile - Maxi	Hitech_GKS	E	2850	Wed : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood, 3ml of serum, 2 ml of flouride plasma (F, PP), 10 ml of spot urine	No
D0022	Dialysis Profile	Hitech_GKS	C	200	Daily : 9:00am	2nd day :	3ml EDTA blood, fluoroide plasma & Serum	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
						6:00pm		
D0023	DIC (Coagulation) Profile	Hitech_GKS	C	2800	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood and 1 ml of citrated platelet poor plasma	No
D0024	Digoxin, Serum **	Hitech_GKS	C	1000	Daily : 9:00am to 9:00pm	After 6hrs	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	No
D0025	Diphtheria IgG antibodies, Serum **	Hitech_GKS	D	2500	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0026	DMD/BMD (18 Exons), EDTA Blood **	Hitech_GKS	D	5900	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
D0027	DMD/BMD (79 Exons), EDTA Blood **	Hitech_GKS	D	15000	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
D0028	DMD/BMD (79 Exons), Amniotic Fluid **	Hitech_GKS	D	17000	Daily : 9:00am	7th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
D0028_C	DMD/ BMD-79 exons Deletion/ Duplication Analysis (Dystrophin gene - Xp21)	Hitech_GKS	D	17000	Daily : 9:00am	7th day : 6:00pm	20-30 mg of Chorionic Villus sample in Sterile saline container	No
D0030	DNA (Double Strand) AntibodyBy IFA - Reflex end point titreSerum	Hitech_GKS	C	1350	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
D0032	DNA (Double Strand) AntibodyNcX DNASerum	Hitech_GKS	C	800	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
D0033	DNA Isolation (Nucleic Acid Extraction), EDTA Blood **	Hitech_GKS	C	1100	Daily : 9:00am	Next day : 5:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
D0034	DNA Paternity 16	Hitech_GKS	E	10000	Daily : 9:00am	10th day :	3-5 ml of EDTA whole blood required. Sample	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	markers Blood **					6:00pm	stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Duly signed Paternity Consent form and documents mandatory. Photo Identity proof of father and child 2 Passport size photograph attached to consent form, Birth certificate of child In case of alleged father mother declaration required.	
D0036	DNPH (Dinitro Phenyl hydralazine) - Qualitative, Urine **	Hitech_GKS	B	350	Daily : 11:30am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	No
D0037	DopamineELISAPlasma **	Hitech_GKS	D	2500	Wed : 11:30am	5th day : 6:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
D0038	Dopamine, HPLC, 24 hrs urine**	Hitech_GKS	D	3500	Wed : 11:30am	5th day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
D0039	Maternal screen (Dual marker test) - 1st Trimester, Serum	Hitech_GKS	C	2200	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0039_FMF	Maternal screen First trimester (Dual marker test) FMF Approved*	Hitech_GKS	C	2150	Daily : 9:00am	3rd day : 6:00pm	-	No
D0039_Reflex	Pregascreen Dual **	Hitech_GKS	D	3200	Tue & Fri : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
D0040	Maternal screen (Quaduple test) - 2nd Trimester (14 to 22.6 weeks), Serum	Hitech_GKS	C	2800	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0040_Reflex	Pregascreen Quaduple, Serum **	Hitech_GKS	C	4000	Tue & Fri : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
D0041	Maternal screen (Triple test) - 2nd Trimester, Serum	Hitech_GKS	C	2400	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0042	DPD (Deoxypyridinoline) Crosslinks, Urine **	Hitech_GKS	C	1750	Daily : 9:00am to 9:00pm	After 6hrs	15ml of Spot Urine in Sterile leak proof container	No
D0043	Dihydropyrimidine Dehydrogenase (DPD)	Hitech_GKS	D	7000	Tue & Fri : 9:00am	5th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Gene Mutation Analysis **						7 Days at 2 to 8 degree celsius .	
D0044	DPT Antibodies Profile, Serum	Hitech_GKS	D	6500	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0045	Drugs Of Abuse Panel-5 Drug Panel **	Hitech_GKS	C	2250	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
D0046	Drugs Of Abuse Panel-6 Drug Panel Amphetamine, Cocaine, Barbiturates, Cannabinoids, Opiates, PCPUrine **	Hitech_GKS	C	2950	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
D0047	Drugs Of Abuse Panel - 9 Drug **	Hitech_GKS	C	4200	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
D0048	DVT (Deep Vein Thrombosis) Profile	Hitech_GKS	D	12000	Mon & Thu : 9:00am	2nd day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
D0049	Dysmorphic RBC Detection, Urine **	Hitech_GKS	B	150	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
D0050	D3 Hydroxybutarate (Ranbut), Serum **	Hitech_GKS	C	900	Daily : 9:00am to 9:00pm	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
D0053	Drugs of Abuse - 12 Drugs Profile **	Hitech_GKS	C	6100	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
D0054	DRPLA Gene Analysis**	Hitech_GKS	E	6220	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
D0059	Diabetes Complications Assessment Profile	Hitech_GKS	E	2850	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood, 3ml of serum, 2 ml of fluoride plasma (F, PP), 10 ml of spot urine	No
D0060	Diabetes Risk Assessment Profile	Hitech_GKS	E	2900	Wed : 9:00am	After 24hrs	3ml of EDTA whole blood, 3ml of serum, 2 ml of fluoride plasma	No
D0061	Diabetes Type-1 Profile	Hitech_GKS	E	11000	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0125	Dystonia NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
D0127	DFS 70, EDTA Blood	Hitech_GKS	C	2100	Wed : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
D0128	Deafness NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
D0129	DLBCL Profile **	Hitech_GKS	E	13500	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
D0130	11 Deoxycorticosterone, Serum **	Hitech_GKS	R	15000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D0140	Deletion/ Duplication Analysis, EDTA Blood **	Hitech_GKS	R	10600	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
D0141	Dengue RNA Detection, Serum **	Hitech_GKS	C	4000	Daily : 10:00am	After 24hrs	3ml of Serum in Red Top Vacutainer	No
D0144	DIFFERENTIAL COUNTS	Hitech_GKS	O	170	Daily : 9:00am	After 6hrs	-	Yes
D0145	DOG EPITHELIUM (E 2) - SPECIFIC - IGE	Hitech_GKS	O	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
D5035	FIB 4 Score	Hitech_GKS	E	135	Daily : 9:00am	After 24hrs	-	No
D5582	Dengue Advanced	Hitech_GKS	O	1500	Daily : 9:00am	After 24hrs	-	No
D5591	Diabetes profile - HM	Hitech_GKS	E	810	Daily : 9:00am	After 24hrs	-	No
D5596	Diabetes Complete Profile	Hitech_GKS	E	6605	Daily : 9:00am	After 24hrs	-	No
D5597	Diabetes Regular Screening	Hitech_GKS	E	2010	Daily : 9:00am	After 24hrs	-	No
D5612	Diabetes Platinum Profile	Hitech_GKS	E	3400	Daily : 9:00am	After 6hrs	4 ml Serum ,3ml EDTA,3ml Flouride.1Urine container	No
D5613	Diabetes Gold Profile	Hitech_GKS	E	1400	Daily : 9:00am	After 24hrs	4 ml Serum ,3ml EDTA,3ml Flouride.1Urine container	No
D8105	DIABETIC PROFILE-1	Hitech_GKS	E	1705	Daily : 9:00am	After 24hrs	-	No
D8195	DL Spine Lateral View	Hitech_GKS	O	350	Daily : 9:00am	After 24hrs	-	No
D8198	Doppler Left Upper Limb Vein	Hitech_GKS	O	1440	Daily : 9:00am	After 24hrs	-	No
D8199	Doppler Right Lower Limb Artery	Hitech_GKS	O	1440	Daily : 9:00am	After 24hrs	-	No
D8234	DIABETIC & RETINOPATHY SCREENING PROFILE	Hitech_GKS	E	965	Daily : 9:00am	After 24hrs	-	No
D8236	DIABETIC CONTROL PROFILE	Hitech_GKS	E	1070	Daily : 9:00am	After 24hrs	-	No
D8252	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Karyotyping, CVS - Prenatal	Hitech_GKS	E	16430	Daily : 9:00am	15th day : 6:00pm	20-30 mg of Chorionic Villus sample in Sterile saline container. 3-5 ml EDTA Blood sample of Mother is mandatory.	No
D8254	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Karyotyping, Amniotic Fluid **	Hitech_GKS	E	16430	Daily : 9:00am	15th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
D8259	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR	Hitech_GKS	E	19080	Daily : 9:00am	15th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	and Chromosomal Array CGH, Amniotic Fluid **							
D8263	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR and Chromosomal Array CGH, POC - Prenatal	Hitech_GKS	E	19080	Daily : 9:00am	15th day : 6:00pm	POC - Upto 12 weeks of gestation: 50-100 mg placental villi (fetal side) in 20 ml normal saline with 2-3 drops of gentamycin in a sterile container In 12-18 weeks of gestation: a) 50-100 mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin 3-5 ml EDTA Blood sample of Mother is mandatory. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius	No
D8264	Detection of Fetal Aneuploidies (13, 18, 21 and XY) by QF PCR, Karyotyping Chromosomal Array CGH, Amniotic Fluid **	Hitech_GKS	E	20140	Daily : 9:00am	15th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
D8266	Comprehensive - 35 Drugs Profile **	Hitech_GKS	E	17325	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D8267	Antibiotics - 19 Drugs Profile **	Hitech_GKS	E	11445	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D8268	Anesthetic - 4 Drugs Profile **	Hitech_GKS	E	4830	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D8269	Pain Killer - 5 Drugs Profile **	Hitech_GKS	E	5725	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
D8272	Allergy - Drug Panel (Maxi) **	Hitech_GKS	O	2400	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
D8295	DIABETIC PROFILE	Hitech_GKS	E	1050	Daily : 9:00am	After 24hrs	-	No
D8296	DIALYSIS PROFILE	Hitech_GKS	D	200	Daily : 9:00am	After 24hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	( BLOOD)							
D8297	DIALYSIS PROFILE ( FLUID)	Hitech_GKS	D	200	Daily : 9:00am	After 24hrs	-	No
E0001	E Coli K1 / N. Meningitidis B Antigen Detection, CSF **	Hitech_GKS	C	1200	Daily : 9:00am & 3:00pm	After 4hrs	2ml of CSF in Sterile leak proof tube or container	No
E0002	E Coli K1 / N. Meningitidis B Antigen Detection, Serum **	Hitech_GKS	C	1200	Daily : 9:00am & 3:00pm	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
E0003	E Coli K1 / N. Meningitidis B Antigen Detection, Urine **	Hitech_GKS	C	1200	Daily : 9:00am & 3:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container	No
E0004	E2 Estradiol Serum	Hitech_GKS	B	550	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
E0005	Estriol, Serum	Hitech_GKS	C	650	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
E0006	EBV DNA Qualitative PCR Blood	Hitech_GKS	D	4000	Mon & Thu : 9:00am	After 24hrs	3ml of Whole Blood in EDTA Vacutainer	No
E0007	EBV DNA Qualitative PCR CSF	Hitech_GKS	D	4000	Mon & Thu : 9:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container	No
E0008	EBV DNA Qualitative PCR Tissue	Hitech_GKS	D	4000	Mon & Thu : 9:00am	After 24hrs	Tissue with Normal Saline in Sterile leak proof container	No
E0013	EBV IgM antibody to Viral Capsid Antigen, Serum **	Hitech_GKS	C	1890	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
E0014	EBV by CISH, FFPE **	Hitech_GKS	D	3200	Daily : 9:00am	4th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
E0016	Echinococcus (Hydatid Cyst)IgG AntibodySerum **	Hitech_GKS	C	1700	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
E0021	Electrolytes, Serum	Hitech_GKS	B	490	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
E0022	Electrolytes, Urine	Hitech_GKS	B	600	Daily : 9:00am	2nd day :	10ml aliquot of 24 hrs Urine in Sterile Urine	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	24Hrs					6:00pm	Container	
E0023	Electrolytes, Urine	Hitech_GKS	B	600	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
E0024	Electrolytes, Dialysis Fluid	Hitech_GKS	B	200	Daily : 9:00am	After 4hrs	2 ml of Dialysis Fluid in Sterile leak proof container	Yes
E0027	Endomysial Antibody IgA, Serum	Hitech_GKS	C	1200	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
E0028	Endomysial Antibody IgG, Serum	Hitech_GKS	C	1200	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
E0030	Enteroviruses RNA Detection,CSF**	Hitech_GKS	R	5800	Daily : 11:30am	5th day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
E0031	Enteroviruses RNA detection by PCR Plasma**	Hitech_GKS	R	5910	Daily : 11:30am	7th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
E0032	Eosinophil DetectionUrine **	Hitech_GKS	B	330	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
E0033	Eosinophil detection (SPUTUM) **	Hitech_GKS	B	330	Daily : 9:00am	2nd day : 6:00pm	Sputum In Sterile Container	No
E0035	Erythropoietin, Serum	Hitech_GKS	C	2000	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
E0038	ESR Automated Blood	Hitech_GKS	A	100	Daily : 9:00am	After 4hrs	3ml EDTA Whole Blood	Yes
E0039	Everolimus, Blood by LCMS method (E0039)	Hitech_GKS	D	5950	Daily : 9:00am	12th day : 6:00pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.	No
E0042	Estrone, Serum **	Hitech_GKS	R	7000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
E0043	EGFR Mutation Detection (Exons -18, 19, 20, 21), Tissue/ FFPE **	Hitech_GKS	D	8000	Mon, Wed & Fri : 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
E0045	EWSR1 gene rearrangement **	Hitech_GKS	R	7800	Daily : 11:30am	12th day : 6:00pm	Histopathology report. Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
E0051	Epstein-Barr Virus (EBV), Quantitative PCR **	Hitech_GKS	D	6300	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Whole Blood in EDTA Vacutainer	No
E0053	RAS Extended Panel, Tissue/FFPE **	Hitech_GKS	D	15000	Mon, Wed & Fri : 9:00am	10th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
E0055	Epileptic Encephalopathy NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
E0056	Cell free DNA for EGFR (T790M) Mutation Detection, Blood **	Hitech_GKS	E	8000	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
E0057	Expanded Lung Cancer Profile	Hitech_GKS	E	24000	Daily : 9:00am	4th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
E0064	Allergy Profile - Eczema Basic **	Hitech_GKS	D	8000	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
E0065	Allergy Profile - Eczema Comprehensive (Veg) **	Hitech_GKS	D	16500	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
E0066	Allergy Profile - Eczema Comprehensive (Veg + Non Veg) **	Hitech_GKS	D	20350	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
E0069	EWSR1-FLI1 **	Hitech_GKS	R	12000	Daily : 11:30am	15th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
E0070	EWSR1(22q12)/NTRK3 (15q25) translocation **	Hitech_GKS	R	12000	Daily : 11:30am	12th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
E0071	EBV DNA Viral load by Real Time PCR, CSF	Hitech_GKS	D	6300	Mon & Thu : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
E0072	EBV DNA Viral load by Real Time PCR, Tissue **	Hitech_GKS	D	6300	Mon & Thu : 9:00am	Next day : 5:00pm	Tissue with Normal Saline in Sterile leak proof container	No
E0075	ENDOMETRITIS PANEL **	Hitech_GKS	D	7200	Wed : 9:00am	Next day : 5:00pm	Genital discharge, Ulcer, Ulcer base, High Vaginal swab, Endocervical swab, Endometrial Pus, Endometrial Fluid, Endometrial Tissue.	No
E0079	ERYTHROMYCIN( C 212)- SPECIFIC IGE	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
E0080	EBV (NA)-IgG Antibodies to Nuclear Antigen of EBV **	Hitech_GKS	C	1800	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
E0081	EBV IGM	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
E1019	E Histolytica Antigen Detection **	Hitech_GKS	R	2850	Daily : 11:30am	3rd day : 6:00pm	1gm of Stool specimen in Sterile leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
E1020	Entamoeba histolytica Wet Mount **	Hitech_GKS	B	350	Daily : 9:00am	2nd day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	No
E1021	Kidney Biopsy by Electron Microscopy	Hitech_GKS	R	7600	Daily : 7:30am	15th day : 6:00pm	Biopsy in 3% Gluteraldehyde along with histopathology report & relevent clinical details	No
E1811	ECHOCARDIOGRAPHY-PLAIN	Hitech_GKS	O	1600	Daily : 9:00am	After 24hrs	-	No
E5709	Early RA Test Profile	Hitech_GKS	D	895	Daily : 9:00am	After 24hrs	-	No
E7008	Erythrocyte (RBC) Count	Hitech_GKS	A	120	Daily : 9:00am	After 6hrs	-	Yes
E8101	Elbow Joint (AP/ Lateral) Right	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
E8102	Elbow Joint (AP/ Lateral) Left	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
E8141	Endometrial Cancer NGS Gene Panel, Tissue/FFPE	Hitech_GKS	R	45000	Daily : 9:00am	After 24hrs	Paraffin Block	No
E8145	Allergy - Dust Panel **	Hitech_GKS	O	2400	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
F0002	Factor V Leiden-Mutant Detection G1691A Mutation Blood	Hitech_GKS	D	5800	Daily : 9:00am	After 24hrs	3ml of EDTA Whole Blood in EDTA Vacutainer	No
F0003	Factor V Level, Citrated plasma **	Hitech_GKS	D	5500	4th Mon : 9:00am	Next day : 5:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
F0004	Factor VII Activity Proconvertin Citrated plasma**	Hitech_GKS	R	3900	Daily : 11:30am	10th day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
F0005	Factor VIII Activity, Citrated plasma **	Hitech_GKS	D	2350	Mon : 9:00am	Next day : 1:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
F0006	Factor IX Activity, Citrated plasma **	Hitech_GKS	D	3000	Mon : 9:00am	Same day : 8:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
F0007	Factor X Activity, Citrated plasma **	Hitech_GKS	R	4700	Daily : 11:30am	10th day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
F0008	Factor Xa Antibody, Citrated plasma **	Hitech_GKS	R	5300	Daily : 11:30am	4th day : 6:00pm	Sample 3ml Citrate Plasma Frozen with medication history.	No
F0009	Factor XI Activity Rosenthal Citrated	Hitech_GKS	R	3800	Daily : 11:30am	10th day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	plasma **							
F0010	Factor XII Activity Hageman Citrated plasma**	Hitech_GKS	R	3880	Daily : 11:30am	5th day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
F0011	Factor XIII Activity Functional, Citrated plasma **	Hitech_GKS	R	2580	Daily : 11:30am	Next day : 5:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
F0012	Fatty Acid Profile - Comprehensive Profile (C22-C26), Serum **	Hitech_GKS	R	15000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA Plasma or Heparin plasma	No
F0015	FDP (Fibrinogen degradation products)	Hitech_GKS	C	900	Daily : 9:00am	2nd day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	Yes
F0016	Febrile Agglutination Test, Serum **	Hitech_GKS	B	1370	Daily : 9:00am & 3:00pm	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
F0017	Ferric Chloride, Urine **	Hitech_GKS	C	345	Daily : 11:30am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
F0018	Ferritin Serum	Hitech_GKS	B	750	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
F0019	Fertility Endocrine Profile - Female	Hitech_GKS	B	1750	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
F0020	Fertility Endocrine Profile - Male	Hitech_GKS	B	2500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
F0022	Fever Profile - Mini	Hitech_GKS	C	850	Daily : 9:00am	After 11hrs	4ml of Whole blood in EDTA Vacutainer 3ml of Serum in Gel/Plain Vacutainer 10ml of Urine in Urine Container	No
F0023	Fibrinogen, Citrated plasma	Hitech_GKS	C	900	Daily : 9:00am	After 4hrs	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	Yes
F0028	FibromaxFibrosis, Activity, STEATO, ASH and NASH of Liver. **	Hitech_GKS	E	13900	Daily : 9:00am to 9:00pm	5th day : 6:00pm	5 ml of serum and 2 ml of fluoride plasma . Fasting sample	No
F0029	Filaria Antibody Detection, Serum	Hitech_GKS	C	1000	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
F0030	Filaria Antigen Detection, EDTA Blood **	Hitech_GKS	C	1000	Daily : 9:00am to 9:00pm	After 4hrs	3ml of EDTA Whole Blood in EDTA Vacutainer	No
F0032	FLT-3 (AML) by PCR	Hitech_GKS	D	5500	Mon & Wed :	7th day :	3-5 ml of EDTA whole blood required. Sample	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	ITD, D835 Blood **				9:00am	6:00pm	stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	
F0033	FLT-3 (AML) by PCR ITD, D835 Bone Marrow**	Hitech_GKS	D	5500	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
F0034	FMC 7 by Flow cytometry **	Hitech_GKS	D	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
F0039	FNAC - Conventional Method, Other Organs **	Hitech_GKS	C	1190	Daily : 9:00am	3rd day : 6:00pm	Prefixed smears along with air dry smears, relevant clinical & radiological details mandatory	No
F0040	FNAC - Liquid Based Cytology Method, Other Organs **	Hitech_GKS	C	1400	Daily : 9:00am	2nd day : 6:00pm	More than 1 MI fluid in a leak proof plain container along with relvent clinical & radiological details	No
F0043	FNAC - Procedure charge **	Hitech_GKS	C	500	Daily : 9:00am	After 6hrs	NA	No
F0046	Folic Acid, Serum	Hitech_GKS	C	1000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
F0048	Food Intolerance (Food IgG) Test, Serum	Hitech_GKS	D	12000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
F0050	Fragile X (FMR1) CGG Repeat Analysis, EDTA Blood **	Hitech_GKS	D	6900	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
F0051	Friedreich Ataxia Mutation Analysis, EDTA Blood **	Hitech_GKS	D	7050	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
F0052	FAI (Free Androgen	Hitech_GKS	D	3200	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Index), Serum							
F0053	Free Beta HCG, Serum	Hitech_GKS	C	990	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
F0054	Kappa Light Chains - Free, Serum **	Hitech_GKS	D	2600	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
F0055	Lambda Light Chains - Free, Serum **	Hitech_GKS	D	2500	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
F0056	Fructosamine, Serum **	Hitech_GKS	C	420	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
F0057	Fructose, Semen	Hitech_GKS	B	200	Daily : 9:00am	2nd day : 6:00pm	2ml of Semen in Sterile leak proof container	No
F0058	FSH (Follicle Stimulating Hormone), Serum	Hitech_GKS	B	450	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
F0059	FSH-LH-Prolactin Profile, Serum	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
F0060	FSH-LH-Prolactin-Testosterone Profile, Serum	Hitech_GKS	C	1880	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
F0061	FSH-LH-Prolactin-TSH Profile, Serum	Hitech_GKS	C	1750	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
F0062	FSH-LH-Testosterone Profile, Serum	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
F0065	Yeast Fungal Antibigram by MIC Panel, Pure Culture	Hitech_GKS	C	2500	Daily : 9:00am	3rd day : 6:00pm	Pure culture Growth on Agar slant/ Plate	No
F0066	Fungal Identification Pure culture**	Hitech_GKS	C	2000	Daily : 9:00am	3rd day : 6:00pm	Pure culture on SDA plate/ slant	No
F0067	Fungal stain, Respiratory Sample	Hitech_GKS	B	500	Daily : 9:00am	2nd day : 6:00pm	2ml of BAL / Other Respiratory samples in Sterile leak proof container	No
F0068	Fungal stain, Body Fluid	Hitech_GKS	B	500	Daily : 9:00am	2nd day : 6:00pm	3ml of Fluid in Sterile leak proof container	No
F0069	Fungal stain, CSF	Hitech_GKS	B	500	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
F0070	Fungal stain, Ear Sample	Hitech_GKS	B	500	Daily : 9:00am	12th day : 6:00pm	Ear specimens should be collected by a medical specialist, an experienced	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							technologist or nurse. Aspirate discharge and collect in a sterile container or collect with a sterile swab. Transport at the earliest. Amies transport medium can be used for transportation.	
F0071	Fungal stain, Eye Sample	Hitech_GKS	B	500	Daily : 9:00am	2nd day : 6:00pm	Eye specimens in Sterile leak proof container	No
F0072	Fungal stain, Hair	Hitech_GKS	B	500	Daily : 9:00am	12th day : 6:00pm	1gram of hair in Sterile leak proof container	No
F0073	Fungal stain, Nail	Hitech_GKS	B	500	Daily : 9:00am	After 24hrs	Nail sample in Sterile leak proof container	No
F0074	Fungal stain, Other samples	Hitech_GKS	B	500	Daily : 9:00am	12th day : 6:00pm	2ml of Vaginal swab/ Vaginal discharge in Sterile leak proof container.	No
F0075	Fungal stain, Pus	Hitech_GKS	B	500	Daily : 9:00am	2nd day : 6:00pm	2ml of PUS in Sterile leak proof container	No
F0076	Fungal stain, Skin	Hitech_GKS	B	500	Daily : 9:00am	12th day : 6:00pm	Skin sample in Sterile leak proof container	No
F0077	Fungal stain, Sputum	Hitech_GKS	B	500	Daily : 9:00am	2nd day : 6:00pm	2ml of Sputum in Sterile leak proof container	No
F0078	Fungal stain, Tissue	Hitech_GKS	B	500	Daily : 9:00am	After 24hrs	Tissue with Normal Saline in Sterile leak proof container	No
F0079	Fungal stain, Urine	Hitech_GKS	B	500	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
F0080	Fungal stain, Culture & Identification, Respiratory Sample	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	2ml of BAL / Other Respiratory samples in Sterile leak proof container	No
F0081	Fungal stain, Culture & Identification, Blood	Hitech_GKS	C	2500	Daily : 9:00am	14th day : 6:00pm	3ml of Blood in MycoF/lytic Bactec Bottle or Sodium Heparin	No
F0082	Fungal stain, Culture & Identification, Body Fluid	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	2ml of Body Fluid in Sterile leak proof container	No
F0083	Fungal stain, Culture & Identification, Bone Marrow	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	3ml of Bone Marrow in MycoF/lytic Bactec Bottle or Sodium Heparin	No
F0084	Fungal stain, Culture & Identification, CSF	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
F0085	Fungal stain, Culture & Identification, Ear Sample	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	Ear specimens in Sterile leak proof container	No
F0086	Fungal stain, Culture & Identification, Eye Sample	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	Eye specimens in Sterile leak proof container	No
F0087	Fungal stain, Culture & Identification, Hair	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	1gram of hair in Sterile leak proof container	No
F0088	Fungal stain, Culture & Identification, Nail	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	Nail sample in Sterile leak proof container	No
F0089	Fungal stain, Culture & Identification, Other Sample	Hitech_GKS	C	950	Daily : 9:00am	14th day : 6:00pm	2ml of Vaginal swab/ Vaginal discharge in Sterile leak proof container.	No
F0090	Fungal stain, Culture & Identification, Pus	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	2ml of PUS in Sterile leak proof container	No
F0091	Fungal stain, Culture & Identification, Skin	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	Skin sample in Sterile leak proof container	No
F0092	Fungal stain, Culture & Identification, Sputum	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	2ml of Sputum in Sterile leak proof container	No
F0093	Fungal stain, Culture & Identification, Stool **	Hitech_GKS	C	1150	Daily : 9:00am to 9:00pm	21st day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	No
F0094	Fungal stain, Culture & Identification, Tissue	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container	No
F0095	Fungal stain, Culture & Identification, Urine	Hitech_GKS	C	1150	Daily : 9:00am	14th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
F0099	Fever Panel, Multiplex PCR **	Hitech_GKS	D	5800	Daily : 10:00am	After 24hrs	3ml of Whole Blood in EDTA Vacutainer	No
F0103	FIP1L1-PDGFRA GENE REARRANGEMENT **	Hitech_GKS	R	11000	Daily : 11:30am	12th day : 6:00pm	4 ML EDTA whole blood / Bone marrow	No
F0105	Flu - Respiratory Virus Panel by PCR	Hitech_GKS	D	6500	Daily : 9:00am	After 24hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM).NASOPHARYNGEAL /orOPHARYNGEAL	No
F0106	FGF (Fibroblast Growth Factor) 23, Plasma	Hitech_GKS	D	4600	Wed : 9:00am	2nd day : 6:00pm	3ml of EDTA plasma to be sent in aliquot tube at proper temperature.	No
F0107	Flow for Lymphoma/	Hitech_GKS	R	14500	Daily : 7:30am	5th day :	3ml of EDTA Bone Marrow	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	CLPD / lymphoma MRD**					6:00pm		
F0109	Flow for B ALL MRD **	Hitech_GKS	R	14500	Daily : 7:30am	5th day : 6:00pm	3ml of EDTA Bone Marrow	No
F0110	Flow for T ALL MRD**	Hitech_GKS	R	18500	Daily : 7:30am	5th day : 6:00pm	3ml of EDTA Bone Marrow	No
F0112	Food Intolerance (Vegetarian Panel), Serum	Hitech_GKS	D	9999	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
F0116	Penta Screen	Hitech_GKS	R	6000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
F0117	Fragile X Mutation & Chromosomal Array Profile	Hitech_GKS	E	21000	Daily : 9:00am	After 24hrs	3ml of Blood In Na-Heparin +3ml of EDTA Vacutainer	No
F0118	FOXO1 (13q14) Translocation, Tissue/ FFPE **	Hitech_GKS	R	16000	Daily : 11:30am	12th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
F0119	COVI-INFLUENZA VIRUS PANEL BY REAL TIME PCR	Hitech_GKS	D	4000	Daily : 9:00am	After 24hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM).NASOPHARYNGEAL /orOPHARYNGEAL	No
F0120	Fungal Antibioigram (Yeast / Mould/ Filamentous fungi) by Microbroth Dilution, Pure culture **	Hitech_GKS	C	10400	Daily : 9:00am	15th day : 6:00pm	Pure culture Growth of Filamentous fungi on Agar slant/ Plate.	No
F0122	Factor VIII Inhibitor Assay, Citrated plasma **	Hitech_GKS	D	6500	Daily : 11:30am	3rd day : 6:00pm	3ml Citrate Plasma ( Fasting & Frozen mandatory)	No
F0126	Foundation One CDX NGS Gene Panel, Tissue/FFPE **	Hitech_GKS	R	295000	Daily : 9:00am	After 5 weeks : 6:00pm	Paraffin Block (Carcinoma)	No
F0128	Allergy - Vegetarian Food Panel **	Hitech_GKS	O	4000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
F1803	FOETAL DOPPLER STUDY	Hitech_GKS	O	1200	Daily : 9:00am	After 24hrs	-	No
F5545	Comprehensive Fever Panel	Hitech_GKS	D	4000	Daily : 9:00am	After 24hrs	-	No
F5551	Female hormone panel-1	Hitech_GKS	O	1600	Mon & Thu : 7:30am	After 24hrs	-	No
F5552	Female hormone panel-2	Hitech_GKS	O	7540	Daily : 9:00am	After 6hrs	-	No
F5553	Female hormone panel-3	Hitech_GKS	O	8190	Daily : 9:00am	After 6hrs	-	No
F5554	Fertility analysis-1	Hitech_GKS	O	9910	Daily : 9:00am	After 6hrs	-	No
F5555	Fertility analysis-2	Hitech_GKS	O	1650	Daily : 9:00am	After 6hrs	-	No
F5604	Fever Profile - Super Maxi	Hitech_GKS	C	4199	Daily : 9:00am	5th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer 3ml of Whole Blood in EDTA Vacutainer 20 ML of Urine in Urine Container Collect blood 2-3ml in Bactec FX aerobic bottle	No
F5605	Fatty Liver Profile	Hitech_GKS	D	5765	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood, 2 ml of Flouride plasma, 3ml of serum	No
F5606	Fever Profile - Super Mini	Hitech_GKS	C	2100	Daily : 9:00am	After 24hrs	4ml of Whole blood in EDTA Vacutainer 3ml of Serum in Gel/Plain Vacutainer 10ml of Urine in Urine Container	No
F7030	Free T3(CLIA)	Hitech_GKS	B	275	Daily : 9:00am	After 6hrs	-	Yes
F7031	Free T4 (CLIA)	Hitech_GKS	B	275	Daily : 9:00am	After 6hrs	-	Yes
F8078	FEVER PANEL 2	Hitech_GKS	D	700	Daily : 9:00am	After 24hrs	-	No
F8079	FEVER PANEL 1	Hitech_GKS	D	2300	Daily : 9:00am	After 24hrs	-	No
F8170	Forearm (AP/Lateral)	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
F8176	Food-India Specific Allergens Panel (21 parameters)	Hitech_GKS	D	5200	Daily : 9:00am	After 24hrs	-	No
F8182	Fever profile-2	Hitech_GKS	C	3000	Daily : 9:00am	After 24hrs	-	No
F8186	FERTILITY PROFILE - MALE	Hitech_GKS	D	1225	Daily : 9:00am	2nd day : 6:00pm	-	No
F8188	F & PP GLUCOSE PROFILE ( 1 1/2	Hitech_GKS	A	150	Daily : 9:00am	2nd day : 6:00pm	-	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	HOURS)							
F8189	FRUITS & VEGETABLES PANEL	Hitech_GKS	D	8000	Daily : 9:00am	After 24hrs	-	No
F8194	Foundation One Heme NGS Gene Panel, Tissue/FFPE	Hitech_GKS	R	355000	Daily : 9:00am	After 24hrs	Paraffin Block (Sarcoma)	No
F8204	FERTILITY PROFILE - FEMALE	Hitech_GKS	D	2500	Daily : 9:00am	2nd day : 6:00pm	-	No
F8205	Fever Profile - Chronic	Hitech_GKS	O	3000	Daily : 9:00am	After 24hrs	-	No
G0001	G6PDNeonatal ScreenDried blood spot	Hitech_GKS	C	450	Daily : 9:00am	2nd day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	No
G0002	G6PD - Qualitative, EDTA Blood **	Hitech_GKS	B	850	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml EDTA Whole Blood	No
G0003	G6PD - Quantitative Reflex Qualitative, EDTA Blood	Hitech_GKS	C	700	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml EDTA Whole Blood	Yes
G0004	GAD-65 AntibodyType I Diabetes, Serum	Hitech_GKS	D	5100	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
G0005	Galactose 6 Sulphate Sulphatase Blood **	Hitech_GKS	R	6500	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0006	Galactose Classical Transferase Blood**	Hitech_GKS	R	2370	Daily : 11:30am	8th day : 6:00pm	6 ml Sodium heparin whole blood required as soon as possible after collection	No
G0008	Galactose (Total) - Qualitative, Heparin Blood **	Hitech_GKS	R	960	Daily : 11:30am	7th day : 6:00pm	4 ml of Blood In Sodium Heparin	No
G0011	Galactose-Total Neonatal Screen Dried blood spot	Hitech_GKS	C	450	Daily : 9:00am	2nd day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	No
G0012	Ganglioside IgG Antibody,serum **	Hitech_GKS	D	4100	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0013	Ganglioside IgM Antibody,serum **	Hitech_GKS	D	4100	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0016	Gastrin, Serum **	Hitech_GKS	C	1490	Daily : 9:00am to 9:00pm	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
G0018	Genetic Hair Loss Test Alopecia Blood **	Hitech_GKS	E	4500	Daily : 7:30am	15th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
G0019_	GFR with Creatinine	Hitech_GKS	B	320	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
A	(Above 18 Years), Serum							
G0019_C	GFR with Creatinine (Below 18 Years), Serum	Hitech_GKS	B	320	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
G0020	Gamma GT (GGTP), Serum	Hitech_GKS	A	260	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
G0021	Giardia Antigen detection Stool **	Hitech_GKS	B	1150	Daily : 9:00am & 3:00pm	After 4hrs	5gm of Stool specimen in Sterile leak proof container	No
G0022	Gliadin-IgA AntibodiesDe-amidated (DGP)Serum	Hitech_GKS	C	2060	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
G0023	Gliadin-IgG AntibodiesDe-amidated (DGP)Serum	Hitech_GKS	C	1900	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
G0024	Glucagon Stimulation Test for C-peptide, Serum **	Hitech_GKS	D	3500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
G0025	Glucosamine N Acetyl Transferase Blood **	Hitech_GKS	R	7500	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
G0026	Glucose, Urine	Hitech_GKS	A	125	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
G0027	Glucose Fasting, Fluoride Plasma	Hitech_GKS	A	60	Daily : 9:00am	After 4hrs	2 ml of Fluoride Plasma	Yes
G0027_100	Glucose Plasma (100gms), Fluoride Plasma	Hitech_GKS	A	90	Daily : 9:00am	After 6hrs	2ml of Fluoride plasma in Fluoride Vacutainer	Yes
G0027_120	Glucose 120 Min, Fluoride Plasma	Hitech_GKS	A	60	Daily : 9:00am	After 10hrs	2ml of Fluoride plasma in Fluoride Vacutainer	Yes
G0027_180	Glucose 180 Min, Fluoride Plasma	Hitech_GKS	A	60	Daily : 9:00am	After 10hrs	2 ml of Fluoride Plasma	Yes
G0027_240	Glucose 240 Min, Fluoride Plasma	Hitech_GKS	A	90	Daily : 9:00am	After 10hrs	2ml of Fluoride plasma in Fluoride Vacutainer	Yes
G0027_300	Glucose 300 Min, Fluoride Plasma	Hitech_GKS	A	90	Daily : 9:00am	After 10hrs	2ml of Fluoride plasma in Fluoride Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0027_50	Glucose Plasma (50gms), Fluoride Plasma	Hitech_GKS	A	150	Daily : 9:00am	After 6hrs	2 ml of Fluoride Plasma	Yes
G0027_60	Glucose 60 Min, Fluoride Plasma	Hitech_GKS	A	60	Daily : 9:00am	After 10hrs	2 ml of Fluoride Plasma	Yes
G0027_75	Glucose Plasma (75gms), Fluoride Plasma	Hitech_GKS	A	90	Daily : 9:00am	After 4hrs	2ml of Fluoride plasma in Fluoride Vacutainer	Yes
G0027_FPPU	Glucose Fasting and PP	Hitech_GKS	A	140	Daily : 9:00am	After 4hrs	-	Yes
G0027_P	Glucose Post Prandial, Fluoride Plasma	Hitech_GKS	A	60	Daily : 9:00am	After 4hrs	2 ml of Fluoride Plasma	Yes
G0027_P130	Glucose-Post Prandial(1hr 30min)	Hitech_GKS	A	60	Daily : 9:00am	After 4hrs	2ml of Fluoride plasma in Fluoride Vacutainer	Yes
G0027_PP1HR	Glucose-Postprandial(1 hour)	Hitech_GKS	A	70	Daily : 9:00am	After 4hrs	2ml of Fluoride plasma in Fluoride Vacutainer	Yes
G0027_R	Glucose Random, Fluoride Plasma	Hitech_GKS	A	60	Daily : 9:00am	After 4hrs	2 ml of Fluoride Plasma	Yes
G0028	Glucose, CSF	Hitech_GKS	A	90	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or container	Yes
G0028_B	Glucose, Body Fluid	Hitech_GKS	A	90	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
G0028_S	Glucose, Synovial Fluid	Hitech_GKS	A	90	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
G0029	GTT (Glucose Tolerance Test) Profile - 2hrs, 3 Samples	Hitech_GKS	B	400	Daily : 9:00am	2nd day : 6:00pm	2ml of Fluoride plasma in Fluoride Vacutainer (0,60,120 min)	Yes
G0029_C	Glucose Challenge Test ( GCT )	Hitech_GKS	C	110	Daily : 9:00am	After 4hrs	-	Yes
G0029_inactive	Glucose Tolerance Test 3 samples	Hitech_GKS	O	335	Daily : 9:00am	2nd day : 6:00pm	-	Yes
G0030	GTT (Glucose Tolerance Test) Profile - 2.5hrs	Hitech_GKS	B	300	Daily : 9:00am	2nd day : 6:00pm	2ml of Fluoride plasma in Fluoride Vacutainer (0,30,60,120,150min)	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0031	GTT (Glucose Tolerance Test) Profile - 5hrs	Hitech_GKS	B	760	Daily : 9:00am	2nd day : 6:00pm	2ml of Fluoride plasma in Fluoride Vacutainer (0,30,60,90,120,180,240,300min)	Yes
G0032	Glucose Tolerance Test with Insulin Profile	Hitech_GKS	C	2000	Daily : 9:00am	2nd day : 6:00pm	2ml of Fluoride plasma in Fluoride Vacutainer (0,60,120 min) and 2ml Serum in Plain Vacutainer	Yes
G0033	Glutamic Acid - Quantitative, Urine 24Hrs **	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
G0034	Glutamic Acid - Quantitative, Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
G0035	Glutamine - Quantitative, Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
G0036	Glutamine - Quantitative, Urine 24Hrs **	Hitech_GKS	R	6200	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
G0037	Glycine - Quantitative, CSF **	Hitech_GKS	D	6200	Daily : 11:30am	7th day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
G0038	Glycine - Quantitative, Urine 24Hrs **	Hitech_GKS	R	6200	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
G0039	Glycine - Quantitative, Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
G0041	Glycophorin-A, EDTA Blood **	Hitech_GKS	D	2300	Daily : 9:00am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
G0042	GNRH (LHRH) Stimulation Test for FSH and LH, Serum	Hitech_GKS	B	3600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
G0044	Goodpastures Syndrome Profile	Hitech_GKS	D	3250	Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0045	Gram Stain for Neisseria sp, Urethral Discharge	Hitech_GKS	B	100	Daily : 9:00am	2nd day : 6:00pm	2 ml of Urethral Discharge in Sterile leak proof container	Yes
G0046	Gram Stain for Nugents	Hitech_GKS	B	400	Daily : 9:00am	2nd day :	Discharge on sterile swab in Amies transport	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Score, Vaginal Discharge					6:00pm	medium	
G0047	Gram Stain, Other samples	Hitech_GKS	B	200	Daily : 9:00am	2nd day : 6:00pm	2 ml of Specimen in Sterile leak proof container	Yes
G0048	Growth Disorder Profile	Hitech_GKS	D	5400	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0049	Growth Hormone, Serum	Hitech_GKS	C	800	Mon, Wed & Fri : 7:30am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
G0050	Growth Hormone Stimulation Test Profile - Arginine	Hitech_GKS	D	3300	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
G0051	Growth Hormone Stimulation Test Profile - Clonidine	Hitech_GKS	D	1000	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0052	Growth Hormone Stimulation Test Profile - Exercise	Hitech_GKS	D	3300	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
G0053	Growth Hormone Stimulation Test Profile - GHRH	Hitech_GKS	D	3300	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
G0054	Growth Hormone Stimulation Test Profile - Insulin	Hitech_GKS	D	3300	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
G0055	Growth Hormone Stimulation Test Profile - L Dopa	Hitech_GKS	D	3300	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
G0056	Growth Hormone Suppression Test Profile - Glucose	Hitech_GKS	D	3300	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
G0059	GFR With Cystatin C Serum **	Hitech_GKS	C	1380	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
G0059_A	GFR With Cystatin C Serum (Adult - Above 18 Years) **	Hitech_GKS	C	1380	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0059_C	GFR With Creatinine	Hitech_GKS	C	1200	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0061	Glycosaminoglycan,Urine **	Hitech_GKS	R	3100	Daily : 11:30am	15th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
G0065	GTT (Glucose Tolerance Test) Profile - 2hrs (75 grams glucose)	Hitech_GKS	B	270	Daily : 9:00am	2nd day : 6:00pm	2 ml of Fluoride Plasma Each	Yes
G0066	GTT (Glucose Tolerance Test) Profile - 3hrs (100 grams glucose)	Hitech_GKS	B	360	Daily : 9:00am	2nd day : 6:00pm	2 ml of Fluoride Plasma Each	Yes
G0073	G6PD Gene Mutation, EDTA Blood **	Hitech_GKS	R	4400	Daily : 11:30am	12th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0074	Galactosemia Gene Mutation**	Hitech_GKS	R	8500	Daily : 11:30am	12th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
G0078	Genetics Counselling **	Hitech_GKS	E	1200	Daily : 9:00am	Next day : 5:00pm	Prior Appointment	No
G0079	GIST PDGFRA gene mutation, Tissue/FFPE **	Hitech_GKS	R	10000	Thu & Sat : 11:30am	15th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
G0080	GTT (Glucose Tolerance Test) Profile - 2hrs, 2 Samples	Hitech_GKS	B	190	Daily : 9:00am	2nd day : 6:00pm	2ml Fluoride plasma in Fluoride Vacutainer (0min, 120min)	Yes
G0082	Brain Tumor Profile - 2, FFPE Tissue	Hitech_GKS	D	25000	Daily : 9:00am	After 24hrs	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
G0083	Alpha-1 Antitrypsin	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Deficiency NGS Gene Panel, EDTA Blood **					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	
G0087	Gene analysis Achondroplasia FGFR3 G380R common mutation screening**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0088	Agammaglobulinemia (BTK) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0089	Alexander disease (GFAP) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0091	Alström Syndrome (ALMS1) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0092	Androgen Receptor NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Do not freeze. TRF, Genetci history is mandatory.	
G0093	Gene analysis Ataxia-telangiectasia (ATM)**	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0094	Gene analysis ATRX**	Hitech_GKS	E	19000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml EDTA Whole Blood	No
G0095	Brown Vialtoâ€™Van Laere Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0096	C8orf37 NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0097	Canavan Disease (ASPA) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0098	Cantu Syndrome (ABCC9) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	22000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0099	Carney complex (PRKAR1A) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0100	Chediak-Higashi Syndrome (LYST) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0101	Cohens Syndrome (VPS13B) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0102	Congenital adrenal hyperplasia CYP21A2(21-0H)**	Hitech_GKS	R	12000	Daily : 11:30am	After 6 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0103	Gene analysis Congenital adrenal	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	hyperplasia CYP21A2 (21-OH) by NGS**						refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0104	Gene analysis Cystic fibrosis (CFTR)-Whole gene**	Hitech_GKS	R	19260	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0105	Gene analysis Cystic megalencephaly (MLC1)**	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0106	Gene analysis DOCK8 (Hyper IgE Syndrome) gene**	Hitech_GKS	R	17850	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0108	Dravet Syndrome (SCN1A) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0109	Gene analysis	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	duchenne muscular dystrophy (DMD) **					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0110	Fabry disease NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0111	Factor VII deficiency NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.	No
G0112	Fanconi bickel Syndrome (SLC2A2) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0113	Gene analysis(Farber lipogranulomatosis - ASAH1 -**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0114	Fraser Syndrome NGS	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Gene Panel, EDTA Blood **					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0115	Fucosidosis (Lysosomal Storage Disorder) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0116	Galactosialidosis NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0117	GLB1 (GM1 gangliosidosis; mucopolysaccharidosis type IV) gene analysis**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0118	Gene analysis GLUT1 deficiency (SLC2A1)**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0119	Haemophilia A NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability.	No
G0120	Gene analysis Haemophilia B (F9)**	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability.	No
G0121	Hereditary fructose intolerance NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetic history is mandatory.	No
G0122	Hyperargininemia (ARG1) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetic history is mandatory.	No
G0123	Krabbe disease (GALC)-Gene Analysis **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetic history is mandatory.	No
G0124	Lysosomal acid lipase	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	deficiency (LIPA gene)-Gene Analysis **					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0126	McArdle disease (PYGM)-Gene Analysis **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0127	Menkes disease (ATP7A)-Gene Analysis **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0128	Mondini defect (SLC26A4)-Gene Analysis **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0129	Gene analysis MYD88 gene L265P mutation**	Hitech_GKS	R	18000	Daily : 11:30am	12th day : 6:00pm	3ml EDTA Whole Blood	No
G0130	Neurofibromatosis type 1 (NF1) Gene Analysis **	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0131	Gene analysis Neurofibromatosis type 2 (NF2)**	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	Do not freeze. TRF, Genetci history is mandatory. 3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0132	NOTCH3 (CADASIL) gene analysis -NGS**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0133	Pallister Hall Syndrome (GLI3)-Gene Analysis **	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0134	Phenylketonuria (PAH)-Gene Analysis **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0135	PMP22 Gene analysis**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0136	Polycystic Liver Disease-Gene Analysis **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0137	Gene analysis Pompe Disease (GAA)**	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0138	PTEN-Gene Analysis **	Hitech_GKS	R	18000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0139	Pulmonary alveolar microlithiasis (SLC34A2)-Gene Analysis **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0142	Gene analysis RB1**	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0143	Gene analysis RBC membrane disorders and Enzymopathies**	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0144	Sialidosis-Gene Analysis **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0145	Sjogren-Larsson Syndrome (ALDH3A2)-Gene Analysis **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0147	Gene analysis Smith-Lemli-Opitz Syndrome (DHCR7)**	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0149	Tay-Sachs disease (HEXA)-Gene Analysis **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0150	Thrombotic Thrombocytopenic Purpura (TTP) - ADAMTS13 gene analysis**	Hitech_GKS	R	18900	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability.	No
G0151	TSC1-Gene Analysis **	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0152	Gene analysis TSC1 & TSC2**	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0153	TSC2-Gene Analysis **	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0154	Tyrosinemia NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0155	Gene analysis Von Hippel-Lindau Syndrome (VHL)**	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability.	No
G0156	Gene analysis Von Willebrand disease**	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability.	No
G0157	WAS (Wiskott Aldrich Syndrome) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Ambient or refrigerated condition based on sample stability.	No
G0158	Wilson disease (ATP7B) NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0159	Xanthinuria NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0162	4H Syndrome NGS Gene Panel, EDTA	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Blood **						refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0163	Aicardi-Goutieres Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0164	Alagille Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0165	Alport Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0166	Gene Panel Aplastic anaemia**	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0167	Arthrogryposis & Congenital Myasthenic Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							mandatory.	
G0168	Bardet-Biedl Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0169	Gene Panel Bartter Syndrome**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0170	Benign Infantile Epilepsy NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0171	Cardiac channelopathy NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0173	Gene Panel Charcot-Marie-Tooth and sensory neuropathies **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0174	Ciliopathy NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	Do not freeze. TRF, Genetci history is mandatory. 3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0175	Citrullinemia NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0176	Cockayne Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0177	Congenital Afibrinogenemia NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0178	Congenital Dyserythropoietic anemia NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0180	Congenital	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Hypopituitarism NGS Gene Panel, EDTA Blood **					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0181	Gene Panel Congenital neutropenia **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0182	Congenital stationary night blindness NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0183	Gene Panel Connective tissue disorder**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0184	Corneal Dystrophy NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0185	Cornelia de Lange Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Do not freeze. TRF, Genetci history is mandatory.	
G0186	Craniosynostosis NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0187	Cutis-laxa NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0188	Diamond blackfan anemia NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0189	Gene Panel Dyskeratosis congenita**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0190	Gene Panel Early-onset juvenile parkinsonism **	Hitech_GKS	R	21600	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0191	Ectodermal dysplasia NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0192	Gene Panel Ehler Danlos Syndrome**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0193	Epidermolysis Bullosa NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0194	Gene Panel Episodic ataxia **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0195	Familial female mental retardation/epilepsy NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0196	Gene panel Familial hemiplegic migraine**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0197	Gene Panel Fanconi anemia**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0198	Fatty acid oxidation disorders NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0199	Glycine encephalopathy-Gene Panel **	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0200	Gene Panel Glycogen storage disorder**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0201	Glycosylation (CDG)	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Disorder Gene Profile **					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0202	Gene Panel Haemophilia (F8 & F9)Gene Panel, EDTA Blood **	Hitech_GKS	R	19950	Daily : 11:30am	After 4 weeks : 6:00pm	Clinical history and TRF mandatory. Blood : 3ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.	No
G0203	Gene Panel Hemophagocytic lymphohistiocytosis (HLH)**	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0204	Hereditary elliptocytosis NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0205	Hereditary multiple exostoses NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0206	Hereditary pancreatitis NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0207	Hereditary	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks :	20ml of Amniotic Fluid in Sterile Leak proof	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Spherocytosis NGS Gene Panel, EDTA Blood **					6:00pm	Falcon Tube/ Sterile Container	
G0208	Gene Panel Homocystinuria **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0209	Gene Panel Hypercholesterolemia* *	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0210	Hyperekplexia NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0211	Hypomyelination Syndrome-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0212	Icthyosis-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0213	Gene panel Joubert Syndrome**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0214	Kallmann Syndrome- Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0215	Leber congenital amaurosis-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0216	Gene Panel Leigh Syndrome & mitochondrial encephalopathy**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0217	Gene Panel Leukodystrophy **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0218	Lissencephaly-Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0219	Maple syrup urine disease-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0220	Meckel Gruber Syndrome-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0221	Gene Panel Methylmalonic aciduria (MMA)**	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0222	Microcephaly-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0223	Microphthalmia and anophthamia-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0224	Gene Panel Mucopolysaccharidosis **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0225	Myotonia congenita-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0226	Gene Panel Neuronal ceroid lipofuscinosis **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0227	Neuronal migration	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	disorder-Gene Panel **					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0228	Niemann-Pick disease gene panel**	Hitech_GKS	R	19000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0229	Non-immune hydrops- Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0230	Gene Panel Noonan Syndrome**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0231	Oculocutaneous albinism-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0232	Optic atrophy-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0233	Organic acidemia-Gene Panel **	Hitech_GKS	R	1000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0234	Gene Panel Osteogenesis imperfecta**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0235	Osteopetrosis-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0236	Pachydermoperiostosis & primary hypertrophic osteoarthropathy-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G0237	Pantothenate kinase-associated neurodegeneration- Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	mandatory. 3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0238	Peroxisomal disorder- Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0240	Gene Panel Polycystic kidney disease**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0241	Pontocerebellar hypoplasia- Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0242	Gene Panel Primary hyperoxaluria**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Do not freeze. TRF, Genetci history is mandatory.	
G0243	Gene Panel (Primary immunodeficiency) **	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0244	Progressive familial intrahepatic cholestasis-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0245	Progressive myoclonic epilepsy-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0246	Rasopathy-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0247	Retinal Degeneration-Gene Panel	Hitech_GKS	R	2500	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0249	Seckel Syndrome-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0250	Gene Panel Severe combined immunodeficiency (SCID)**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0251	Sideroblastic anaemia- Gene Panel, EDTA Blood **	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
G0252	Gene Panel Skeletal dysplasia**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0253	Sotos Syndrome-Gene Panel **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0254	Gene Panel Urea cycle defects**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0255	Usher Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
G0256	Waardenburg Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0257	Xeroderma Pigmentosum NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
G0297	GLIADIN ( F 233)-SPECIFIC IGE	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0298	GOAT MILK ( F 300)-SPECIFIC IGE	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0300	GUM TREE[EUCALYPTUS SPP] (T 18) - SPECIFIC IGE	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0323	BTP (Beta Trace Protein) GFR, Serum **	Hitech_GKS	D	3300	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
G0324	GI Panel (Biofire test) **	Hitech_GKS	E	17500	Daily : 9:00am to 9:00pm	After 10hrs	5gm of Stool specimen in Sterile leak proof container	No
G0333	Klippel-Feil Syndrome- Gene panel **	Hitech_GKS	E	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	
G0334	Nephrotic Syndrome- Gene Panel **	Hitech_GKS	R	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
G0335	Genotypic phenotypic correlation / case review by International experts	Hitech_GKS	R	5000	Daily : 11:30am	Next day : 6:00pm	Prior Appointment	No
G0336	Brain Tumor Profile - 1, FFPE Tissue	Hitech_GKS	D	18500	Daily : 9:00am	4th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
G0338	Neurodegeneration with brain iron accumulation-Gene Panel **	Hitech_GKS	E	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
G0339	FKTN (Fukutin) NGS Gene Panel, EDTA Blood **	Hitech_GKS	E	19000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
G0340	Gaucher disease NGS Gene Panel, EDTA Blood **	Hitech_GKS	E	19000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Do not freeze. TRF, history is mandatory.	
G0341	FISH-MDM2 (12q15) GENE AMPLIFICATION **	Hitech_GKS	E	9700	Daily : 11:30am	15th day : 6:00pm	Formalin fixed paraffin embedded tissue block. Ship at room temperature. Tissue block must contain at least 10% tumor tissue. Histopath report with History mandatory.	No
G0344	Mitochondrial (whole & Clinical) genome sequencing **	Hitech_GKS	E	26000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
G0345	Giant axonal neuropathy-1 (GAN)- Gene analysis **	Hitech_GKS	E	19000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
G0347	Glycine Receptor Antibodies**	Hitech_GKS	E	10000	Daily : 7:30am	After 4 weeks : 6:00pm	-	No
G0348	Gene panel bone marrow failure Syndrome**	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	4 ml EDTA Whole Blood	No
G0349	GI mapping biopsies (Upto 5 containers) **	Hitech_GKS	C	4500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
G7002	G6PD-quantitative, blood by Kinetic method	Hitech_GKS	C	550	Tue, Thu & Sat : 9:00am	After 24hrs	-	No
G7006	Globulin, serum	Hitech_GKS	O	150	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
G7011	GFR (eGFR) - Estimated Glomelular Filtration Rate	Hitech_GKS	B	430	Daily : 9:00am	After 6hrs	-	Yes
G8020	Glucose, Fasting & Post Lunch Package	Hitech_GKS	A	140	Daily : 9:00am	After 4hrs	-	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
G8130	GLUCOSE CHALLENGE TEST - 1 HR URINE SUGAR_G8130	Hitech_GKS	C	30	Daily : 9:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container	Yes
G8131	Gram stain PUS	Hitech_GKS	B	320	Daily : 9:00am	2nd day : 6:00pm	-	Yes
G8166	GLAUCOMA SCREENING	Hitech_GKS	D	100	Daily : 9:00am	After 24hrs	-	No
G8175	Germline HRR gene panel	Hitech_GKS	R	23000	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood	No
H0001	H1N1 (Swine Flu) PCR, Swab	Hitech_GKS	C	2500	Daily : 9:00am	After 24hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM).NASOPHARYNGEAL /orOPHARYNGEAL	Yes
H0001_P	Influenza A Real time PCR	Hitech_GKS	C	4000	Daily : 9:00am	After 24hrs	-	No
H0002	Hemochromatosis Mutations Analysis (C282Y, H63D), EDTA Blood **	Hitech_GKS	D	6500	Tue & Thu : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical history and TRF mandatory.	No
H0003	Hemoglobin - Free, Citrate Plasma **	Hitech_GKS	R	1100	Daily : 11:30am	5th day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
H0004	Hemoglobin - Free, Urine **	Hitech_GKS	C	400	Daily : 11:30am	Same day : 9:00pm	15ml of Spot Urine in Sterile leak proof container	No
H0005	Haemophilia Profile	Hitech_GKS	D	4025	Mon : 9:00am	2nd day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
H0007	Haemophilus Influenzae B Antigen Detection, CSF **	Hitech_GKS	D	1300	Daily : 9:00am & 3:00pm	After 4hrs	2ml of CSF in Sterile leak proof tube or container	No
H0008	Haemophilus Influenzae B Antigen Detection, Serum **	Hitech_GKS	D	1300	Daily : 9:00am & 3:00pm	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
H0009	Haemophilus Influenzae B Antigen Detection, Urine **	Hitech_GKS	D	1300	Daily : 9:00am & 3:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container	No
H0011	Hanging Drop preparation For V Cholerae Stool	Hitech_GKS	B	300	Daily : 9:00am	After 4hrs	5gm of Stool specimen in Sterile leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
H0013	Haptoglobin genotype by PCR**	Hitech_GKS	R	3820	Wed & Sat : 11:30am	8th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
H0014	HaptoglobinSerum	Hitech_GKS	C	1400	Mon, Wed & Fri : 7:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0015	HAV - IgG antibody, Serum	Hitech_GKS	B	1100	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0016	HAV - IgM antibody, Serum	Hitech_GKS	B	1100	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0017	HAV-Hepatitis A Virus RNA detection by PCR Blood**	Hitech_GKS	D	4900	Daily : 7:30am	7th day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
H0018	HbA1c- Glycated Haemoglobin, blood by HPLC method	Hitech_GKS	B	450	Daily : 9:00am	After 5hrs	3ml EDTA whole blood	Yes
H0026	Anti HBcAg Total, Serum	Hitech_GKS	B	1000	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0027	Anti HBcAg-IgM, Serum	Hitech_GKS	B	1000	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0028	Anti HBeAg, Serum	Hitech_GKS	B	1100	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0029	HBsAb (Anti HBs), Serum	Hitech_GKS	B	1000	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0030	HBV - Hepatitis B Detection (Qualitative)	Hitech_GKS	C	3300	Daily : 9:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3ml of EDTA Plasma in Plain Sterile Vacutainer	No
H0031	HBV-Hepatitis B DNA detection by PCR Amniotic fluid**	Hitech_GKS	D	4050	Daily : 9:00am	After 24hrs	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
H0032	HBV-Hepatitis B DNA Qualitative PCR Ascitic fluid	Hitech_GKS	D	4050	Daily : 9:00am	After 24hrs	3ml of Fluid in Sterile leak proof container	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
H0033	HBV-Hepatitis B DNA Qualitative PCR CSF	Hitech_GKS	D	4050	Daily : 9:00am	After 24hrs	2ml of Body Fluid in Sterile leak proof container	No
H0035	HBV-Hepatitis B Genotype & Drug Resistance test by sequencing Blood **	Hitech_GKS	D	8000	Mon : 9:00am	Wed : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3ml of EDTA Plasma in Plain Sterile Vacutainer	No
H0037	HBeAg, Serum	Hitech_GKS	B	900	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0038	HBsAg Confirmation, Serum	Hitech_GKS	C	975	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0039	HBsAg - Quantitative, Serum	Hitech_GKS	C	1200	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0040	HBsAg Screening , Serum	Hitech_GKS	B	470	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
H0041	HBV-Hepatitis B Viral load Serum Or plasma(Quantitative)	Hitech_GKS	C	4750	Daily : 9:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3ml of EDTA Plasma in Plain Sterile Vacutainer	Yes
H0042	HBV-Hepatitis B ymdd (YMDD) mutation by sequencing Serum **	Hitech_GKS	D	4200	Mon : 9:00am	Wed : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0043	HCG Beta Subunit, Serum	Hitech_GKS	B	580	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
H0044	HCG Beta Subunit, Urine 24 Hrs **	Hitech_GKS	B	800	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
H0045	HCG Beta Subunit, Urine **	Hitech_GKS	B	240	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
H0046	HCG Beta Subunit, CSF	Hitech_GKS	B	800	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or container	No
H0047	HCG Stimulation Test Profile for DHT	Hitech_GKS	D	3600	Tue & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0048	HCG Stimulation Test Profile for FSH and LH	Hitech_GKS	B	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0049	HCG Stimulation Test Profile for Testosterone	Hitech_GKS	B	1000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0050	HCV (Hepatitis C Virus)	Hitech_GKS	C	24000	Daily : 9:00am	5th day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Genofibro Profile					6:00pm		
H0051	HCV (Hepatitis C Virus) Combo Profile - 1	Hitech_GKS	C	10000	Daily : 9:00am	5th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3ml of EDTA Plasma in Plain Sterile Vacutainer	No
H0052	HCV-Hepatitis C Genotyping by sequencing Plasma **	Hitech_GKS	D	7000	Tue & Fri : 9:00am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3ml of EDTA Plasma in Plain Sterile Vacutainer	No
H0053	Hepatitis C Virus(HCV)HCV-IgM AntibodySerum	Hitech_GKS	C	1575	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0054	HCV-Hepatitis C RNA Detection by Taqman	Hitech_GKS	C	4000	Daily : 9:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3ml of EDTA Plasma in Plain Sterile Vacutainer	Yes
H0055	HCV-Total Antibodies, Serum	Hitech_GKS	B	950	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
H0056	HCV (Hepatitis C Virus) RNA PCR - Quantitative, Serum/Plasma	Hitech_GKS	C	5000	Daily : 9:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3ml of EDTA Plasma in Plain Sterile Vacutainer	Yes
H0057	HDL Cholesterol Direct serum	Hitech_GKS	A	220	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
H0058	HDV-IgM Antibody	Hitech_GKS	D	4800	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0059	HDV (Hepatitis Delta Virus) RNA Qualitative PCR, EDTA Plasma **	Hitech_GKS	D	900	Daily : 7:30am	10th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0060	Hepatitis Delta virus(HDV)Anti HDV-total antibodySerum **	Hitech_GKS	C	1600	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0061	HE4 with ROMA Index, Serum **	Hitech_GKS	C	2500	Daily : 7:30am	Same day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0062	Heinz Bodies, EDTA Blood **	Hitech_GKS	B	220	Daily : 11:30am	2nd day : 6:00pm	3ml EDTA Whole Blood	No
H0063	Helicobacter Pylori Antigen Detection, Stool	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	No
H0064	Helicobacter Pylori	Hitech_GKS	C	1200	Daily : 9:00am	15th day :	Tissue with Normal Saline in Sterile leak proof	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Culture, Tissue **				to 9:00pm	6:00pm	container	
H0065	Helicobacter Pylori IgA antibody, Serum	Hitech_GKS	C	990	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0066	Helicobacter Pylori IgG antibody, Serum	Hitech_GKS	C	990	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0067	Helicobacter Pylori IgM antibody, Serum **	Hitech_GKS	C	2350	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0069	Hemoglobin, EDTA Blood	Hitech_GKS	A	100	Daily : 9:00am	After 6hrs	3ml EDTA Whole Blood	Yes
H0070	Hemosiderin, LBC **	Hitech_GKS	C	1500	Daily : 9:00am	3rd day : 6:00pm	More than 1 MI fluid in a leak proof plain container along with relvent clinical & radiological details	No
H0071	Heparan Sulphate Sulphamidase Sanfillipo / MPS III A Blood**	Hitech_GKS	R	10000	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
H0072	HBV (Hepatitis B Virus) Immunity Profile	Hitech_GKS	C	2200	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0073	HBV (Hepatitis B Virus) Chronic Profile	Hitech_GKS	C	4500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0074	HBV (Hepatitis B Virus) Acute Profile	Hitech_GKS	C	4300	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0075	HBV (Hepatitis B Virus) Comprehensive Profile	Hitech_GKS	C	4500	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0076	Hepatitis Atypical Virus Profile	Hitech_GKS	D	4250	Daily : 9:00am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0077	HepcidinELISASerum **	Hitech_GKS	D	1800	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0078	Her-2 Neu Gene Amplification, Tissue/ FFPE **	Hitech_GKS	D	11790	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
H0079	Hepatitis E Vius(HEV)Anti HEV-	Hitech_GKS	B	1600	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	IgGSerum **							
H0080	Hepatitis E Vius(HEV)Anti HEV-IgMSerum	Hitech_GKS	B	1150	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0081	HGV-RNA (Hepatitis G-RNA) Detection**	Hitech_GKS	R	5200	Daily : 11:30am	15th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0082	Hirsutism Profile - 1	Hitech_GKS	C	3300	Tue & Fri : 9:00am	After 10hrs	3ml of Serum in Gel/Plain Vacutainer	No
H0083	Hirsutism Profile - 2	Hitech_GKS	C	5300	Tue & Fri : 9:00am	After 10hrs	3ml of Serum in Gel/Plain Vacutainer	No
H0084	Hirsutism Profile - 3	Hitech_GKS	C	7500	Tue & Fri : 9:00am	After 10hrs	3ml of Serum in Gel/Plain Vacutainer	No
H0085	Histamine, EDTA Plasma **	Hitech_GKS	R	6750	Daily : 11:30am	20th day : 6:00pm	3ml of EDTA plasma	No
H0086	Histidine - Quantitative, Serum **	Hitech_GKS	R	6200	Daily : 11:30am	7th day : 6:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
H0087	Histidine - Quantitative, Urine 24Hrs **	Hitech_GKS	R	6200	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
H0088	Histochemistry (Special Stain with reporting) Alcian Blue, Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0089	Histochemistry (Special Stain with reporting) Bleach, Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0090	Histochemistry (Special Stain with reporting) Congo Red, Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0091	Histochemistry (Special Stain with reporting) Fite Farraco, Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0092	Histochemistry (Special Stain with	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	reporting) Fontana Masson Silver, Tissue/ FFPE **						Histopathology report and all relevant clinical and radiological detail	
H0093	Histochemistry (Special Stain with reporting) Giemsa, Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0094	Histochemistry (Special Stain with reporting) Gomori Silver Methanamine (GMS), Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0095	Histochemistry (Special Stain with reporting) Hale S Colloidal Iron, Tissue/ FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0096	Histochemistry (Special Stain with reporting) Histochemistry Unspecified Special Stain Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0097	Histochemistry (Special Stain with reporting) Masson Trichrome Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0098	Histochemistry (Special Stain with reporting) Mucicarmin Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0099	Histochemistry (Special Stain with reporting) Orcein Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0100	Histochemistry (Special Stain with	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	reporting) PAS with and/or Without Diastase Tissue/FFPE **						Histopathology report and all relevant clinical and radiological detail	
H0101	Histochemistry (Special Stain with reporting) PASM Stain Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0102	Histochemistry (Special Stain with reporting) Prussian Blue Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0103	Histochemistry (Special Stain with reporting) PTAH Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0104	Histochemistry (Special Stain with reporting) Reticulin Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0105	Histochemistry (Special Stain with reporting) Van Gieson Tissue/FFPE**	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0106	Histochemistry (Special Stain with reporting) Verhoeff S Vangieson Tissue/ FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0107	Histochemistry (Special Stain with reporting) Von Kossa Stain Tissue/FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0108	Histochemistry (Special Stain with reporting) ZN Tissue/ FFPE **	Hitech_GKS	C	1300	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
H0109	Histochemistry	Hitech_GKS	C	700	Daily : 9:00am	2nd day :	Single Paraffin block / section on charged slide	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	(Special Stain Only) - Alcian Blue Stain, Tissue/FFPE **					6:00pm		
H0110	Histochemistry (Special Stain Only) - Bleach Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0112	Histochemistry (Special Stain Only) - Fite Farraco Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0113	Histochemistry (Special Stain Only) - Fontana Masson Silver Method, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0114	Histochemistry (Special Stain Only) - Giemsa Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0115	Histochemistry (Special Stain Only) - Gomori Silver Methanamine Stain (GMS), Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0116	Histochemistry (Special Stain Only) - Hale S Colloidal Iron Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0117	Histochemistry (Special Stain Only) - Masson Trichrome Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0118	Histochemistry (Special Stain Only) - Mucicarmine Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0120	Histochemistry	Hitech_GKS	C	700	Daily : 9:00am	2nd day :	Single Paraffin block / section on charged slide	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	(Special Stain Only) - PAS With and/or Without Diastase Stain, Tissue/FFPE **					6:00pm		
H0121	Histochemistry (Special Stain Only) - PASM Stain, Tissue/ FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0123	Histochemistry (Special Stain Only) - PTAH Stain, Tissue/ FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0124	Histochemistry (Special Stain Only) - Reticulin Stain, Tissue/ FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0125	Histochemistry (Special Stain Only) - Unspecified Special Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0126	Histochemistry (Special Stain Only) - Van Gieson Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0127	Histochemistry (Special Stain Only) - Verhoeff S Vangieson Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0129	Histochemistry (Special Stain Only) - ZN Stain, Tissue/FFPE **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
H0130	Histology Frozen Section (Intra Operative) day frozen 8am to 8pm, working days **	Hitech_GKS	D	9300	Daily : 8:00am to 6:00pm	After 1hr	Fresh tissue to be sent along with relevant clinical & radiological details	No
H0131	Second opinion **	Hitech_GKS	D	1500	Daily : 9:00am	3rd day :	Paraffin blocks ( Formalin fixed paraffin	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
						6:00pm	embedded)/ Stained unstained slides Please attach original Histopathology report and all relevant clinical and radiological detail	
H0132	Histone AntibodySerum**	Hitech_GKS	C	1680	Wed & Sat : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0133	Histopathological Examination of Amputation of Limb **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0135	Histopathological Examination of Appendix **	Hitech_GKS	C	1575	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0136	Histopathological Examination of Bone Marrow Trepine biospy **	Hitech_GKS	C	4500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0137	Histopathological Examination of Bone Specimen **	Hitech_GKS	C	4500	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0138	Histopathological Examination of Brain Tissue **	Hitech_GKS	C	4500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0139	Histopathological Examination of Breast Lump **	Hitech_GKS	C	2000	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0141	Histopathological Examination of Breast MRM / Breast conservative surgery reflex FISH	Hitech_GKS	D	7500	Daily : 9:00am	5th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0142	Histopathological Examination of Buccal Mucosal Biopsy **	Hitech_GKS	C	1575	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
H0143	Histopathological Examination of Cervix Biopsy **	Hitech_GKS	C	1500	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0144	Histopathological Examination of Cervix Cone Biopsy **	Hitech_GKS	C	3700	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0145	Histopathological Examination of Colectomy / APR	Hitech_GKS	C	7500	Daily : 9:00am	5th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0147	Histopathological Examination of Commando With RND/ MND **	Hitech_GKS	C	6000	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0148	Histopathological Examination of Endobronchial biopsy **	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0149	Histopathological Examination of Endometrium (D&C Material) **	Hitech_GKS	C	1100	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0150	Histopathological Examination of Eye ball Specimen **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0151	Histopathological Examination of Fistulectomy / Sinus tract includes special stains **	Hitech_GKS	C	1500	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0152	Histopathological Examination of Gall Bladder **	Hitech_GKS	C	1575	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0153	Histopathological	Hitech_GKS	C	7500	Daily : 9:00am	3rd day :	Tissue to be sent in adequate 10% Neutral	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Examination of Gastrectomy **					6:00pm	Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	
H0154	Histopathological Examination of GI Endoscopic Biopsy / Colonic Biopsy **	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0157	Histopathological Examination of Hepatic Resection **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0158	Histopathological Examination of Hirschsprungs Disease **	Hitech_GKS	C	7000	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0159	Histopathological Examination of Kidney Biopsy **	Hitech_GKS	C	1550	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0161	Histopathological Examination of Liver Biopsy **	Hitech_GKS	C	4500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0162	Histopathological Examination of Lung (Lobectomy) **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0163	Histopathological Examination of Lymph Node **	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0164	Histopathological Examination of Mediastinal Mass **	Hitech_GKS	C	4500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0165	Histopathological Examination of Muscle Biopsy **	Hitech_GKS	C	1800	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							details	
H0166	Histopathological Examination of Nasal Polyp **	Hitech_GKS	C	1500	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0167	Histopathological Examination of Nephrectomy (Non Tumorous) **	Hitech_GKS	C	2500	Daily : 9:00am	5th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0168	Histopathological Examination of Oesophagectomy **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0169	Histopathological Examination of Orchidectomy **	Hitech_GKS	C	1800	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0169_HRBC	Haemoglobin/ Hematocrit(PCV)/RBC	Hitech_GKS	A	150	Daily : 9:00am	After 6hrs	-	Yes
H0170	Histopathological Examination of Ovarian Mass (Large) **	Hitech_GKS	C	7500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0171	Histopathological Examination of Ovarian Mass (Small To Medium) **	Hitech_GKS	C	500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0172	Histopathological Examination of Penis **	Hitech_GKS	C	3000	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0173	Histopathological Examination of Prostate Chips (Tur P) **	Hitech_GKS	C	2100	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0174	Histopathological Examination of	Hitech_GKS	C	4500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Prostate Trucut Needle Biopsy **						along with relevant clinical & radiological details	
H0175	Histopathological Examination of Radical Cystectomy **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0177	Histopathological Examination of Radical Nephrectomy **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0178	Histopathological Examination of Radical Prostatectomy **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0179	Histopathological Examination of Sebaceous cyst **	Hitech_GKS	C	1500	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0180	Histopathological Examination of Skin Biopsy **	Hitech_GKS	C	1500	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0182	Histopathological Examination of Small Intestinal Resection **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0183	Histopathological Examination of Soft Tissue Tumor **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0184	Histopathological Examination of Spleen **	Hitech_GKS	C	2000	Daily : 9:00am	5th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0185	Histopathological Examination of Synovial Biopsy **	Hitech_GKS	C	1500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
H0186	Histopathological Examination of Thyroidectomy **	Hitech_GKS	C	2900	Daily : 9:00am	7th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0187	Histopathological Examination of Trucut Biopsy (CT / USG Guided) / core needle biopsy **	Hitech_GKS	C	4500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0188	Histopathological Examination of TUR Urinary Bladder **	Hitech_GKS	C	2000	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0189	Histopathological Examination of Unspecified specimen Large **	Hitech_GKS	C	3000	Daily : 9:00am	7th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0190	Histopathological Examination of Unspecified specimen Large & Complex **	Hitech_GKS	C	7700	Daily : 9:00am	7th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0191	Histopathological Examination of Unspecified specimen Medium **	Hitech_GKS	C	1500	Daily : 9:00am	5th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0192	Histopathological Examination of Unspecified specimen Small **	Hitech_GKS	C	1000	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0193	Histopathological Examination of Uterus With/Without Adnexae **	Hitech_GKS	C	2100	Daily : 9:00am	5th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0194	Histopathological Examination of Werthiems Hysterectomy **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0195	Histopathological	Hitech_GKS	C	7500	Daily : 9:00am	3rd day :	Tissue to be sent in adequate 10% Neutral	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Examination of Whipples Resection **					6:00pm	Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	
H0198	HIT Heparin Induced Thrombocytopenia Serum**	Hitech_GKS	R	7500	Daily : 11:30am	4th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0199	HIVP24 Antigen (Screening)Serum**	Hitech_GKS	C	900	Daily : 9:00am	After 24hrs	-	No
H0201	HIV-1 (Human Immunodeficiency Virus Type 1) DNA Qualitative PCR, EDTA Blood **	Hitech_GKS	C	3000	Daily : 7:30am	Same day : 11:00pm	3ml of Whole Blood in EDTA Vacutainer	No
H0202	HIV-1 (Human Immunodeficiency Virus Type 1) RNA Qualitative PCR, EDTA Plasma	Hitech_GKS	C	3500	Daily : 9:00am	After 24hrs	3ml of EDTA Plasma in Sterile Plain Vacutainer	Yes
H0205	HIV-1 & 2 Antibody by Western Blot, Serum	Hitech_GKS	C	2500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0206	HIV-1 Combo Profile - 1	Hitech_GKS	C	8800	Daily : 9:00am	After 24hrs	3ml of Whole Blood in EDTA Vacutainer & 3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0207	HIV-2 Western Blot, Serum **	Hitech_GKS	R	10500	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0208	HIV-2 (Human Immunodeficiency Virus Type 2) RNA Qualitative PCR, EDTA Plasma **	Hitech_GKS	C	3950	Daily : 7:30am	3rd day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0209	HIV-2 (Human Immunodeficiency Virus Type 2) RNA PCR - Quantitative, EDTA Plasma **	Hitech_GKS	C	6000	Daily : 7:30am	3rd day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0210	HIV-2 Combo Profile - 1	Hitech_GKS	C	7500	Daily : 9:00am	4th day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer & 3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0211	HIV DUO - Screening,	Hitech_GKS	B	700	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Serum							
H0212	HIV-Early Detection Profile - 1 (> 2yrs)	Hitech_GKS	C	4500	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer & 3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer	No
H0213	HIV-Early Detection Profile - 2 (< 2yrs)	Hitech_GKS	C	4500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel Top Vacutainer or Plain Sterile Vacutainer & 3ml of Whole Blood in EDTA Vacutainer	No
H0214	HLA-Donor Specific Antibody (DSA) (Luminex) **	Hitech_GKS	D	10800	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml Serum , Donor: 20 ml Heparin/ ACD/EDTA Whole Blood	No
H0215	Examination OF BLOOD FOR HLA-TYPING **	Hitech_GKS	D	8900	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0216	HLA typing A,B,C, DR, DQ loci Class I & II (Luminex) **	Hitech_GKS	D	19900	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0217	HLA typing A, B & C loci Class I (Luminex) **	Hitech_GKS	D	13000	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0218	HLA B locus - PCR - SSOP (Luminex) **	Hitech_GKS	D	8900	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0221	HLA typing B5 locus (Luminex) **	Hitech_GKS	D	8900	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0222	HLA typing B51 locus (Luminex) **	Hitech_GKS	D	8900	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0224	Examination OF BLOOD FOR HLA-TYPING **	Hitech_GKS	D	8900	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0225	HLA typing DQ locus Class II (Luminex) **	Hitech_GKS	D	5900	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0226	HLA typing DR locus Class II (Luminex) **	Hitech_GKS	D	5900	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0227	Examination OF BLOOD FOR HLA-TYPING **	Hitech_GKS	D	10500	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No
H0233	HLA- Single Antigen Bead Assay Class I & II (Luminex) **	Hitech_GKS	E	40000	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml Serum	No
H0234	HLA Auto Antibody	Hitech_GKS	D	1300	Daily : 9:00am	After 11hrs	Recipient: 5 ml Serum, 6 ml EDTA Whole Blood	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Detection, Heparin Blood **							
H0235	HLA (Lymphocyte) Cross MatchTotal (T +B) cells **	Hitech_GKS	D	16000	Daily : 9:00am	Next day : 6:00pm	Recipient: 5ml serum & 6 ml EDTA Whole Blood, Donor: 6ml EDTA Whole Blood	No
H0249	HLA-B**	Hitech_GKS	D	3200	Tue & Thu : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius .	No
H0250	HLA B27 (Human Leucocyte Antigen B27) by Flow Cytometer, EDTA Blood **	Hitech_GKS	C	2500	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood	No
H0252	HLA B27 (Human Leucocyte Antigen B27) by PCR, EDTA Blood **	Hitech_GKS	C	3590	Mon, Wed & Fri : 9:00am	Next day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius .	No
H0253	HOMA Index (Insulin Resistance Test), Flouride Plasma	Hitech_GKS	C	850	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0254	Homocysteine, Serum	Hitech_GKS	C	1100	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
H0256	Homogentisic Acid, Urine **	Hitech_GKS	C	880	Daily : 11:30am	Same day : 9:00pm	15ml of Spot Urine in Sterile leak proof container	No
H0258	HPV DNA Detection Vaginal swab	Hitech_GKS	C	2800	Mon & Thu : 9:00am	After 24hrs	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
H0259	HPV DNA Detection Cervical scrapping	Hitech_GKS	C	2750	Mon & Thu : 9:00am	After 24hrs	Thin Prep Container	No
H0260	HPV DNA Detection Tissue/biopsy **	Hitech_GKS	C	2800	Mon & Thu : 9:00am	4th day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container	No
H0261	HPV DNA Detection And Typing LBC **	Hitech_GKS	C	2990	Mon & Thu : 9:00am	4th day : 6:00pm	Thin Prep Container	No
H0264	HRT (Hormone Replacement Therapy) Profile	Hitech_GKS	C	1225	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0265	HsCRPHigh Sensitivity CRPSerum	Hitech_GKS	B	690	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
H0266	HSV-1 (IgG & IgM) Profile, Serum **	Hitech_GKS	B	1200	Daily : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0267	CSF-HSV 1 IgG antibodies to Herpes Simplex Virus 1**	Hitech_GKS	C	2500	Tue & Fri : 9:00am	After 24hrs	-	No
H0268	HSV-1 IgG Antibody, Serum	Hitech_GKS	B	600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0269	HSV-1 IgM Antibody, Serum **	Hitech_GKS	B	660	Daily : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0270	HSV-1&2 (Herpes Simplex Virus) DNA Qualitative PCR, Blister fluid	Hitech_GKS	C	4200	Daily : 9:00am	After 24hrs	3ml of Fluid in Sterile leak proof container	No
H0271	HSV-1&2 (Herpes Simplex Virus) DNA Qualitative PCR, CSF	Hitech_GKS	C	4400	Daily : 9:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container	No
H0272	HSV-1&2 (Herpes Simplex Virus) DNA Qualitative PCR, Serum	Hitech_GKS	C	4200	Daily : 9:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
H0273	HSV-1&2 (Herpes Simplex Virus) DNA Qualitative PCR, Ulcer Swab	Hitech_GKS	C	4200	Daily : 9:00am	After 24hrs	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
H0276	HSV-1&2 IgG antibody, Serum **	Hitech_GKS	B	660	Daily : 9:00am to 9:00pm	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
H0277	HSV-1&2 IgG Antibody by Western Blot, Serum **	Hitech_GKS	D	2200	Daily : 11:30am	Next day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0278	HSV-1&2 IgM antibody, Serum	Hitech_GKS	B	800	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0279	HSV-1&2 IgM Antibody by Western Blot, Serum **	Hitech_GKS	D	2200	Daily : 11:30am	Next day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0280	HSV-2 (IgG & IgM) Profile, Serum **	Hitech_GKS	B	1200	Daily : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0281	CSF-HSV 2 IgG	Hitech_GKS	C	2500	Tue & Fri :	After 24hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	antibodies to Herpes Simplex Virus 2**				9:00am			
H0282	HSV-2 IgG Antibody, Serum	Hitech_GKS	B	600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0283	HSV-2 IgM Antibody, Serum **	Hitech_GKS	B	660	Daily : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0284	HTLV 1 & 2 virus Total antibody, Serum **	Hitech_GKS	D	4900	Mon : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0285	Hu AntibodyNeuronal ag in Paraneoplastic SyndromesSerum **	Hitech_GKS	D	4500	Daily : 11:30am	Next day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0286	Huntington Disease Mutation Analysis **	Hitech_GKS	D	5520	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
H0287	Hydatid Cyst Detection, Fluid**	Hitech_GKS	C	770	Daily : 9:00am & 3:00pm	After 6hrs	3ml of Fluid in Sterile leak proof container	No
H0288	Hypertension Profile	Hitech_GKS	C	750	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood, 3ml of serum, 2 ml of fluoride plasma, 10 ml of spot urine	No
H0289	Heart Failure Profile - Maxi	Hitech_GKS	D	4900	Mon : 7:30am	5th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0295	Extra slide set Histopathology cases **	Hitech_GKS	C	500	Daily : 9:00am	2nd day : 6:00pm	Stained slide set is issued	No
H0300	HBV Mutation Profile **	Hitech_GKS	R	11000	Daily : 11:30am	10th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0301	Hepatitis B Virus (HBV) precore Mutation **	Hitech_GKS	R	5500	Wed : 11:30am	10th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0302	HCV-Total Antibody reflex HCV-RNA PCR Qualitative, Serum	Hitech_GKS	B	1400	Tue & Fri : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
H0304	Histopathological Examination of Fallopian tube **	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
H0306	Histopathological Examination of Placenta **	Hitech_GKS	C	2000	Daily : 9:00am	5th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0307	Histopathological Examination of Testicular biopsy **	Hitech_GKS	C	1500	Daily : 9:00am	4th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0308	DETECTION OF ANTIBODIES AGAINST HLA CLASS I ANTIGENS**	Hitech_GKS	E	20000	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml Serum	No
H0309	HLA- Single Antigen Bead Assay Class II (Luminex) **	Hitech_GKS	E	20000	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml Serum	No
H0310	Homocysteine reflex B12-folate Profile	Hitech_GKS	C	1700	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
H0311	HIV-1 Integrase Inhibitor Resistance - Genotypic **	Hitech_GKS	D	5000	1st & 3rd Mon : 9:00am	15th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0312	HIV-1 Coreceptor Tropism - Genotypic **	Hitech_GKS	D	6600	1st & 3rd Mon : 9:00am	15th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0313	HBV BASAL CORE PROMOTER MUTATION_H0313 **	Hitech_GKS	R	5500	Wed : 11:30am	8th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0314	Homovanillic acid urine**	Hitech_GKS	R	6000	Daily : 11:30am	12th day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
H0316	HIV-1 Drug Resistance Æ, -œ Extended (PI, NRTI, NNRTI, INSTI) **	Hitech_GKS	D	18500	1st & 3rd Mon : 9:00am	15th day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0317	HPFH (Hereditary persistence of fetal haemoglobin) 5 deletion**	Hitech_GKS	R	13000	Daily : 11:30am	After 4 weeks : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
H0318	HNPCC/ Lynch Syndrome NGS Gene	Hitech_GKS	R	18000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Panel, EDTA Blood **						refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	
H0320	Histopathology - Breast tumour comprehensive Profile I**	Hitech_GKS	D	10000	Daily : 9:00am	5th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0322	Lung Carcinoma (NSCLC) Profile	Hitech_GKS	D	11500	Daily : 9:00am	4th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
H0324	HPV associated Squamous cell carcinoma profile (HPV DNA DETECTION + p16INK4a	Hitech_GKS	D	6500	Daily : 9:00am	5th day : 6:00pm	HistologyandIHC.pdf	No
H0326	Heavy Metals Profile - 1, Hair **	Hitech_GKS	R	5500	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
H0327	Heavy Metals Profile - 2, Hair **	Hitech_GKS	R	11500	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
H0328	Heavy Metals Profile - 3, Hair **	Hitech_GKS	R	17500	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
H0357	Histopathological Examination of GI Endoscopic Biopsy with reflex IHC **	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0373	HOUSE FLY ( I 15)- SPECIFIC IGE	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0793	H3 Viral marker Profile (HIV, HBV, HCV)	Hitech_GKS	C	2000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0794	Heavy and Trace	Hitech_GKS	D	10500	Daily : 11:30am	3rd day :	HeavyMetalSamplingguidelines.pdf	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Metals Profile - 1 **					6:00pm		
H0795	Heavy and Trace Metals Profile - 2	Hitech_GKS	D	5700	Daily : 9:00am	2nd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
H0797	HIV-1 (Human Immunodeficiency Virus Type 1) RNA PCR - Quantitative, EDTA Plasma	Hitech_GKS	C	5000	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	Yes
H0798	HIV-1 (Human Immunodeficiency Virus Type 1) RNA PCR - Quantitative, CSF	Hitech_GKS	C	5980	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
H0799	HLA-PRA Identification (Class I) Panel Reactive antibody % (Luminex) **	Hitech_GKS	D	9500	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml Serum	No
H0800	PANEL REACTIVE ANTIBODY (PRA) IDENTIFICATION BY LUMINEX**	Hitech_GKS	D	9500	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml Serum	No
H0801	HLA-PRA screening (Class I and II) Panel Reactive antibody (Luminex) **	Hitech_GKS	D	5900	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml Serum	No
H0808	HEV (Hepatitis E Virus) RNA Qualitative PCR, EDTA Plasma **	Hitech_GKS	D	5000	Daily : 9:00am	5th day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
H0810	NextGen Hereditary Cancer Panel **	Hitech_GKS	R	18000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
H0813	HLA typing A,B and DR loci Class II (Luminex) **	Hitech_GKS	D	13500	Daily : 9:00am	Next day : 6:00pm	6 ml EDTA Whole Blood	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
H0824	Any specimen with reflex IHC **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0825	Histopathological Examination of Nasopharyngeal Biopsy **	Hitech_GKS	D	4500	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0826	Histopathological Examination of Salivary Gland **	Hitech_GKS	C	3600	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0827	Histopathological Examination of Laryngeal Biopsy **	Hitech_GKS	C	2200	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0828	Histopathological Examination of Nasal Polyp with Reflex IHC **	Hitech_GKS	D	2200	Daily : 9:00am	3rd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0829	Rush Biopsy service **	Hitech_GKS	D	3000	Daily : 9:00am	2nd day : 6:00pm	NA	No
H0841	HPV Digene Hybrid DNA test (High risk)	Hitech_GKS	C	2990	Mon & Thu : 9:00am	4th day : 6:00pm	Thin Prep Container/ Digene Sampler	No
H0849	HLA High Resolution Typing (A, B, C, DR, DQ, DP) - Solid organ Transplant NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	14980	Mon & Thu : 9:00am	7th day : 6:00pm	5 ml of Whole blood in EDTA Vacutainer	No
H0850	HLA High Resolution Typing (A, B, C, DR, DQ, DP) - BMT/ Stem cell Transplant NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	14000	Mon & Thu : 9:00am	7th day : 6:00pm	5 ml of Whole blood in EDTA Vacutainer	No
H0856	Sub speciality expert opinion **	Hitech_GKS	D	9800	Daily : 9:00am	7th day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container or paraffin blocks along with relevant clinical & radiological details	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
H0860	Histology - Frozen Section (Intra Operative) Night frozen 8 pm to 8 am, week off & public holidays **	Hitech_GKS	D	16000	Daily : 9:00am	After 24hrs	Fresh tissue to be sent along with relevant clinical & radiological details	No
H0861	HLA-B**	Hitech_GKS	D	8500	Daily : 7:30am	20th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
H0862	HLA cross match by Flow cytometry**	Hitech_GKS	D	7100	Daily : 11:30am	3rd day : 6:00pm	Recipient: 5 ml serum, Donor: 15 ml Heparin	No
H0863	HLA B Locus Typing High Resolution NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	5900	Tue & Fri : 11:30am	10th day : 6:00pm	5 ml of Whole blood in EDTA Vacutainer	No
H0864	HCG as tumour marker, Serum - method ( ECLIA )	Hitech_GKS	C	800	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
H0865	HLA DQB1 Locus Typing High Resolution NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	5900	Tue & Fri : 11:30am	10th day : 6:00pm	5 ml of Whole blood in EDTA Vacutainer	No
H0866	Pre Transplant Workup panel **	Hitech_GKS	D	35000	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml serum,6ml EDTA whole blood , Donor: 20 ml Heparin/ACD/EDTA Blood	No
H0867	PRA identification Class I and Class II **	Hitech_GKS	D	18000	Daily : 9:00am	Next day : 6:00pm	Recipient: 5 ml serum	No
H0868	Histopathological examination of- Eyelid Biopsy	Hitech_GKS	C	1500	Daily : 9:00am	After 24hrs	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0869	HBV Combo Profile - 1	Hitech_GKS	C	13500	Mon : 9:00am	3rd day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Sterile Vacutainer/ 3ml of EDTA Plasma in Plain Sterile Vacutainer	No
H0870	HCV Combo Profile - 2	Hitech_GKS	C	9000	Daily : 9:00am	After 24hrs	3ml of Serum in Gel Vacutainer or in Plain	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Sterile Vacutainer/ 3ml of EDTA Plasma in Plain Sterile Vacutainer	
H0871	HIV-1 Combo Profile - 2	Hitech_GKS	D	21000	Daily : 9:00am	After 24hrs	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
H0872	HMG-CoA Reductase Antibodies, Serum **	Hitech_GKS	R	10000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H0874	HRR gene panel testing**	Hitech_GKS	R	25300	Daily : 11:30am	After 4 weeks : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
H0876	HCQ (Hydroxychloroquine) **	Hitech_GKS	D	1300	Tue & Fri : 11:30am	Next day : 5:00pm	3ml EDTA Whole Blood	No
H0877	Histopathology for fungal infection **	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
H0879	Hemophagocytic lymphohistiocytosis (T-cell Activation HLH Panel)**	Hitech_GKS	R	9500	Daily : 11:30am	7th day : 6:00pm	Sample required: EDTA Blood 3ml	No
H1030	Hereditary spastic paraplegia NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
H5671	HBV (Hepatitis B Virus) Monitoring Profile	Hitech_GKS	D	9730	Daily : 9:00am	2nd day : 6:00pm	3ml of serum, 3ml of EDTA Plasma in Plain Sterile Vacutainer	No
H5674	Hormone Profile - Female	Hitech_GKS	O	6170	Daily : 9:00am	After 24hrs	-	No
H5675	Hormone Profile - Male	Hitech_GKS	O	4940	Daily : 9:00am	After 24hrs	-	No
H5680	HIV ELISA	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
H5692	Hrd track stand-alone test**	Hitech_GKS	R	130000	Daily : 11:30am	After 4 weeks : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
H8026	HIV Monitor	Hitech_GKS	C	5500	Daily : 9:00am	After 24hrs	-	No
H8036	HIV( Tridot)- Spot Test	Hitech_GKS	B	600	Daily : 9:00am	After 6hrs	-	No
H8037	HBsAg Screening (Hepacard)- Spot Test	Hitech_GKS	B	600	Daily : 9:00am	2nd day : 6:00pm	-	No
H8038	HCV-(tridot)- Spot Test	Hitech_GKS	B	350	Daily : 9:00am	2nd day : 6:00pm	-	No
H8054	HIV I & II, ELISA (IV th Generation test)*	Hitech_GKS	B	700	Daily : 9:00am	After 24hrs	-	No
H8221	HCV-Hepatitis C Viral load (Quantitative)	Hitech_GKS	C	2600	Daily : 9:00am	After 24hrs	-	No
H8335	Haemophilia A (F8) & F8-intron 22 inversion NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	24000	Daily : 11:30am	After 4 weeks : 6:00pm	4 ml EDTA Whole Blood	No
H8358	HEPATITIS PANEL	Hitech_GKS	D	4385	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	-	No
H8395	Hypersensitive Pneumonitis Profile - Extended	Hitech_GKS	E	10500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
H8399	HOMA Index Insulin & C Peptide Resistance Test	Hitech_GKS	D	2545	Daily : 9:00am	After 24hrs	-	No
H8619	HAEMOGLOBINOPATHY SCREENING BY HPLC_361	Hitech_GKS	D	1000	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	-	Yes
I0001	IA2 (Insulin Autoantibodies), Serum **	Hitech_GKS	D	2700	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	No
I0002	IBD (Inflammatory	Hitech_GKS	C	5400	Fri : 9:00am	2nd day :	3ml of serum in Gel/Plain Vacutainer, 5gm of	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Bowel Disease) Profile					6:00pm	Stool in Sterile leak proof container	
I0004	Iduronate 2 Sulphate Sulphatase Hunter/ MPS II Blood **	Hitech_GKS	R	9900	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
I0005	IgAbiochemicalCSF **	Hitech_GKS	C	1400	Mon & Thu : 9:00am	Same day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
I0006	IgAbiochemicalSerum	Hitech_GKS	C	650	Mon, Wed & Fri : 7:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
I0007	IgD by Flow cytometry Blood**	Hitech_GKS	D	3200	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
I0008	IGF-BP3, Serum **	Hitech_GKS	C	3700	Daily : 9:00am to 9:00pm	After 6hrs	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	No
I0009	IGF-1 Somatomedin C, Serum	Hitech_GKS	C	3250	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0010	IgG by Flow Cytometry, Blood **	Hitech_GKS	R	2950	Daily : 11:30am	4th day : 6:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
I0011	IgG Total Antibody, CSF **	Hitech_GKS	C	1400	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
I0012	IgG Total Antibody, Serum	Hitech_GKS	C	650	Mon, Wed & Fri : 7:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
I0013	IgG4 Subclass, Serum **	Hitech_GKS	D	6500	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	No
I0014	IgM by Flow Cytometry, Blood **	Hitech_GKS	R	3000	Daily : 11:30am	4th day : 6:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
I0015	IgM Total, CSF **	Hitech_GKS	C	1400	Mon & Thu : 9:00am	Same day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
I0016	IgM Total, Serum	Hitech_GKS	C	600	Mon, Wed &	3rd day :	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
					Fri : 7:30am	6:00pm		
I0017	IHC Panels with reporting : Bone Marrow **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0018	IHC Panels with reporting : Brain Tumor **	Hitech_GKS	C	8500	Daily : 9:00am	5th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0019	IHC Panels with reporting : Breast IV : Comprehensive diagnosis **	Hitech_GKS	D	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0020	IHC panel-Breast-I, tissue	Hitech_GKS	C	3800	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0021	IHC Panels with reporting Breast-II ER, PR, c-erb-B2	Hitech_GKS	C	4800	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0022	IHC Panels with reporting : Breast-III : ER, PR, Her2/neu, Ki 67 **	Hitech_GKS	C	6200	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0023	IHC Panels with reporting : Cervical Cancer IHC reflex to CISH **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0025	IHC Panels with reporting : Gastrointestinal neoplasm **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0026	IHC Panels with reporting : Liver Neoplasm **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0027	IHC Panels with reporting : Lung Neoplasm **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0028	IHC Panels with reporting : Lymph Node **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0032	IHC Panels with reporting : Ovarian Neoplasm **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0033	IHC Panels with reporting : Pancreatic Neoplasm **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0034	IHC Panels with reporting : Peritoneal Adenocarcinoma Vs Mesothelioma **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0035	IHC Panels with reporting : Pituitary Marker Profile **	Hitech_GKS	C	13500	Daily : 9:00am	12th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0037	IHC Panels with reporting : Round Cell Tumor (Adult/ Pediatric) **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0038	IHC Panels with reporting : Carcinoma of Unknown Primary (CUP) **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0039	IHC Panels with reporting : Salivary Gland Neoplasm **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0040	IHC Panels with reporting : Soft Tissue	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Tumor **						Histopathology report and all relevant clinical and radiological detail	
I0041	IHC Panels with reporting : Testicular Neoplasm **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0042	IHC Panels with reporting : Thyroid Neoplasm **	Hitech_GKS	C	8500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0043	IHC single marker with reporting : Cytokeratin 34 Beta E12 (HMWCK) **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0046	IHC single marker with reporting : Alpha Feto Protein **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0048	IHC single marker with reporting : Bcl-2 Oncoprotein **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0049	IHC single marker with reporting : Bcl-6 Oncoprotein **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0050	IHC single marker with reporting : Beta Catenin **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0051	IHC single marker with reporting : Beta HCG **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0053	IHC single marker with reporting : C4D - Complement 4D **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0054	IHC single marker with reporting : CA 125 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0055	IHC single marker with reporting : CA 19-9 **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0056	IHC single marker with reporting : Calcitonin **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0057	IHC single marker with reporting : Calponin **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0058	IHC single marker with reporting : Carletinin **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0062	IHC single marker with reporting : CD10 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0063	IHC single marker with reporting : CD117 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0064	IHC single marker with reporting : CD138 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0065	IHC single marker with reporting : CD15 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0066	IHC single marker with reporting : CD1A **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Histopathology report and all relevant clinical and radiological detail	
I0067	IHC single marker with reporting : CD20 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0068	IHC single marker with reporting : CD21 **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0070	IHC single marker with reporting : CD23 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0071	IHC single marker with reporting : CD3 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0072	IHC single marker with reporting : CD30 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0073	IHC single marker with reporting : CD31 **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0074	IHC single marker with reporting : CD34 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0076	IHC single marker with reporting : CD43 **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0077	IHC single marker with reporting : CD45 LCA **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0078	IHC single marker with reporting : CD5 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0079	IHC single marker with reporting : CD56 **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0080	IHC single marker with reporting : CD57 **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0081	IHC single marker with reporting : CD68 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0082	IHC single marker with reporting : CD79a **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0083	IHC single marker with reporting : CD99 Mic2 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0084	IHC single marker with reporting : CDX2 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0085	IHC single marker with reporting : CEA **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0086	IHC-CERB2 (Her 2/ neu)-IHC single marker, tissue	Hitech_GKS	D	4200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0087	IHC single marker with reporting : Her2 Neu C-	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	erb-B2 for Gastric Carcinoma **						Histopathology report and all relevant clinical and radiological detail	
I0088	IHC single marker with reporting : Chromogranin A **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0090	IHC single marker with reporting : CK19 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0091	IHC single marker with reporting : CK20 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0092	IHC single marker with reporting : CK5/6 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0093	IHC single marker with reporting : CK7 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0094	IHC single marker with reporting : CK8 **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0095	IHC single marker with reporting : p16INK4a **	Hitech_GKS	D	4500	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0096	IHC single marker with reporting : Cyclin D1 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0097	IHC single marker with reporting : Desmin **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0099	IHC single marker with reporting : DOG-1 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0100	IHC single marker with reporting : E Cadherin **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0101	IHC single marker with reporting : EGFR **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0102	IHC single marker with reporting : EMA - Epithelial Membrane Antigen **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0103	IHC-Estrogen Receptor (ER)-single marker, tissue	Hitech_GKS	D	1500	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0104	IHC single marker with reporting : Factor VIII **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0106	IHC single marker with reporting : GCDP15 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0107	IHC single marker with reporting : GFAP **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0108	IHC single marker with reporting : Glypican-3 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0110	IHC single marker with reporting : H.Pylori **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Histopathology report and all relevant clinical and radiological detail	
I0113	IHC single marker with reporting : Hep-Par 1 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0114	IHC single marker with reporting : HMB45 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0119	IHC single marker with reporting : Inhibin Alpha **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0121	IHC multiplex marker with reporting : Kappa + Lambda Cocktail **	Hitech_GKS	D	3000	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0122	IHC single marker with reporting : Ki 67 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0126	IHC single marker with reporting : Lysoyme **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0127	IHC single marker with reporting : Melan A **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0128	IHC single marker with reporting : Mesothelin **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0130	IHC single marker with reporting : MPO **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0131	IHC single marker with reporting : Mum1 Protein **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0132	IHC single marker with reporting : Myogenin (My F4) **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0134	IHC single marker with reporting : NSE - Neuron Specific Enolase **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0135	IHC single marker with reporting : Oct.2 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0137	IHC single marker with reporting : p53 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0138	IHC single marker with reporting : p63 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0139	IHC single marker with reporting : Pan CK AE1/ AE3 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0140	IHC single marker with reporting : Pax 5 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0141	IHC single marker with reporting : Pax 8 **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0142	IHC multiplex marker with reporting : PIN 4	Hitech_GKS	D	3000	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Cocktail - Ck5 + Ck14 + P63 + P504S **						Histopathology report and all relevant clinical and radiological detail	
I0143	IHC single marker with reporting : PLAP Placental Alkaline Phosphatase **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0144	IHC-Progesterone Receptor (PR)single marker,tissue	Hitech_GKS	D	1500	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0146	IHC single marker with reporting : Prostatic Acid Phosphatase **	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0147	IHC single marker with reporting : PSA **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0148	IHC single marker with reporting : S100 Protein **	Hitech_GKS	D	2400	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0149	IHC single marker with reporting : Smooth Muscle Actin **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0150	IHC single marker with reporting : Synaptophysin **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0151	IHC single marker with reporting : TDT (Polyclomal) **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0152	IHC single marker with reporting : Thyroglobulin **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0154	IHC single marker with reporting : TTF1 **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0155	IHC single marker with reporting : Vimentin **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0156	IHC single marker with reporting : WT1 Wilms Tumor Protein **	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0157	IHC stain only IHC stain only : 34 Beta E12 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0158	IHC stain only IHC stain only : ALK1 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0159	IHC stain only IHC stain only : Alpha Feto Protein **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0160	IHC stain only IHC stain only : Bcl-2 Oncoprotein **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0161	IHC stain only IHC stain only : Bcl-6 Oncoprotein **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0162	IHC stain only IHC stain only : Beta Catenin **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0163	IHC stain only IHC stain only : Beta HCG **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0164	IHC stain only IHC stain only : CA 125 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0165	IHC stain only IHC stain only : Calcitonin **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0166	IHC stain only IHC stain only : Calponin **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0167	IHC stain only IHC stain	Hitech_GKS	D	1200	Daily : 9:00am	2nd day :	Single Paraffin block / section on charged slide	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	only : Calretinin **					6:00pm		
I0170	IHC stain only : CD10 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0171	IHC stain only : CD117 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0172	IHC stain only : CD138 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0173	IHC stain only : CD15 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0174	IHC stain only : CD1a **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0175	IHC stain only : CD20 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0176	IHC stain only : CD21 **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0178	IHC stain only : CD23 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0179	IHC stain only : CD3**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0180	IHC stain only : CD30 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0181	IHC stain only : CD31 **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0182	IHC stain only : CD34 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0184	IHC stain only : CD43 **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0185	IHC stain only : CD45 LCA **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0186	IHC stain only : CD5 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0187	IHC stain only : CD79a **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0188	IHC stain only : CD99 Mic2 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0189	IHC stain only : CDX2 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0190	IHC stain only IHC stain only : CEA **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0191	IHC stain only IHC stain only : Her2 Neu **	Hitech_GKS	D	1500	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0192	IHC stain only IHC stain only : Chromogranin A **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0194	IHC stain only IHC stain only : CK19 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0195	IHC stain only IHC stain only : CK20 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0196	IHC stain only IHC stain only : CK5/6 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0197	IHC stain only IHC stain only : CK 7 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0198	IHC stain only IHC stain only : CK8 **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0200	IHC stain only IHC stain only : Cyclin D1 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0201	IHC stain only IHC stain only : Desmin **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0202	IHC stain only IHC stain only : DOG-1 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0203	IHC stain only IHC stain only : E Cadherin **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0204	IHC stain only IHC stain only : EGFR **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0205	IHC stain only IHC stain only : EMA Epithelial Membrane Antigen **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0206	IHC stain only IHC stain only : ER Estrogen Receptor **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0207	IHC stain only IHC stain only : Factor VIII **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0208	IHC stain only : GCDP15 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0209	IHC stain only IHC stain only : GFAP **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0210	IHC stain only IHC stain only : Glypican-3 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0211	IHC stain only IHC stain only : H.Pylori **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0212	IHC stain only IHC stain only : Hep-Par 1 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0213	IHC stain only IHC stain only : HMB45 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0215	IHC stain only IHC stain only : Inhibin Alpha **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0217	IHC stain only IHC stain only : Ki 67 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0218	IHC stain only IHC stain only : Melan A **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0219	IHC stain only IHC stain only : Mesothelin **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0221	IHC stain only IHC stain only : MPO Myeloperoxidase **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0225	IHC stain only IHC stain only : Multiplex Kappa + Lambda **	Hitech_GKS	D	2000	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0226	IHC stain only IHC stain only : Multiplex Pin-4 Cocktail Ck5 + Ck14 + P63 + P504S **	Hitech_GKS	D	2000	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0227	IHC stain only IHC stain only : Mum1 Protein **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0228	IHC stain only IHC stain	Hitech_GKS	D	1200	Daily : 9:00am	3rd day :	Single Paraffin block / section on charged slide	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	only : My F4 (Myogenin) **					6:00pm		
I0230	IHC stain only IHC stain only : NSE Neuron Specific Enolase **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0231	IHC stain only IHC stain only : OCT.2 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0233	IHC stain only IHC stain only : p53 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0234	IHC stain only IHC stain only : p63 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0235	IHC stain only IHC stain only : Pan CK AE1/AE3 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0236	IHC stain only IHC stain only : Pax 5 **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0237	IHC stain only IHC stain only : Pax 8 **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0238	IHC stain only IHC stain only : PLAP **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0239	IHC stain only IHC stain only : PR Progesterone Receptor **	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0240	IHC stain only IHC stain only : Prostatic Acid Phosphatase **	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0241	IHC stain only IHC stain only : PSA Prostate Specific Antigen**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0242	IHC stain only IHC stain only : S100 Protein**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0243	IHC stain only IHC stain only : Single Marker (Any other)**	Hitech_GKS	D	1000	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0244	IHC stain only IHC stain only : SMASmooth	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Muscle Actin**							
I0245	IHC stain only IHC stain only : Synaptophysin**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0246	IHC stain only IHC stain only : TdT**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0247	IHC stain only IHC stain only : Thyroglobulin**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0248	IHC stain only IHC stain only : TTF1**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0249	IHC stain only IHC stain only : VIM - Vimentin**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0250	IHC stain only IHC stain only : WT1Wilms Tumor Protein**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0251	IHC Comprehensive Profile for Diagnosis**	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0258	IL 28 B SNP Genotyping, EDTA Blood**	Hitech_GKS	D	5000	Daily : 9:00am	10th day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
I0259	Immune Status Profile	Hitech_GKS	C	6100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0260	Immunofixation Profile - Qualitative, Serum**	Hitech_GKS	C	5600	Tue, Thu & Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0261	Immunofixation Profile - Qualitative, Urine**	Hitech_GKS	C	6400	Thu : 11:30am	Next day : 5:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
I0262	Immunofixation Profile - Quantitative, Serum**	Hitech_GKS	C	7700	Tue, Thu & Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0263	Immunofixation Profile - Quantitative, Urine**	Hitech_GKS	C	7000	Mon : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0264	Immunoglobulin Profile, CSF**	Hitech_GKS	C	3600	Mon & Thu : 9:00am	Same day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
I0265	Immunoglobulin Profile, Serum**	Hitech_GKS	C	1950	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0266	Impotence Profile	Hitech_GKS	C	3300	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0267	India Ink Preparation, CSF	Hitech_GKS	B	250	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or container	Yes
I0269	Infertility Profile - Female	Hitech_GKS	C	6300	Daily : 9:00am	5th day : 6:00pm	3ml of EDTA whole blood, 5 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine	No
I0270	Infertility Profile - Male	Hitech_GKS	C	5250	Daily : 9:00am	5th day : 6:00pm	3ml of EDTA whole blood, 5 ml of serum, 2 ml of flouride plasma, 10 ml of spot urine, Semen sample	No
I0273	Inhibin A, Serum	Hitech_GKS	C	1500	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
I0274	Inhibin B, Serum	Hitech_GKS	C	2300	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0275	Insulin, Serum	Hitech_GKS	B	650	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
I0275_PG	Insulin, Post Glucose serum by CMIA	Hitech_GKS	B	850	Daily : 9:00am	After 4hrs	2 ml of serum collected 2 hours post Glucose Monohydrate 82.5 gm	Yes
I0275_PP	Insulin, post prandial,serum by CMIA	Hitech_GKS	B	690	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
I0275_R	Insulin (Random) CMIA Serum	Hitech_GKS	B	590	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
I0276	Insulin AntibodyType I & II diabetesserum**	Hitech_GKS	D	1800	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0277	Insulin Suppression Profile	Hitech_GKS	C	3000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0279	Interleukin -6CLIA EDTA Plasma	Hitech_GKS	C	2700	Tue & Fri : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
I0281	Intrinsic Factor Antibody by IFAautoimmune gastritis, pernicious anaemiaSerum**	Hitech_GKS	C	3500	Mon & Thu : 11:30am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
I0282	Iron, Serum	Hitech_GKS	B	400	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
I0284	Iron, Urine 24Hrs**	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0285	Iron by ICPMS, Serum**	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
I0286	Iron Studies, Serum	Hitech_GKS	B	750	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
I0287	Islet Cell AntibodyICA-512 for Type I diabetesserum**	Hitech_GKS	D	2100	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	No
I0288	Isoleucine Quantitative Serum**	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
I0289	Isoleucine Quantitative Urine 24H**	Hitech_GKS	R	6200	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
I0290	Isospora by smear Examination, Stool**	Hitech_GKS	B	550	Daily : 9:00am & 3:00pm	After 6hrs	5gm of Stool specimen in Sterile leak proof container	No
I0291	IHC single marker with reporting Unspecified stain**	Hitech_GKS	D	2200	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0293	IHC stain only : CD56**	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0294	IHC stain only : CD57**	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0295	IHC stain only : CD68**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0296	IHC stain only Lysozyme_I0296**	Hitech_GKS	D	1200	Daily : 9:00am	3rd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0297	IHC p16INK4a stain only**	Hitech_GKS	D	2900	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0300	IgVH GENE MUTATION**	Hitech_GKS	R	9140	Wed : 11:30am	10th day : 6:00pm	3ml of EDTA whole blood	No
I0301	BCR-ABL1 Mutation Analysis, EDTA Blood**	Hitech_GKS	E	9000	Daily : 9:00am	8th day : 6:00pm	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.	No
I0305	IGH/CCND1;t(11;14)**	Hitech_GKS	D	8000	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	
I0312	IGH gene rearrangement:t(14q32.3)**	Hitech_GKS	D	8000	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
I0315	IDH1 and IDH2 gene mutation **	Hitech_GKS	E	7000	Mon, Wed & Fri : 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
I0316	IGH/BCL2 :t(14;18) translocation Follicular Lymphoma FISH, BONE MARROW**	Hitech_GKS	D	4500	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
I0317	IGH/BCL2 :t(14;18) translocation Follicular Lymphoma FISH, BLOOD**	Hitech_GKS	D	4500	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
I0318	IGH/BCL2 fusion**	Hitech_GKS	D	8000	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
I0319	IHC single marker with reporting p40**	Hitech_GKS	D	2200	Daily : 9:00am	4th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0320	IHC single marker with reporting Uroplakin II**	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							and radiological detail	
I0321	IHC stain only p40**	Hitech_GKS	D	1200	Daily : 9:00am	4th day : 6:00pm	Single Paraffin block / section on charged slide	No
I0322	IHC stain only Uroplakin II**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0323	Immature Platelet Fraction, EDTA Blood**	Hitech_GKS	B	525	Daily : 9:00am	2nd day : 6:00pm	3ml EDTA whole Blood with direct smear	No
I0324	Influenza A virus IgG antibody, Serum**	Hitech_GKS	C	1800	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0325	Influenza A virus IgM antibody, Serum**	Hitech_GKS	C	1800	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0326	Influenza B virus IgG antibody, Serum**	Hitech_GKS	C	1800	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0327	Influenza B virus IgM antibody, Serum**	Hitech_GKS	C	1800	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0331	Indocyanine Green (ICG) Clearance Test, Serum**	Hitech_GKS	D	5500	Daily : 9:00am to 9:00pm	After 6hrs	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
I0332	IHC Androgen Receptor with interpretation**	Hitech_GKS	D	2500	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0337	PDL1 (SP263) by IHC - Ventana**	Hitech_GKS	D	8000	Daily : 9:00am	3rd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0338	IMMUNOHISTOCHEMIS TRY C-MYC ANTIBODY**	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0342	IHC single marker with reporting TFE3**	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0347	IHC stain only C-myc antibody**	Hitech_GKS	D	1200	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0350	IHC stain only : CD7**	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0352	IHC single marker with reporting - IgG4**	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0353	IHC single marker with reporting GATA3**	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0354	IHC stain only H caldesmon**	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0355	IHC stain only ERG**	Hitech_GKS	D	2200	Daily : 9:00am	2nd day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0363	IHC stain only Androgen Receptor**	Hitech_GKS	D	1500	Daily : 9:00am	2nd day : 6:00pm	Single Paraffin block / section on charged slide	No
I0366	Hypersensitive pneumonitis profile**	Hitech_GKS	D	7200	Mon, Wed & Fri : 7:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0366_1	Penicillium chrysogenum(Specific IgG)**	Hitech_GKS	C	1700	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
I0366_2	Cladosporium herbarum(Specific IgG)	Hitech_GKS	C	1700	Mon & Thu : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
I0366_3	Aspergillus fumigatus(Specific IgG)**	Hitech_GKS	C	1700	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
I0366_4	Mucor racemosus(Specific IgG)**	Hitech_GKS	C	1700	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
I0366_5	Alternaria alternata (Specific IgG), Serum**	Hitech_GKS	C	1700	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
I0366_6	Pigeon serum proteins, feathers and droppings(Specific IgG)	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0368	TB Gold - Interferon-γ Gamma release assay (IGRA) - 4 tube**	Hitech_GKS	D	3300	Mon, Wed & Fri : 7:30am	Next day : 5:00pm	5 ml of Lithium Heparin Blood	No
I0371	Iron, Hair**	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
I0372	IDH1 and IDH2 gene mutation, AML, Blood**	Hitech_GKS	E	6500	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
I0372_BM	IDH1 and IDH2 gene mutation, AML, Bone Marrow**	Hitech_GKS	E	6500	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
I0378	Immunofluorescence Analysis in Michels Medium (Kidney / Skin Biopsy)**	Hitech_GKS	D	3500	Daily : 9:00am	4th day : 6:00pm	Biopsy to be sent in Michel's Medium in a Leak proof container along with relevant clinical & radiological details	No
I0380	Isavuconazole, EDTA Plasma**	Hitech_GKS	R	6000	Daily : 7:30am	7th day : 6:00pm	3ml of EDTA Plasma.Please indicate history of the drug dose taken, time of sample collection and clinical History along with the sample.	No
I0383	IHC Panels with reporting Breast V - ER,PR, C-erb-2, Ki 67 with reflex to FISH	Hitech_GKS	D	9000	Daily : 9:00am	4th day : 6:00pm	-	No
I0384	IHC stain only ATRX**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0385	IHC SINGLE MARKER WITH REPORTING ATRX**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0386	IHC stain only IDH 1**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0387	IHC SINGLE MARKER WITH REPORTING IDH	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	1**						Histopathology report and all relevant clinical and radiological detail	
I0388	IHC stain only SOX 10**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0389	IHC SINGLE MARKER WITH REPORTING SOX 10**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0390	IHC stain only HHV 8**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0391	IHC SINGLE MARKER WITH REPORTING HHV 8**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0392	IHC stain only MDM 2**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0393	IHC single marker with reporting MDM2**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0394	IHC stain only SV 40**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0395	IHC single marker with reporting SV 40**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0397	IGLON5 ANTIBODY Serum**	Hitech_GKS	D	12000	Tue & Fri : 11:30am	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0399	IHC stain only PLA 2 R1**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0400	IHC single marker with reporting PLA 2 R1**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0401	IHC stain only STAT 6**	Hitech_GKS	D	2500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0402	IHC single marker with reporting STAT 6**	Hitech_GKS	D	3000	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							and radiological detail	
I0403	IHC stain only INI 1**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0404	IHC single marker with reporting INI 1**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0405	IHC stain only Sall 4**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0406	IHC single marker with reporting Sall 4**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0407	IHC stain only NKX 3.1**	Hitech_GKS	D	3500	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0408	IHC single marker with reporting NKX 3.1**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0409	IHC stain only : CD4**	Hitech_GKS	D	2000	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0410	IHC single marker with reporting : CD4**	Hitech_GKS	D	3000	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0411	IHC stain only : CD8**	Hitech_GKS	D	2000	Daily : 9:00am	After 24hrs	Single Paraffin block / section on charged slide	No
I0412	IHC single marker with reporting : CD8**	Hitech_GKS	D	3000	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0413	IHC single marker with reporting : CMV**	Hitech_GKS	D	2200	Daily : 9:00am	After 24hrs	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
I0416	Infectious Mononucleosis panel**	Hitech_GKS	O	1500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I0417	Allergy -Inhalant Panel**	Hitech_GKS	O	4000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
I1005	IgG Subclass 1(IgG1)	Hitech_GKS	R	5000	Daily : 11:30am	After 4 weeks :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	serum by Nephelometry**					6:00pm		
I1006	IgG Subclass 2(IgG2) serum by Nephelometry**	Hitech_GKS	R	5000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I1007	IgG Subclass 3(IgG3) serum by Nephelometry**	Hitech_GKS	R	5000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I1025	Iodine, Serum**	Hitech_GKS	R	9240	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
I1026	Iodine, Urine 24Hrs**	Hitech_GKS	R	9000	Daily : 11:30am	After 4 weeks : 6:00pm	Individual Metals and Minerals.pdf	No
I5073	Isoniazid **	Hitech_GKS	R	7000	Daily : 7:30am	10th day : 6:00pm	4ml of Heparin plasma in Red top Vacutainer	No
I5623	Iron profile - HM	Hitech_GKS	C	1590	Daily : 9:00am	After 24hrs	-	No
I5624	ILI Screening Profile	Hitech_GKS	D	2800	Daily : 9:00am	2nd day : 6:00pm	-	No
I5631	Iron Studies with Ferritin	Hitech_GKS	E	1570	Daily : 9:00am	After 6hrs	-	Yes
I5649	Flu Multiplex PCR Profile	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	Swab with Sufficient Material in Viral Transport Medium (VTM)	No
I8022	Insulin and Glucose - Fasting	Hitech_GKS	B	775	Daily : 9:00am	After 6hrs	-	Yes
I8023	Insulin and Glucose - PP	Hitech_GKS	B	775	Daily : 9:00am	After 6hrs	-	Yes
I8151	Immunofixation Image**	Hitech_GKS	C	500	Tue, Thu & Sat : 11:30am	Next day : 5:00pm	Pre-requisite: Kindly mention the VID for gel electrophoresis test asked.	No
I8155	IHC PDL1(22C3)**	Hitech_GKS	D	14170	Daily : 7:30am	12th day : 6:00pm	Paraffin Block	No
I8335	ILD Profile - Complete	Hitech_GKS	D	17500	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
I8336	ILD Profile - Screen	Hitech_GKS	D	7000	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml EDTA WHOLE BLOOD,5 ML OF SERUM,	No
I8337	ILD Autoimmune Profile - Maxi	Hitech_GKS	D	13500	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
I8338	ILD Autoimmune	Hitech_GKS	D	7500	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Profile - Mini							
I8425	IRON-REFRACTORY IRON DEFICIENCY ANEMIA (TMPRSS6) GENE ANALYSIS**	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	-	No
J0001	JAK2 Exon 12 Mutation, EDTA Bone Marrow **	Hitech_GKS	D	6500	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
J0002	JAK2 V617F Mutation Analysis, EDTA Bone Marrow **	Hitech_GKS	D	6500	Tue & Fri : 9:00am	5th day : 6:00pm	3ml of Bone Marrow in EDTA Vacutainer	No
J0003	JAK2 Exon 12 Mutation, EDTA Blood **	Hitech_GKS	D	6500	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
J0004	JAK2 V617F Mutation Analysis, EDTA Blood **	Hitech_GKS	D	6500	Tue & Fri : 9:00am	5th day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
J0005	JC-BK Virus DNA Qualitative PCR, CSF **	Hitech_GKS	D	5980	Mon & Thu : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
J0006	JC-BK Virus DNA Qualitative PCR, Plasma **	Hitech_GKS	D	5700	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
J0007	JC-BK Virus DNA Qualitative PCR, Urine **	Hitech_GKS	D	5700	Mon & Thu : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
J0008	JEV (Japanese Encephalitis Virus) RNA Qualitative PCR, EDTA Blood **	Hitech_GKS	D	3950	Fri : 7:30am	Next day : 5:00pm	3ml of Whole Blood in EDTA Vacutainer	No
J0009	JEV (Japanese Encephalitis Virus) RNA Qualitative PCR, CSF **	Hitech_GKS	D	3950	Fri : 7:30am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
J0010	JEV (Japnese Encephalitis Virus) RNA Qualitative PCR, EDTA Plasma **	Hitech_GKS	D	3950	Fri : 7:30am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
J0011	JEV (Japnese Encephalitis Virus) RNA Qualitative PCR, Serum **	Hitech_GKS	D	3950	Fri : 7:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
J0012	Jo-1 antibody, Serum	Hitech_GKS	C	1350	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
J0013	JC (John Cunnigham Virus) DNA Qualitative PCR, CSF **	Hitech_GKS	D	5290	Mon & Thu : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
J0014	JC (John Cunnigham Virus) DNA Qualitative PCR, EDTA Plasma **	Hitech_GKS	D	4600	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of EDTA Plasma in Sterile Plain Vacutainer	No
J0015	JC (John Cunnigham Virus) DNA Qualitative PCR, Urine **	Hitech_GKS	D	4600	Mon & Thu : 9:00am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
J0016	JAK2 V617F Mutation Reflex Profile, EDTA Blood **	Hitech_GKS	D	8050	Wed & Sat : 9:00am	10th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
J0017	JAK2 V617F Mutation Reflex Profile, EDTA Bone Marrow **	Hitech_GKS	D	12400	Wed & Sat : 9:00am	10th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
J0018	JEV IgM Antibodies, Serum **	Hitech_GKS	D	5700	Daily : 9:00am	3rd day : 6:00pm	-	No
J0020	JC (John Cunnigham Virus) DNA Qualitative PCR, EDTA Blood **	Hitech_GKS	D	4600	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Whole Blood in EDTA Vacutainer	No
J0021	JC-BK Virus DNA Qualitative PCR, EDTA Blood **	Hitech_GKS	D	5700	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Whole Blood in EDTA Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
K0001	Kappa And Lambda-Freelite, Urine Spot **	Hitech_GKS	D	5000	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
K0002	Kappa And Lambda-Freelite Serum **	Hitech_GKS	D	4500	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
K0003	Kappa Light Chains by Flow cytometry **	Hitech_GKS	D	3000	Daily : 9:00am	After 24hrs	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
K0004	Kappa Light Chains - Total, Urine 24 Hrs **	Hitech_GKS	D	3500	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
K0005	FISH for Aneuploidy in POC - Chromosomes - 13,16,18, 21, 22, X and Y*	Hitech_GKS	D	9000	Daily : 9:00am	6th day : 6:00pm	POC - 1) Upto 12 weeks of gestation: 50-100 mg placental villi (fetal side) in 20 ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100 mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin â€¢ 3-5 ml EDTA Blood sample of Mother is mandatory.	No
K0006	Karyotyping Reflex FISH (13,18,21,X,Y), AmnioticFluid **	Hitech_GKS	D	9900	Daily : 9:00am	15th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
K0007	Karyotyping reflex FISH(13,18,21,X,Y)Chor ion Villi **	Hitech_GKS	D	9900	Daily : 9:00am	15th day : 6:00pm	20-30 mg of Chorionic Villus sample in Sterile saline container	No
K0010	FISH for Aneuploidy in POC - Chromosomes 13,18,21, X,Y	Hitech_GKS	D	8000	Daily : 9:00am	6th day : 6:00pm	POC - 1) Upto 12 weeks of gestation: 50-100 mg placental villi (fetal side) in 20 ml normal saline with 2-3 drops of gentamycin in a sterile container 2) In 12-18 weeks of gestation: a) 50-100 mg placental villi (fetal side) in 20ml normal saline with 2-3 drops of gentamycin in a sterile container b) and or fetal Muscle tissue	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							preferably medial aspect of thigh muscle or a fetal toe in sterile container 3)IUFD >20 weeks of gestation: fetal Muscle tissue preferably medial aspect of thigh muscle or a fetal toe in sterile container. if possible in 20ml normal saline with 2-3 drops of gentamycin & 3-5 ml EDTA Blood sample of Mother is mandatory.	
K0012	Karyotyping by G-Banding Peripheral Blood **	Hitech_GKS	D	4000	Daily : 9:00am	12th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
K0014	Karyotyping by G-Banding Bone marrow **	Hitech_GKS	D	4000	Daily : 9:00am	10th day : 6:00pm	2-3ml Bone Marrow/3ml Blood in Na-heparin vacutainer	No
K0017	Karyotyping by high resolution banding (HRB) Blood **	Hitech_GKS	D	5635	Daily : 9:00am	12th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
K0018	Kaolin Clotting Time, Citrated plasma **	Hitech_GKS	B	1250	Daily : 9:00am	2nd day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
K0019	KRAS 12/13 Mutation Detection (Exon 2 & 3), Tissue/FFPE **	Hitech_GKS	D	7500	Mon, Wed & Fri : 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
K0021	Kennedy disease (CAG repeats) by PCR**	Hitech_GKS	R	7100	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
K0022	Karyotyping from cell pellet /slides **	Hitech_GKS	D	1500	Daily : 9:00am	10th day : 6:00pm	Cell pellet / Slides	No
K0023	LEISHMANIA (RK 39) ANTIBODY, SERUM**	Hitech_GKS	R	1860	Daily : 11:30am	5th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
K0026	Karyotyping G Banding and FISH (Chr 13,18,	Hitech_GKS	D	7000	Daily : 9:00am	15th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	21, X and Y), Amniotic Fluid **							
K0030	Karyotyping by G-Banding for neonates **	Hitech_GKS	D	4500	Daily : 9:00am	7th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
K0031	Karyotyping by G-Banding for 50 metaphase cells **	Hitech_GKS	D	4500	Daily : 9:00am	12th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
K0033	Karyotyping by G-Banding reflex FISH **	Hitech_GKS	D	9900	Daily : 9:00am	15th day : 6:00pm	3ml of Prenatal Cord Blood In Na-Heparin Vacutainer	No
K8112	Kidney biopsy for Medical Renal Disease	Hitech_GKS	D	5000	Daily : 9:00am	After 24hrs	Tissue in 10% NB formalin for histopathology Tissue in Michel Medium for Immunofluorescence.	No
K8113	Kidney biopsy for Transplant Pathology	Hitech_GKS	D	9900	Daily : 9:00am	After 24hrs	Tissue in 10% NB formalin for histopathology Tissue in Michel Medium for Immunofluorescence.	No
L0001	Lactate, CSF	Hitech_GKS	C	990	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or container	Yes
L0002	Lactate, Plasma	Hitech_GKS	C	990	Daily : 9:00am	After 6hrs	2 ml of Fluoride Plasma Labile Analyte	Yes
L0003	Lactose Tolerance Test Profile	Hitech_GKS	C	600	Daily : 9:00am	2nd day : 6:00pm	2 ml of flouride plasma (5Samples)	No
L0004	Lambda Light Chains by Flow cytometry **	Hitech_GKS	D	3000	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
L0005	Lambda Light Chains-TotalUrine**	Hitech_GKS	D	3500	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
L0006	Lamotrigine Level Plasma**	Hitech_GKS	D	4300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
L0007	LAP Score, EDTA Blood **	Hitech_GKS	B	1265	Daily : 11:30am	3rd day : 6:00pm	5 Peripheral Blood Smears and EDTA Blood. Clinical history and clinician no is mandatory	No
L0008	Liver cytosolic antigen type-1(LC-1)Antibody,serum (L0008) **	Hitech_GKS	C	2800	Tue & Fri : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0009	LD (Leigh`s	Hitech_GKS	R	14500	Daily : 11:30am	8th day :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Disease),Blood **					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	
L0010	LD (Leishmania Donovan) Bodies Detection, EDTA Blood **	Hitech_GKS	B	950	Daily : 11:30am	Next day : 5:00pm	3ml EDTA whole blood	No
L0011	LD (Leishmania Donovan) Bodies Detection, EDTA Blood **	Hitech_GKS	C	950	Daily : 9:00am	After 24hrs	3ml of EDTA Whole Blood in EDTA Vacutainer	No
L0012	LDH Lactate Dehydrogenase Serum	Hitech_GKS	A	400	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
L0013	LDHLactate DehydrogenaseAscitic Fluid	Hitech_GKS	A	285	Daily : 9:00am	After 6hrs	2ml of Ascitic Fluid in Sterile leak proof container	Yes
L0014	LDHLactate DehydrogenasePeritoneal Fluid	Hitech_GKS	A	450	Daily : 9:00am	After 6hrs	2ml of Peritoneal Fluid in Sterile leak proof container	Yes
L0015	LDH Lactate Dehydrogenase Pleural Fluid	Hitech_GKS	A	400	Daily : 9:00am	After 6hrs	2ml of Pleural Fluid in Sterile leak proof container	Yes
L0016	LDH- ISOENZYMES BY ELECTROPHORESIS **	Hitech_GKS	D	4600	Wed : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0017	LDL Cholesterol -Direct serum	Hitech_GKS	A	300	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
L0018	LE Cell DetectionHeparin blood**	Hitech_GKS	B	320	Daily : 9:00am	After 24hrs	-	No
L0019	Lead, K-EDTA Blood **	Hitech_GKS	C	2150	Daily : 7:30am	Same day : 8:00pm	HeavyMetalSamplingguidelines.pdf	No
L0020	Lead, Urine 24 Hrs by Atomic Absorption **	Hitech_GKS	C	2150	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
L0021	Lead,Urine Spot by ICPMS **	Hitech_GKS	C	1900	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
L0026	Legionella Pneumophila Antigen Detection, Urine **	Hitech_GKS	C	2950	Daily : 9:00am & 3:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container	No
L0027	Legionella PneumophilalgG antibodiesSerum **	Hitech_GKS	C	2750	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0028	Legionella PneumophilalgM antibodiesSerum **	Hitech_GKS	C	2750	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0029	Leishmania Antibody - IgG, Serum **	Hitech_GKS	C	1860	Tue & Fri : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0034	LeptinHuman LeptinSerum **	Hitech_GKS	D	4200	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0035	Leptospira Detection by Smear Examination, EDTA Blood	Hitech_GKS	B	550	Daily : 9:00am	2nd day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
L0036	Leptospira Detection by Smear Examination, CSF **	Hitech_GKS	B	700	Daily : 9:00am & 3:00pm	After 6hrs	2ml of CSF in Sterile leak proof tube or container	No
L0037	Leptospira Detection by Smear Examination, Urine	Hitech_GKS	B	700	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
L0038	Leptospira DNA Qualitative PCR, EDTA Blood **	Hitech_GKS	D	2200	Daily : 10:00am	After 24hrs	3ml of Whole Blood in EDTA Vacutainer	No
L0039	Leptospira DNA Qualitative PCR, Urine **	Hitech_GKS	D	2200	Daily : 10:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container	No
L0040	Leptospira IgG Antibody, Serum	Hitech_GKS	C	1050	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0041	Leptospira IgM Antibody, Serum	Hitech_GKS	C	1050	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0042	Leptospira Profile	Hitech_GKS	C	2550	Daily : 9:00am	After 24hrs	3ml of Whole Blood in EDTA Vacutainer, 3ml of Serum in Gel Vacutainer or in Plain Sterile	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Vacutainer	
L0043	Leucine Quantitative Serum**	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
L0044	Leucine Quantitative Urine 24H**	Hitech_GKS	R	6200	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
L0046	Leukemia panel by FISH - ALL **	Hitech_GKS	D	13000	Daily : 9:00am	5th day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
L0047	Leukemia panel by FISH - AML **	Hitech_GKS	D	15000	Daily : 9:00am	5th day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
L0051	Leukemia panel by FISH - CLL **	Hitech_GKS	D	14000	Daily : 9:00am	5th day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
L0052	Leukemia panels by FISH - Eosinophilia CBF-Beta, PDGFR-Alpha & beta, FGFR-1 Bone Marrow/ Leukemic Blood **	Hitech_GKS	D	12000	Daily : 9:00am	5th day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
L0053	Leukemia panel by FISH - MDS **	Hitech_GKS	D	9000	Daily : 9:00am	5th day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
L0054	Leukemia panel by FISH - Multiple Myeloma **	Hitech_GKS	D	16000	Daily : 9:00am	7th day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
L0055	Leukemia - Acute Leukemia Profile, Blood	Hitech_GKS	D	10500	Daily : 9:00am	After 24hrs	3ml of EDTA or heparin blood and Direct smears required	No
L0056	Leukemia - Acute Leukemia Profile, Bone Marrow	Hitech_GKS	D	10500	Daily : 9:00am	After 24hrs	3ml of EDTA and heparin bone marrow. Direct smears required	No
L0057	Leukemia - Chronic Lymphoproliferative Profile, Blood	Hitech_GKS	D	13800	Daily : 9:00am	After 24hrs	3ml of EDTA or heparin blood and Direct smears required	No
L0058	Leukemia - Chronic Lymphoproliferative Profile, Bone Marrow	Hitech_GKS	D	14000	Daily : 9:00am	After 24hrs	3ml of EDTA or heparin bone marrow and Direct smears required	No
L0059	Leukemia -Customised panel, Blood**	Hitech_GKS	D	6700	Daily : 9:00am	After 24hrs	-	No
L0060	Leukemia -Customised	Hitech_GKS	D	6700	Daily : 9:00am	After 24hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	panel, Bone Marrow**							
L0061	Leukemia -Acute Lymphoblastic Leukemia Panel ALL, Blood**	Hitech_GKS	D	11000	Daily : 9:00am	After 24hrs	-	No
L0062	Leukemia -Acute Lymphoblastic Leukemia Panel ALL , Bone Marrow**	Hitech_GKS	D	11000	Daily : 9:00am	After 24hrs	-	No
L0063	Leukemia -Acute Myleoid Leukemia Panel AML, Blood**	Hitech_GKS	D	10500	Daily : 9:00am	After 24hrs	-	No
L0064	Leukemia -Acute Myleoid Leukemia Panel AML , Bone Marrow**	Hitech_GKS	D	10500	Daily : 9:00am	After 24hrs	-	No
L0065	Leukemia Myeloma panel by flowcytometry, Bone marrow **	Hitech_GKS	D	9200	Daily : 11:30am	5th day : 6:00pm	3ml of EDTA or heparin bone marrow and Direct smears required	No
L0066	LH-Luteinizing Hormone CMIA Serum	Hitech_GKS	B	450	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
L0067	LHON (Leber's hereditary optic neuropathy) by PCR**	Hitech_GKS	R	16000	Daily : 11:30am	8th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
L0068	Lipase Serum	Hitech_GKS	B	525	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
L0068_F luid	Lipase, Body Fluid	Hitech_GKS	B	225	Daily : 9:00am	After 6hrs	-	Yes
L0069	LipaseUrine	Hitech_GKS	B	250	Daily : 9:00am	After 6hrs	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	
L0070	Lipid Profile - 1	Hitech_GKS	C	1400	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0071	Lipid Profile - 2	Hitech_GKS	B	580	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0071_NF	Lipid Profile - 2 (Non-fasting)	Hitech_GKS	B	600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0072	Lipid Profile - 3	Hitech_GKS	B	450	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0072_NF	Lipid Profile - 3 (Non-fasting)	Hitech_GKS	B	450	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0073	Total Lipids, serum	Hitech_GKS	A	380	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0076	Lipoprotein Electrophoresis, Serum	Hitech_GKS	C	2700	Thu : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
L0077	Lithium, Serum	Hitech_GKS	C	600	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
L0079	LFT (Liver Function Test) 1 - Maxi	Hitech_GKS	B	1475	Daily : 9:00am	2nd day : 6:00pm	5 ml of serum and 3ml of citrate plasma	Yes
L0080	LFT (Liver Function Test) 2 - Mini	Hitech_GKS	B	600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0081	Liver Onco Marker Profile	Hitech_GKS	D	1500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0082	LFT (Liver Function Test) 3 - Super maxi	Hitech_GKS	B	600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
L0083	LKM1 ,Liver Kidney Microsome Antibody **	Hitech_GKS	C	2000	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0084	Lp(a)Lipoprotein(a)serum	Hitech_GKS	C	900	Mon, Wed & Fri : 7:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
L0085	Lung Marker ProfileNSE, CEASerum **	Hitech_GKS	D	7150	Wed & Sat : 7:30am	Next day : 5:00pm	3ml of Serum and 3ml of EDTA plasma	No
L0087	LymeBorrelia BurgdorferilgG antibodies by EIA **	Hitech_GKS	C	3610	Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
L0089	LymeBorrelia BurgdorferilgM antibodies, Serum by EIA **	Hitech_GKS	C	1700	Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0091	Lysine Quantitative Serum **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
L0092	Lysine Quantitative Urine **	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
L0093	Leukemia Characterisation Panel for ALL, Blood**	Hitech_GKS	D	19800	Daily : 9:00am	4th day : 6:00pm	-	No
L0094	Leukemia Characterisation Panel for ALL , Bone Marrow**	Hitech_GKS	D	19800	Daily : 9:00am	4th day : 6:00pm	-	No
L0095	Leukemia Characterisation Panel for AML , Blood**	Hitech_GKS	D	25000	Daily : 9:00am	4th day : 6:00pm	-	No
L0096	Leukemia Characterisation Panel for AML , Bone Marrow**	Hitech_GKS	D	25000	Daily : 9:00am	4th day : 6:00pm	-	No
L0097	Leukemia Characterisation Profile for CLPD, Blood	Hitech_GKS	D	19800	Daily : 9:00am	4th day : 6:00pm	3ml of EDTA and heparin blood. Direct smears required	No
L0098	Leukemia Characterisation Profile for CLPD, Bone Marrow	Hitech_GKS	D	19800	Daily : 9:00am	4th day : 6:00pm	3ml of EDTA and heparin bone marrow and Direct smears required	No
L0099	Leukemia Comprehensive workup Profile, Blood	Hitech_GKS	D	25000	Daily : 9:00am	4th day : 6:00pm	3ml of EDTA and heparin blood. Direct smears required	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
L0100	Leukemia Comprehensive workup Profile, Bone Marrow	Hitech_GKS	D	25000	Daily : 9:00am	4th day : 6:00pm	3ml of EDTA and heparin bone marrow. Direct smears required	No
L0101	Leukemia CMPD Profile, Blood **	Hitech_GKS	D	8800	Daily : 9:00am	5th day : 6:00pm	3ml of EDTA and Na-heparin blood and Direct smears required	No
L0102	Leukemia CMPD Profile, Bone Marrow	Hitech_GKS	D	8800	Daily : 9:00am	3rd day : 6:00pm	3ml of EDTA Bone Marrow	No
L0103	Lp- PLA2 (PLAC)Cardiac risk marker, Serum **	Hitech_GKS	D	2500	Mon & Thu : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
L0105	Leukemia panel by FISH - ALL, Leukemic Blood **	Hitech_GKS	D	13000	Daily : 9:00am	5th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
L0106	Leukemia AML panel by FISH, Leukemic Blood **	Hitech_GKS	D	15000	Daily : 9:00am	5th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
L0107	Leukemia panel by FISH - CLL, Leukemic Blood **	Hitech_GKS	D	14000	Daily : 9:00am	5th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
L0108	Leukemia panels by FISH - Eosinophilia CBF-Beta, PDGFR-Alpha & beta, FGFR-1 Leukemic Blood **	Hitech_GKS	D	12000	Daily : 9:00am	5th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
L0109	Myelodysplastic Syndrome (MDS) Panel by FISH **	Hitech_GKS	D	8500	Daily : 9:00am	5th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
L0110	Lymphocyte subset panel Basic**	Hitech_GKS	D	4500	Daily : 9:00am	After 24hrs	-	No
L0111	Lymphocyte Subset Profile with NK cells	Hitech_GKS	D	6900	Daily : 9:00am	After 24hrs	5 ml of Whole blood in EDTA Vacutainer	No
L0112	LDH Lactate Dehydrogenase,CSF	Hitech_GKS	A	380	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or container	Yes
L0113	Lyme-Borrelia Burgdorferi IgM **	Hitech_GKS	C	4800	Sat : 11:30am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
L0114	LymeBorrelia	Hitech_GKS	C	4800	Sat : 11:30am	Next day :	2ml of CSF in Sterile leak proof tube or	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	BurgdorferilgG antibodies CSF **					5:00pm	container	
L0117	Leukemia translocation Panel (ALL)**	Hitech_GKS	D	7500	Daily : 9:00am	7th day : 6:00pm	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.	No
L0118	Leukemia translocation Panel (ALL) **	Hitech_GKS	D	7500	Daily : 9:00am	7th day : 6:00pm	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.	No
L0123	LDH Body fluid	Hitech_GKS	A	150	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
L0133	Lung Cancer Targeted Therapy Profile, Tissue/FFPE	Hitech_GKS	E	19750	Daily : 9:00am	4th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
L0134	Lung Basic Panel by NGS**	Hitech_GKS	E	32000	Daily : 7:30am	25th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
L0135	Lead, Hair tests by ICPMS**	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
L0139	Leukemia Panel-Ph like B-ALL, Bone marrow **	Hitech_GKS	R	19000	Daily : 11:30am	10th day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
L0139_ Blood	Leukemia Panel-Ph like B-ALL, Blood **	Hitech_GKS	R	19000	Daily : 9:00am	8th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
L0140	Leukemia Panel-T-ALL, Blood **	Hitech_GKS	R	16000	Daily : 9:00am	4th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
L0140	Leukemia Panel-T-ALL,	Hitech_GKS	R	16000	Daily : 9:00am	2nd day :	3ml Bone Marrow in Sodium Heparin	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
_BM	Bone marrow **					6:00pm	Vacutainer	
L0141	Leukemia AML Mutation Profile, Blood	Hitech_GKS	D	7500	Mon & Wed : 7:30am	8th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
L0141 _BM	Leukemia AML Mutation Profile, Bone Marrow	Hitech_GKS	D	9000	Mon & Wed : 7:30am	8th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
L0142	NextGen Oncomine Myeloid 69 Gene Panel **	Hitech_GKS	E	35000	Daily : 9:00am	20th day : 6:00pm	5 ml of Whole blood in EDTA Vacutainer	No
L0143	Leptin deficiency (LEP) -Gene Analysis **	Hitech_GKS	E	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
L0144	Leukemia Panel-MRD for Myeloma, Bone marrow **	Hitech_GKS	R	18500	Daily : 11:30am	5th day : 6:00pm	sample : 3ml of EDTA Bone Marrow & direct smear	No
L0145	Leukemia Panel-MRD for AML , Bone marrow**	Hitech_GKS	R	18500	Daily : 11:30am	5th day : 6:00pm	3ml of EDTA Bone Marrow & General Instruction Local Samples reaching in 24 Hours can be send in Ambient condition and outstation samples to be shipped at Refrigerated condition. Do not keep EDTA or Heparin blood samples in contact with ice packs. Do not freeze. Medical history / Hemato-pathological reports with referring doctors number.	No
L0146	Lip biopsy for Sjogrens Syndrome ( Focus score) with WSI **	Hitech_GKS	C	2200	Daily : 9:00am	After 24hrs	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
L0152	Lung Cancer NGS	Hitech_GKS	E	46200	Daily : 11:30am	25th day :	Peripheral Blood in Streck tube (2 tubes of 10	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	panel (SNVs, InDels and Fusions)- Liquid Biopsy**					6:00pm	ml each) (Tube supplid upon request)	
L0153	Liquid Biopsy NGS test (SNVs and Indels) HRR**	Hitech_GKS	E	38500	Daily : 9:00am	After 24hrs	-	No
L0156	LUPUS ANTICOAGULANTS_L0156	Hitech_GKS	O	2250	Daily : 9:00am	After 6hrs	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	Yes
L1008	Levetiracetam, serum **	Hitech_GKS	D	5500	Wed : 11:30am	Next day : 5:00pm	3ml of serum(sample collect in, plain vacutainer, not in gel tube)	No
L5544	Leptospira Early Detection	Hitech_GKS	D	1050	Daily : 9:00am	After 24hrs	-	No
L5545	Lepto-Advanced	Hitech_GKS	D	1775	Daily : 9:00am	After 24hrs	-	No
L8015	LH/FSH RATIO	Hitech_GKS	B	300	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
L8104	Left Ankle Joint (Ap plus Lateral)	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
L8106	Left Foot AP / LAT	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
L8107	Left Hand Ap/Lat	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
L8113	Leg (AP/Lateral) Left	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
L8126	LFT & RFT Combo	Hitech_GKS	D	1650	Daily : 9:00am	After 6hrs	-	Yes
L8129	Liver & Pancreas Screening	Hitech_GKS	O	2135	Daily : 9:00am	After 24hrs	-	No
M0001	MAG (Myelin associated Glycoprotein) Antibody, Serum **	Hitech_GKS	D	4300	Tue & Fri : 11:30am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0002	Magnesium, Serum	Hitech_GKS	B	450	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
M0003	Magnesium, Urine	Hitech_GKS	B	380	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
M0004	Magnesium, Urine 24 Hrs	Hitech_GKS	B	200	Daily : 9:00am	After 6hrs	10ml aliquot of 24 hrs Urine in Sterile Urine Container	Yes
M0006	Malaria Parasite Detection by Smear Examination	Hitech_GKS	B	240	Daily : 9:00am	After 6hrs	3ml of EDTA Whole Blood in EDTA Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
M0007	Malaria DNA Qualitative PCR, EDTA Blood **	Hitech_GKS	C	2648	Daily : 10:00am	After 24hrs	3ml of EDTA Whole Blood in EDTA Vacutainer	No
M0008	Malaria DNA Detection by QBC, EDTA Blood	Hitech_GKS	B	350	Daily : 9:00am	After 4hrs	3ml of EDTA Whole Blood in EDTA Vacutainer	Yes
M0009	Malaria Profile	Hitech_GKS	C	380	Daily : 9:00am	After 4hrs	3ml of EDTA Whole Blood in EDTA Vacutainer	No
M0010	Malarial Antigen Detection, EDTA Blood	Hitech_GKS	B	350	Daily : 9:00am	After 4hrs	3ml of EDTA Whole Blood in EDTA Vacutainer	Yes
M0011	Manganese, K-EDTA Blood **	Hitech_GKS	D	3200	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0012	Manganese ICPMS Serum **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0013	Manganese ICPMS Urine**	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0014	Manganese ICPMS Urine 24H**	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0019	MDMA (Qualitative) Ecstasy, XTC Urine Spot **	Hitech_GKS	D	800	Daily : 9:00am to 9:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container	No
M0020	Measles (Rubeola) virus IgG antibody, Serum	Hitech_GKS	C	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
M0021	Measles (Rubeola) IgG antibodies Profile, CSF & Serum	Hitech_GKS	C	3400	Tue & Fri : 9:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container AND 2mL Serum in Plain Vacutainer	No
M0022	Measles (Rubeola) virus IgM antibody, Serum	Hitech_GKS	C	1450	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
M0023	Medullary Thyroid Carcinoma Profile **	Hitech_GKS	R	15380	Daily : 11:30am	10th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
M0024	Meningitis (viral)	Hitech_GKS	R	6000	Daily : 11:30am	8th day :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Profile - IgM **					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	
M0026	Meningitis (Viral) Profile - IgG	Hitech_GKS	D	4800	Wed : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
M0027	Meningitis (Viral) Profile - IgG & IgM	Hitech_GKS	D	7900	Wed : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
M0028	Meningitis (Viral) Profile - IgM	Hitech_GKS	D	4850	Wed : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
M0029	Menopause Comprehensive Profile	Hitech_GKS	C	3200	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0030	Menopause Diagnostic Profile	Hitech_GKS	C	1800	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0031	Menopause Monitoring Profile	Hitech_GKS	C	2100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0032	Mercury, K-EDTA Blood **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0033	Mercury ICPMS Serum **	Hitech_GKS	D	3160	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0034	Mercury ICPMS Urine **	Hitech_GKS	D	3400	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0035	Mercury ICPMS Urine 24H**	Hitech_GKS	D	3000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0036	MERRF Mutation Detection Blood	Hitech_GKS	R	10000	Daily : 9:00am	4th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
M0037	Metabolic Disorder Panel ,101 parameter**	Hitech_GKS	R	6900	Daily : 11:30am	4th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
M0038	Metabolic Screen	Hitech_GKS	R	1250	Mon : 9:00am	4th day :	15ml of Spot Urine in Sterile leak proof	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Profile					6:00pm	container	
M0039	Metanephrine-FreeELISAPlasma **	Hitech_GKS	D	4500	Tue & Fri : 11:30am	Next day : 5:00pm	Plasma : 3ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
M0041	Methadone Dolophine - Quantitative, Urine **	Hitech_GKS	B	160	Daily : 9:00am to 9:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container	No
M0042	Methamphetamine - Qualitative, Urine	Hitech_GKS	B	680	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
M0043	Methaqualone, Urine **	Hitech_GKS	B	680	Daily : 9:00am to 9:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container	No
M0044	Meth-HaemoglobinBiochemicalBlood **	Hitech_GKS	C	1000	Daily : 11:30am	Next day : 5:00pm	3ml of Heparin Blood. Sample required within 12 to 24 hrs after collection & avoid holiday & weekends.	No
M0045	Methionine Quantitative Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
M0046	Methionine Quantitative Urine SPOT**	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
M0047	Methotrexate Serum **	Hitech_GKS	C	3340	Wed & Sat : 7:30am	Same day : 6:00pm	3ml of serum(sample collect in, plain vacutainer, not in gel tube)	No
M0048	Methyl Malonic Acid - Qualitative, Urine **	Hitech_GKS	R	700	Daily : 11:30am	5th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
M0049	Methyl Malonic Acid Quantitative Urine SPOT**	Hitech_GKS	R	13000	Daily : 11:30am	5th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
M0050	MGMT, Tissue/FFPE **	Hitech_GKS	R	16300	Daily : 11:30am	25th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
M0051	MICM By PCR	Hitech_GKS	R	7000	Daily : 11:30am	8th day :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Maternally Inherited Cardiomyopathy Blood**					6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	
M0052	Microalbumin, Urine 24Hrs	Hitech_GKS	B	500	Daily : 9:00am	After 6hrs	10ml aliquot of 24 hrs Urine in Sterile Urine Container	Yes
M0052_SP	Microalbumin biochemical_Urine Spot	Hitech_GKS	A	480	Daily : 9:00am	After 6hrs	-	Yes
M0053	Microalbumin / Creatinine Ratio, Urine	Hitech_GKS	B	500	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
M0054	Microsporidium Detection by smear Examination**	Hitech_GKS	B	550	Daily : 9:00am & 3:00pm	After 6hrs	5gm of Stool specimen in Sterile leak proof container	No
M0055	Mitochondrial (M2) Antibody by IFAReflex to end point titreSerum	Hitech_GKS	C	1750	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
M0060	MMC-Mutation Detection Maternal Myopathy With Cardiomyopathy Blood**	Hitech_GKS	R	7000	Daily : 11:30am	8th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
M0061	MM-Mutation Detection Mitochondrial Myopathy **	Hitech_GKS	R	8500	Daily : 11:30am	8th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
M0063	MPO- ANCA	Hitech_GKS	C	1000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
M0064	Myeloid Cell Marker by Immnophenotyping, EDTA Blood **	Hitech_GKS	D	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition (preferably). Clinical history and clinician	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							details required.	
M0065	MPO Stain, EDTA Blood **	Hitech_GKS	C	800	Daily : 11:30am	3rd day : 6:00pm	3 Direct Peripheral smear slides, EDTA blood. Clinical history and clinician no is mandatory	No
M0066	MPO Stain, EDTA Bone Marrow **	Hitech_GKS	C	850	Daily : 11:30am	3rd day : 6:00pm	3 Direct Bone Marrow Aspirate slides. Clinical history and clinician no is mandatory	No
M0068	MRSA Screen nasal swab	Hitech_GKS	C	750	Daily : 9:00am	3rd day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	Yes
M0069	MSUD-Maple Syrup Urine Disorder Neonatal Screen Blood**	Hitech_GKS	D	500	Daily : 11:30am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	No
M0070	MTHFR C677T/ A1298C Mutations Analysis, EDTA Blood	Hitech_GKS	D	6800	Daily : 9:00am	After 24hrs	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .	No
M0071	Mucopolysaccharides (MPS) Type-I Blood**	Hitech_GKS	R	5500	Daily : 11:30am	7th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
M0072	Mucopolysaccharides Type-VI, Heparin Blood **	Hitech_GKS	R	2200	Daily : 11:30am	7th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
M0074	Mucopolysaccharides Type-VI, Urine **	Hitech_GKS	D	550	Daily : 11:30am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
M0075	Multiple Sclerosis Profile - Maxi	Hitech_GKS	D	9500	Tue & Fri : 9:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container 3ml of Serum in Gel/ Plain	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Vacutainer	
M0076	Multiple Sclerosis Profile - Mini	Hitech_GKS	D	5990	Tue & Fri : 9:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container 3ml of Serum in Gel/ Plain Vacutainer	No
M0077	CSF - Mumps-IgG Antibodies by EIA**	Hitech_GKS	C	2900	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	-	No
M0078	Mumps virus IgG antibody, Serum	Hitech_GKS	C	1700	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
M0079	Mumps virus IgM antibody, Serum	Hitech_GKS	C	1450	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
M0080	MUSK AntibodyMyasthenia gravisSerum	Hitech_GKS	C	6500	Mon & Thu : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
M0081	Myasthenia Gravis Profile	Hitech_GKS	D	10700	Mon : 9:00am	6th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0086	Mycoplasma PneumoniaeIgG AntibodySerum **	Hitech_GKS	C	2150	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0087	Mycoplasma PneumoniaeIgM AntibodySerum**	Hitech_GKS	C	2350	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0091	Myoglobin, Serum **	Hitech_GKS	C	2430	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0092	Myoglobin, Urine **	Hitech_GKS	C	1200	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
M0095	Myotonic Dystrophy Type 1 (DM1) Mutation Analysis **	Hitech_GKS	E	7000	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
M0098	Meningo Encephalitis Panel**	Hitech_GKS	E	14000	Daily : 9:00am	2nd day : 6:00pm	-	No
M0099	MRSA SCREEN Methicillin Resistant Staphylococcus aureus - PCR **	Hitech_GKS	C	2000	Daily : 9:00am	Same day : 5:00pm	One swab from Nasal, Groin and Axilla.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
M0100	Multiple Myeloma Workup Profile	Hitech_GKS	D	19950	Daily : 9:00am	4th day : 6:00pm	3ml of EDTA Bone Marrow, 4ml of heparin Bone marrow, Serum, Direct smears	No
M0101	MPL W515/S505 Mutation Analysis, Blood **	Hitech_GKS	E	6000	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
M0102	MPL W515/S505 Mutation Analysis, Bone marrow **	Hitech_GKS	E	6000	Wed & Sat : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
M0103	MSI-Microsatellite Instability, Tissue/FFPE and EDTA Blood **	Hitech_GKS	D	14000	Mon, Wed & Fri : 9:00am	10th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
M0104	nMYC gene amplification **	Hitech_GKS	R	13000	Daily : 11:30am	12th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
M0108	Metachromatic Leukodystrophy NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambient and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
M0132	MISMATCH REPAIR (MMR) PROTEIN IMMUNOHISTOCHEMISTRY ONLY **	Hitech_GKS	D	8500	Daily : 9:00am	5th day : 6:00pm	Paraffin blocks ( Formalin fixed paraffin embedded) Please attach original Histopathology report and all relevant clinical and radiological detail	No
M0134	Magnesium Body Fluid	Hitech_GKS	B	300	Daily : 9:00am	After 6hrs	-	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
M0136	Marfans Syndrome NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	21000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
M0140	Muscular Dystrophy & Congenital Myopathy NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
M0141	Methylmalonic acids Quantitative Serum **	Hitech_GKS	R	3200	Thu : 11:30am	4th day : 6:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
M0142	MET gene amplification **	Hitech_GKS	E	10000	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
M0145	Maturity-Onset Diabetes of the Young (MODY) & neonatal diabetes gene panel**	Hitech_GKS	R	17000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
M0147	MLH1 Promoter Hypermethylation, Tissue/FFPE **	Hitech_GKS	E	6500	Mon, Wed & Fri : 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
M0150	MMR IHC Reflex to BRAF CD600 and MHL1	Hitech_GKS	D	11000	Daily : 9:00am	4th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
M0151	Metanephrine-fractionated **	Hitech_GKS	D	7200	Tue & Fri : 11:30am	Next day : 5:00pm	Plasma : 3ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
M0153	Combine screening of Pre-eclampsia & Trisomies, Serum **	Hitech_GKS	D	4250	Daily : 7:30am	Same day : 9:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
M0154	Meningitis/Encephalitis panel by FilmArray **	Hitech_GKS	E	18500	Daily : 9:00am to 9:00pm	After 10hrs	2ml of CSF in Sterile leak proof tube or container	No
M0160	MMR IHC Reflex MSI PCR	Hitech_GKS	D	7900	Daily : 9:00am	15th day : 6:00pm	-	No
M0161	Myositis Profile-IgG(16 Antigen)	Hitech_GKS	D	9900	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
M0162	Magnesium, EDTA Whole Blood**	Hitech_GKS	R	2750	Daily : 9:00am	After 24hrs	-	No
M0163	Magnesium, Hair tests by ICPMS**	Hitech_GKS	R	5500	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
M0164	Manganese, Hair tests by ICPMS**	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
M0169	Metals Profile-1, K-EDTA Blood **	Hitech_GKS	D	6000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0170	Metals profile-1, Spot urine**	Hitech_GKS	D	6000	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
M0175	Methadone confirmation by LCMS, Spot Urine**	Hitech_GKS	R	9000	Daily : 11:30am	10th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
M0176	Methaqualone confirmation by LCMS,	Hitech_GKS	R	680	Daily : 11:30am	10th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Spot Urine**							
M0178	Minerals profile, Hair**	Hitech_GKS	R	11500	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
M0181	Molybdenum, Hair tests by ICPMS**	Hitech_GKS	R	5500	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
M0183	Mucorales (Mucormycosis) DNA Qualitative PCR, Body Fluid **	Hitech_GKS	C	6500	Daily : 7:30am	3rd day : 6:00pm	3ml of Body fluids/ CSF/ EDTA Blood/ Pure culture/ Sputum/ Tissue in Sterile leak proof container	No
M0198	MACKERAL ( F 206)-SPECIFIC IGE	Hitech_GKS	E	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0204	Monospot Test (EBV)	Hitech_GKS	O	1500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0205	Metanephrine level, ELISA, 24 hrs urine**	Hitech_GKS	O	4000	Mon & Thu : 7:30am	2nd day : 6:00pm	-	No
M0206	METANEPHRINE (Random Urine)	Hitech_GKS	O	4000	Tue & Fri : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
M0207	MILK BOILED ( F 231)-SPECIFIC IGE	Hitech_GKS	O	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0823	Macro TSH (TSH,Free TSH,% Recovery) **	Hitech_GKS	C	500	Daily : 9:00am to 9:00pm	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
M0829	Monogenic and syndromic obesity- Gene Panel **	Hitech_GKS	E	20000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
M0830	MTB Antibigram NGS Gene Panel, Pure Culture **	Hitech_GKS	R	8500	Daily : 11:30am	15th day : 6:00pm	Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
M0831	MPA (Mycophenolic Acid) **	Hitech_GKS	C	2250	Mon & Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
M1801	Medical examination by:- Dental examination	Hitech_GKS	O	100	Daily : 9:00am	After 6hrs	-	No
M1804	OPHTHALMIC CHECK	Hitech_GKS	O	350	Daily : 9:00am	After 6hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
M5085	MPN Comprehensive Profile, EDTA & Heparin Blood	Hitech_GKS	D	15000	Tue & Fri : 9:00am	4th day : 6:00pm	3ml whole blood in EDTA Vacutainer & 3ml Heparin blood	No
M5086	MPN Comprehensive Profile, EDTA & Heparin Bone Marrow	Hitech_GKS	D	13500	Tue & Fri : 9:00am	4th day : 6:00pm	3ml Bone Marrow in EDTA Vacutainer & 3ml Bone Marrow	No
M5097	MTB Triple Combo Profile, Pulmonary	Hitech_GKS	D	6700	Daily : 9:00am	After 4 weeks : 6:00pm	2ml of Pulmonary specimen in Sterile leak proof container	No
M5098	MTB Triple Combo Profile, Extra Pulmonary	Hitech_GKS	D	6700	Daily : 9:00am	After 4 weeks : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)	No
M8012	Diabetes Screening	Hitech_GKS	E	218	Daily : 9:00am	After 24hrs	-	No
M8027	Myotonic Dystrophy Ãââ Type 2 (3q 21) **	Hitech_GKS	R	9000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
M8060	MP Test By QBC/ ANTIGEN	Hitech_GKS	B	350	Daily : 9:00am	After 4hrs	-	No
M8061	Microfilaria (WB/QBC)	Hitech_GKS	C	300	Daily : 9:00am	After 4hrs	-	Yes
M8228	MIC OF COLISTIN BY MICRO BROTH DILUTION	Hitech_GKS	C	500	Daily : 9:00am to 9:00pm	3rd day : 6:00pm	Pure culture isolate is required with identification upto species level.	No
M8268	MTB - Xpert XDR Rapid Panel, Pulmonary	Hitech_GKS	D	3680	Daily : 9:00am	After 24hrs	2ml of Pulmonary specimen in Sterile leak proof container	No
M8269	MTB - Xpert XDR Rapid Panel, Extra Pulmonary	Hitech_GKS	D	3680	Daily : 9:00am	After 24hrs	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)	No
M8296	Metabolic Profile	Hitech_GKS	O	1450	Daily : 9:00am	After 24hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
M8344	Allergy - Insects Panel**	Hitech_GKS	D	2800	Daily : 9:00am	After 24hrs	-	No
M8361	Allergy - Milk & Milk Product Panel **	Hitech_GKS	O	4000	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
N0001	N- Acetyl Glucosamine 6 Sulphate Sulphatase Blood**	Hitech_GKS	R	8500	Daily : 11:30am	After 4 weeks : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
N0002	NARP Neurogenic Ataxia Retinitis Pigmentosa Blood**	Hitech_GKS	R	6500	Daily : 11:30am	8th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
N0003	Natural Killer cells **	Hitech_GKS	D	4450	Daily : 11:30am	Next day : 5:00pm	5 ml of Whole blood in EDTA Vacutainer	No
N0006	Neisseria Gonorrhoea Culture & Identification Urethral discharge	Hitech_GKS	C	100	Daily : 9:00am	3rd day : 6:00pm	2 ml of Urethral Discharge in Sterile leak proof container	No
N0007	Neisseria Gonorrhoea Culture & Identification Vaginal discharge	Hitech_GKS	C	170	Daily : 9:00am	3rd day : 6:00pm	2ml of Vaginal Discharge in Sterile leak proof container	No
N0008	Neisseria Gonorrhoea DNA Qualitative PCR, Urethral Swab	Hitech_GKS	C	3400	Daily : 9:00am	After 24hrs	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
N0009	Neisseria Gonorrhoea DNA Qualitative PCR, Urethral Discharge	Hitech_GKS	C	3400	Daily : 9:00am	After 24hrs	2ml of Urethral Discharge in Sterile leak proof container	No
N0010	Neisseria Gonorrhoea DNA Qualitative PCR, Urine	Hitech_GKS	C	3400	Daily : 9:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container	No
N0011	Neisseria Meningitidis Antigens, CSF **	Hitech_GKS	C	2550	Daily : 9:00am & 3:00pm	After 4hrs	2ml of CSF in Sterile leak proof tube or container	No
N0013	Neoxpert 5 (Newborn Screening 5 Analytes)	Hitech_GKS	C	1500	Mon to Fri : 9:00am	After 24hrs	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age.	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	
N0014	Neoxpert 8 (Newborn Screening 8 Analytes) **	Hitech_GKS	C	2500	Mon to Fri : 9:00am	Next day : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	No
N0015	Neoxpert by TMS (Newborn Screening 40+ Analytes)**	Hitech_GKS	C	4900	Daily : 11:30am	5th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	
N0017	Neuronal Antibody Profile - 1	Hitech_GKS	E	9000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
N0018	Nickel, K-EDTA Blood **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
N0019	Nickel Serum by ICPMS **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
N0020	Nickel, Urine Spot by ICPMS **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
N0021	Nicotine Metabolite - Quantitative, Serum **	Hitech_GKS	C	1200	Daily : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
N0022	Nicotine Metabolite - Quantitative, Urine **	Hitech_GKS	C	1400	Daily : 9:00am	Same day : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
N0023_NIPS	NEXTGEN NON-INVASIVE PRENATAL SCREENING TEST **	Hitech_GKS	E	16000	Daily : 9:00am	8th day : 6:00pm	Sample collection require in special tube - Streak Tube - 10 ml. We Required filled TRF which include clinician stamp, Ultra Sound report (USG), Dual and Quatraple Marker Report, Photo Identification Proof.	No
N0027	NMDA Receptor Antibody (NR1), CSF	Hitech_GKS	D	6000	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
N0028	NMDA Receptor Antibody (NR1)Autoimmune encephalitisSerum	Hitech_GKS	D	6000	Daily : 9:00am	2nd day : 6:00pm	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	No
N0032	Nocardia Detection by	Hitech_GKS	B	550	Daily : 9:00am	2nd day :	2ml of Sputum in Sterile leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	smear Examination Sputum					6:00pm		
N0033	Nocardia Detection by smear Examination Tissue	Hitech_GKS	B	250	Daily : 9:00am	2nd day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container	No
N0034	Nor-AdrenalineNor-epinephrinePlasma **	Hitech_GKS	D	3600	Wed : 11:30am	5th day : 6:00pm	Plasma : 3ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
N0035	Nor-Adrenaline (Nor-Epinephrine)-UR-HPLC**	Hitech_GKS	D	3100	Wed : 11:30am	5th day : 6:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
N0036	Nor-Metanephrene-FreeELISAPlasma **	Hitech_GKS	D	4640	Tue & Fri : 9:00am	5th day : 6:00pm	Plasma : 3ml of EDTA plasma , Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
N0037	Nor-Metanephrene,ELISA, urine 24 hrs	Hitech_GKS	D	2400	Mon & Thu : 11:30am	2nd day : 6:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	
N0039	NPM1 mutations AML **	Hitech_GKS	D	4000	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
N0040	NPM1 mutations AML **	Hitech_GKS	D	4000	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
N0041	NRAS Mutations Detection (Exon 1 & 2), Tissue/FFPE **	Hitech_GKS	D	7000	Mon, Wed & Fri : 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
N0042	NSENeuron Specific EnolaseCSF **	Hitech_GKS	D	3400	Tue & Fri : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
N0043	NSENeuron Specific EnolaseSerum **	Hitech_GKS	D	3680	Tue & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
N0044	NT-Pro BNP Serum	Hitech_GKS	C	2500	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
N0045	NTxN-Telopeptide (Collagen Crosslinked)Urine 24H **	Hitech_GKS	C	3200	Wed : 11:30am	Next day : 5:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	
N0057	Neoxpert Expanded Screening Profile	Hitech_GKS	D	6000	Daily : 9:00am	3rd day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	No
N0058	Comprehensive Neurology NGS Gene Panel, EDTA Blood **	Hitech_GKS	R	22000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, Genetci history is mandatory.	No
N0059_Serum	NMO with MOG Antibody Profile	Hitech_GKS	D	6500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
N0060_CSF	NMO with MOG Antibody Profile	Hitech_GKS	D	6800	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	Yes
N0061	Nocardia Susceptibility	Hitech_GKS	C	3250	Daily : 9:00am	15th day :	Pure growth of Nocardia spp. on Blood/	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
						6:00pm	Chocolate Agar plate. Kindly provide Previous identification report of Nocardia.	
N0062	Nitrosonaphthol - Qualitative, Urine **	Hitech_GKS	R	20000	Daily : 11:30am	5th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
N0064	Nickel, Hair tests by ICPMS**	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
N0066	NR4A3 (TEC) 9p22.3 translocation **	Hitech_GKS	R	12000	Daily : 11:30am	12th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
N0067	NTRK3 and ETV6 translocation **	Hitech_GKS	R	14000	Daily : 11:30am	12th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
N0068	Neurology comprehensive panel & whole mitochondrial genome sequencing **	Hitech_GKS	E	25000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
N0069	Neurotransmitter disorders-Gene Panel **	Hitech_GKS	E	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
N0070	New born screening panel by NGS **	Hitech_GKS	E	16000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
Do not freeze. TRF, history is mandatory.								
N0102	NASAL SMEAR FOR EOSINOPHILS	Hitech_GKS	O	100	Daily : 9:00am	After 24hrs	-	No
N1005	Neopterin, Plasma**	Hitech_GKS	D	13800	Daily : 9:00am	After 24hrs	-	No
N8110	NALAM CANCER SCREEN - MEN	Hitech_GKS	W	800	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No
N8111	NALAM MHC 1.0	Hitech_GKS	W	3000	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No
N8112	NALAM CANCER SCREEN - WOMEN	Hitech_GKS	W	800	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No
N8113	NALAM SILVER	Hitech_GKS	W	1999	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No
N8114	NALAM GOLD	Hitech_GKS	W	2499	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No
N8115	NALAM PLATINUM	Hitech_GKS	W	3299	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No
N8116	NALAM DIAMOND - MEN	Hitech_GKS	W	3999	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No
N8121	Neoxpert IAP (Newborn Screening 3 Analytes)	Hitech_GKS	O	750	Mon, Wed & Fri : 7:30am	After 24hrs	-	No
N8122	NBS 5 PANEL	Hitech_GKS	O	1000	Daily : 9:00am	After 24hrs	-	No
N8123	NBS 7 PANEL	Hitech_GKS	O	2000	Daily : 9:00am	After 24hrs	-	No
N8132	Allergy - Non-Vegetarian Food Panel **	Hitech_GKS	O	4000	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
N8203	NALAM DIAMOND - WOMEN	Hitech_GKS	W	4299	Mon,Tue,Wed,Th u,Fri,Sat	After 4hrs	See Individual Test Details	No
N8211	NALAM CHAMP 1	Hitech_GKS	W	675	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No
N8212	NALAM CHAMP 2	Hitech_GKS	W	750	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No
N8213	NALAM CHAMP 3	Hitech_GKS	W	900	Daily: 9am to 9pm	Next day : 5:00pm	See Individual Test Details	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
O0001	Obesity Profile	Hitech_GKS	C	6150	Daily : 9:00am	After 24hrs	5 ml of serum, 2 ml of flouride plasma , 20 ml of spot urine	No
O0002	Occult Blood, Stool	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	5gm of Stool specimen in Sterile leak proof container	Yes
O0003	Occult Blood, Urine **	Hitech_GKS	A	100	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
O0004	Oligoclonal band,CSF **	Hitech_GKS	C	5500	Tue & Fri : 11:30am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
O0005	Opiates - Quantitative, Urine **	Hitech_GKS	B	680	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
O0006	Opportunistic infection panel **	Hitech_GKS	C	1600	Daily : 9:00am & 3:00pm	After 6hrs	5gm of Stool specimen in Sterile leak proof container	No
O0008	Ornithine Quantitative Serum**	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
O0009	Ornithine Quantitative Urine 24H**	Hitech_GKS	R	6200	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
O0010	Osmolality Freezing Point, Serum	Hitech_GKS	C	850	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
O0011	Osmolality Freezing Point, Urine	Hitech_GKS	C	900	Daily : 9:00am	After 4hrs	15ml of Spot Urine in Sterile leak proof container	Yes
O0012	Osmotic Fragility , EDTA Blood **	Hitech_GKS	C	850	Daily : 9:00am	2nd day : 6:00pm	3ml Sodium heparin sample	No
O0013	Osteocalcin, Serum **	Hitech_GKS	C	2900	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
O0014	Osteomon Profile	Hitech_GKS	D	2990	Mon & Thu : 7:30am	2nd day : 6:00pm	3ml of serum and 3ml of EDTA plasma	No
O0015	Osteoporosis Profile - 1	Hitech_GKS	C	1950	Daily : 9:00am	2nd day : 6:00pm	2 ml of EDTA Plasma	No
O0016	Osteoporosis Profile - 2	Hitech_GKS	C	5850	Mon & Thu : 7:30am	2nd day : 6:00pm	3ml of serum, 2 ml of EDTA plasma and 10 ml of spot urine	No
O0017	Osteoporosis Profile - 3	Hitech_GKS	C	7900	Mon & Thu : 7:30am	2nd day : 6:00pm	3ml of serum, 2 ml of EDTA plasma and 10 ml of spot urine	No
O0018	OT Microbiological Surveillance Panel Bacterial & Fungal Per	Hitech_GKS	C	350	Daily : 9:00am	14th day : 6:00pm	1 OT Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	swab							
O0019	Ova And Parasite detection Concentration method, Stool	Hitech_GKS	B	400	Daily : 9:00am	After 24hrs	-	Yes
O0020	Ovarian Antibody AOA serum **	Hitech_GKS	C	3550	Mon : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
O0021	Ovarian Cancer Marker Profile	Hitech_GKS	D	4050	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
O0022	Ovarian Reserve Profile - Maxi	Hitech_GKS	C	6150	Mon : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
O0023	Ovarian Reserve Profile - Mini	Hitech_GKS	C	3300	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
O0024	Oxalate, Urine 24Hrs **	Hitech_GKS	C	1950	Daily : 11:30am	Same day : 9:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
O0026	Oxcarbazepine, Serum **	Hitech_GKS	D	4750	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of serum(sample collect in, plain vacutainer, not in gel tube)	No
O0027	Ova and Parasite Examination, Other Samples **	Hitech_GKS	B	300	Daily : 9:00am	After 24hrs	5gm of Stool specimen in Sterile leak proof container	No
O0039	AFP (Alpha Feto Protein) - MoM, Serum **	Hitech_GKS	C	950	Daily : 9:00am & 3:00pm	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
O0040	Opiates confirmation	Hitech_GKS	R	9000	Daily : 11:30am	10th day :	15ml of Spot Urine in Sterile leak proof	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	by LCMS, Spot Urine**					6:00pm	container	
O0041	Oncotrack - Ultima [Liquid biopsy for 56 theranostic genes]**	Hitech_GKS	R	49400	Daily : 11:30am	After 4 weeks : 6:00pm	Peripheral blood in 2 Streck tubes , (tube supplied upon request)	No
O0042	NextGen Oncomine Focus Array - 52 Gene Panel **	Hitech_GKS	E	39500	Daily : 9:00am	After 4 weeks : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
O1801	Echocardiogram - Colour Doppler	Hitech_GKS	O	1500	Daily : 9:00am	After 6hrs	-	No
O1802	Audiometry	Hitech_GKS	O	300	Daily : 9:00am	After 6hrs	-	No
O1808	Mammography	Hitech_GKS	O	2400	Daily : 9:00am	After 6hrs	-	No
O1809	Spirometry	Hitech_GKS	O	350	Daily : 9:00am	After 6hrs	-	No
O1810	TMT (Stress test)	Hitech_GKS	O	1500	Daily : 9:00am	After 6hrs	-	No
O1811	Medical examination	Hitech_GKS	O	250	Daily : 9:00am	After 6hrs	-	No
O1812	Other diagnostic services-Body fat analysis	Hitech_GKS	O	100	Daily : 9:00am	After 6hrs	-	No
O1813	Other diagnostic services-General Consultation	Hitech_GKS	O	250	Daily : 9:00am	After 6hrs	-	No
O1818	OPG - Orthopantomogram **	Hitech_GKS	O	500	Daily : 9:00am	After 6hrs	-	No
P0001	P1NP (Total) **	Hitech_GKS	C	1700	Mon & Thu : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0002	Pacer - 26 Profile	Hitech_GKS	C	2300	Daily : 9:00am	2nd day : 6:00pm	5 ml of serum and 2 ml of F flouride plasma	No
P0003	Palmitoyl Protein Thioesterase1 **	Hitech_GKS	R	5600	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
P0004	Pancreatic (Acute) Profile	Hitech_GKS	D	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of serum and 2 ml of EDTA whole blood	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
P0005	Pancreatic (Chronic) Profile	Hitech_GKS	D	3650	Wed & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0006	Panfungal-DNA DNA detection by PCR Blood **	Hitech_GKS	D	9000	Daily : 7:30am	3rd day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
P0007	Panfungal-DNA DNA detection by PCR Body fluids **	Hitech_GKS	D	9000	Daily : 7:30am	3rd day : 6:00pm	2ml of Body Fluid in Sterile leak proof container	No
P0008	Panfungal-DNA DNA detection by PCR CSF**	Hitech_GKS	D	9000	Daily : 7:30am	3rd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
P0009	Panfungal-DNA DNA detection by PCR Sputum **	Hitech_GKS	D	9000	Daily : 7:30am	3rd day : 6:00pm	2ml of Sputum in Sterile leak proof container	No
P0010	Panfungal-DNA DNA detection by PCR Tissue **	Hitech_GKS	D	9000	Daily : 7:30am	3rd day : 6:00pm	Tissue with Normal Saline in Sterile leak proof container	No
P0011	PAP smear by Conventional method **	Hitech_GKS	C	650	Daily : 9:00am	2nd day : 6:00pm	Pre fixed smears along with P/S findings	No
P0012	PAP smear by Liquid based cytology (LBC) **	Hitech_GKS	C	750	Daily : 9:00am	2nd day : 6:00pm	Cervical scraping in 10 ml LBC Container	No
P0013	PAPPaPregnancy Associated Plasma ProteinSerum	Hitech_GKS	D	1400	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
P0014	Paracetamol Acetaminophen, Serum **	Hitech_GKS	D	1240	Daily : 9:00am to 9:00pm	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
P0015	Parainflunza 1,2 & 3, IgG Antibody, Serum_P0015 **	Hitech_GKS	C	1800	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0016	Parainflunza 1,2 & 3 , IgM Antibody, Serum_P0016 **	Hitech_GKS	C	1800	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0017	Parathyroid Profile	Hitech_GKS	C	2850	Daily : 9:00am	2nd day :	2 ml of EDTA plasma, 3ml of serum and spot	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
						6:00pm	sample urine	
P0018	Parietal Cell AntibodyGPCA by IFASerum	Hitech_GKS	C	3500	Mon & Thu : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0019	Parvovirus B19 DNA Qualitative PCR, Amniotic fluid **	Hitech_GKS	D	2850	Mon & Thu : 9:00am	Next day : 5:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
P0020	Parvovirus B19 DNA Qualitative PCR, EDTA Blood **	Hitech_GKS	D	3090	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Whole Blood in EDTA Vacutainer	No
P0021	Parvovirus B19 DNA Qualitative PCR, CSF **	Hitech_GKS	D	2850	Mon & Thu : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
P0022	Parvovirus B19IgG antibodySerum **	Hitech_GKS	C	3050	Wed : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0023	Parvovirus B19IgM antibodySerum**	Hitech_GKS	C	3050	Wed & Sat : 1:00pm	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0024	PAS Stain, EDTA Blood **	Hitech_GKS	C	700	Mon & Thu : 11:30am	3rd day : 6:00pm	3 Direct Peripheral smear slides, EDTA blood. Clinical history and clinician no is mandatory	No
P0025	PAS Stain, EDTA Bone Marrow **	Hitech_GKS	C	700	Mon & Thu : 11:30am	3rd day : 6:00pm	3 Direct Bone Marrow Aspirate slides. Clinical history and clinician no is mandatory	No
P0026	Paul bunnel - Infectious Mononucleosis Test, Serum **	Hitech_GKS	B	1000	Daily : 9:00am & 3:00pm	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0027	PCOD Profile	Hitech_GKS	O	2600	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	-	No
P0028	Phencyclidine Phosphate - Quantitative, Urine **	Hitech_GKS	B	680	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
P0032	Peripheral smear Examination	Hitech_GKS	B	320	Daily : 9:00am	After 6hrs	3ml EDTA Whole Blood	Yes
P0033	pH, Stool	Hitech_GKS	A	100	Daily : 9:00am	After 4hrs	5gm of Stool specimen in Sterile leak proof container	No
P0034	pH, Urine	Hitech_GKS	A	100	Daily : 9:00am	After 4hrs	15ml of Spot Urine in Sterile leak proof container	Yes
P0035	Phenobarbitone	Hitech_GKS	C	770	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Gardinal Serum							
P0036	Phenyl Alanine Neonatal Screen Dried blood spot	Hitech_GKS	B	300	Daily : 9:00am	2nd day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clincial history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper.The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion histroy and sample to be collected post 72 hrs after transfusion.Spot Urine:10 ml of Spot urine required with clinical history and clinician number.Amino acid Plasma: 3ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolsim suspicion or provisional diagnosis of clincian required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations	No
P0037	Phenylalanine Quantitative Serum **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
P0038	Phenylalanine Quantitative, Spot Urine**	Hitech_GKS	D	1250	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
P0039	Phenytoin Eptoin, Dilantin Serum	Hitech_GKS	C	770	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
P0040	Pheochromocytoma Marker Profile - 1	Hitech_GKS	D	6900	Daily : 9:00am	4th day : 6:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
P0041	Pheochromocytoma Marker Profile - 2	Hitech_GKS	D	16500	Daily : 9:00am	4th day : 6:00pm	4 ml of EDTA plasma and 20 ml of urine (Urine 24H)	No
P0050	Phospholipid Antibody Profile (IgG), Serum **	Hitech_GKS	C	5200	Thu : 1:00pm	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0051	Phospholipid Antibody Profile (IgM), Serum**	Hitech_GKS	C	5200	Thu : 1:00pm	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0052	Phospholipid Syndrome Profile	Hitech_GKS	D	18000	Tue & Fri : 9:00am	2nd day : 6:00pm	3ml of Citrate plasma, 3ml of serum	No
P0053	Phosphorus, Serum	Hitech_GKS	A	150	Daily : 9:00am	After 4hrs	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	Yes
P0054	Phosphorus, Urine	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
P0055	Phosphorus, Urine 24 Hrs	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	
P0056	Phosphotidyl Serine IgG antibody, Serum **	Hitech_GKS	C	1150	Thu : 1:00pm	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0057	Phosphotidyl Serine IgG antibody, Serum **	Hitech_GKS	C	1150	Thu : 1:00pm	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0058	PIK3CA Gene Mutations Analysis. (Ex 9 , 20) **	Hitech_GKS	E	6500	Mon, Wed & Fri : 9:00am	5th day : 6:00pm	Tumor containing FFPE block (>40% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
P0059	Pituitary Hormones Profile	Hitech_GKS	C	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA plasma, 3ml of serum	No
P0060	PLA2 receptor antibodyPrimary membranous GlomerulopathySerum **	Hitech_GKS	D	4640	Tue : 11:30am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0061	Plate/Slant For Identification & Susceptibility Automated Plate/ Slant**	Hitech_GKS	C	1250	Daily : 9:00am to 9:00pm	3rd day : 6:00pm	Pure culture isolate is required	No
P0062	Platelet Antibodies by IF (P0062) **	Hitech_GKS	D	8840	Mon : 11:30am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0063	Platelet Count, EDTA Blood	Hitech_GKS	A	210	Daily : 9:00am	After 6hrs	3ml EDTA Whole Blood	Yes
P0066	Pneumocystis Carinii Detection by IFA BAL / Sputum **	Hitech_GKS	C	2700	Daily : 9:00am & 3:00pm	Next day : 6:00pm	2ml of BAL / Sputum in Sterile leak proof container	No
P0067	Pneumonia Panel,	Hitech_GKS	D	6500	Daily : 9:00am	After 24hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	bacterial**							
P0069	Pneumonia Panel, Viral-II**	Hitech_GKS	D	5500	Daily : 9:00am	8th day : 6:00pm	-	No
P0070	Pneumonia Viral Profile - 3	Hitech_GKS	D	6500	Thu : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0071	PNH confirmation test, Blood **	Hitech_GKS	D	6650	Daily : 9:00am	Next day : 5:00pm	3ml EDTA whole Blood	No
P0072	PNMA2 (MA2/TA) Antibody_P0072 **	Hitech_GKS	D	4800	Daily : 11:30am	Next day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0073	Polarising Microscopy for Crystals, Synovial Fluid	Hitech_GKS	C	900	Daily : 9:00am	3rd day : 6:00pm	2ml of Synovial Fluid in Sterile leak proof container	No
P0074	Pompe Disease Enzyme Assay Blood**	Hitech_GKS	R	7700	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
P0075	Porphobilinogen - Quantitative, Urine 24 Hrs **	Hitech_GKS	C	5000	Thu : 11:30am	Next day : 5:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
P0076	Porphyria Profile, Urine 24Hrs **	Hitech_GKS	D	5670	Thu : 11:30am	Next day : 5:00pm	Add 10 ml of 6 M HCL preservative in 24 hrs urine container. Collect 24 hrs urine sample and send 10 ml of 24 Hrs Urine In Dark Container.	No
P0077	Porphyria Profile, Urine **	Hitech_GKS	D	5750	Thu : 9:00am	Next day : 5:00pm	10ml aliquot of 24 hrs Urine / Spot Urine in Sterile Urine Container	No
P0078	Potassium, Serum	Hitech_GKS	A	190	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
P0079	Potassium, Urine 24Hrs	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
P0080	Potassium, Urine	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
P0081	ANCA - PR3, Serum	Hitech_GKS	C	1250	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
P0082	PRA (Plasma Renin Activity), EDTA Plasma **	Hitech_GKS	C	5300	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
P0083	Pre Albumin, Serum **	Hitech_GKS	D	3500	Daily : 9:00am to 9:00pm	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
P0084	Pregnancy Test Qualitative Serum	Hitech_GKS	B	200	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	Yes
P0086	Pre-Operative Profile - Maxi	Hitech_GKS	C	2450	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood, 2 ml of citrate plasma, 3ml of serum, 20 ml of spot urine	No
P0087	Pre-Operative Profile - Mini	Hitech_GKS	C	1350	Daily : 9:00am	2nd day : 6:00pm	3ml of EDTA whole blood, 3ml of serum, 20 ml of spot urine	No
P0088	Procalcitonin, Serum	Hitech_GKS	C	2500	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
P0089	Progesterone, Serum	Hitech_GKS	B	550	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
P0090	Prolactin, Serum	Hitech_GKS	B	450	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
P0091	Propoxyphene - Qualitative, Urine **	Hitech_GKS	C	700	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
P0092	Prostate Cancer Profile	Hitech_GKS	D	2000	Daily : 9:00am	2nd day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
						6:00pm		
P0094	Protein C Activity Functional, Citrated Plasma **	Hitech_GKS	C	4200	Mon & Thu : 9:00am	2nd day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
P0095	Protein C Antigen, Citrated Plasma	Hitech_GKS	C	4250	Daily : 9:00am	2nd day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	Yes
P0096	Protein Electrophoresis, Serum **	Hitech_GKS	C	850	Mon, Wed & Fri : 7:30am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
P0097	Protein Electrophoresis, Urine 24Hrs **	Hitech_GKS	C	850	Mon & Thu : 11:30am	Next day : 5:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
P0098	Protein Electrophoresis reflex Immunofixation Profile, Serum **	Hitech_GKS	C	2500	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0099	Protein S Activity Functional, Citrated Plasma **	Hitech_GKS	C	3800	Mon & Thu : 9:00am	2nd day : 6:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
P0100	Protein S Antigen (Free), Citrated Plasma **	Hitech_GKS	C	5000	Mon & Thu : 9:00am	Next day : 1:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
P0101	Proteins, Serum	Hitech_GKS	B	180	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
P0102	Proteins, Urine 24 Hrs	Hitech_GKS	A	350	Daily : 9:00am	After 6hrs	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	
P0102_ SP	Proteins, Urine Spot	Hitech_GKS	A	210	Daily : 9:00am	After 6hrs	-	Yes
P0103	Proteins, Ascitic Fluid	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of Ascitic Fluid in Sterile leak proof container	Yes
P0104	Proteins, CSF	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of CSF in Sterile leak proof tube or container	Yes
P0105	Proteins, Pericardial Fluid	Hitech_GKS	A	275	Daily : 9:00am	After 6hrs	2 ml of Pericardial Fluid in Sterile leak proof container	Yes
P0106	Proteins, Pleural Fluid	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of Pleural Fluid in Sterile leak proof container	Yes
P0107	Proteins, Synovial Fluid	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of Synovial Fluid in Sterile leak proof container	Yes
P0108	Proteins / Creatinine Ratio, Urine	Hitech_GKS	B	480	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
P0109	Prothrombin G20210A (Factor II) Mutation Analysis, EDTA Blood	Hitech_GKS	D	5500	Daily : 9:00am	After 24hrs	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .	No
P0110	Prothrombin Time (PT), Citrated Plasma	Hitech_GKS	B	300	Daily : 9:00am	After 4hrs	Local Labs can send whole Blood within 24 hrs of collection and for Outstations Frozen Plasma required.	Yes
P0111	Free PSA (Prostate Specific Antigen), Serum	Hitech_GKS	C	1050	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
P0112	Total PSA (Prostate Specific Antigen), Serum	Hitech_GKS	B	650	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
P0113	Pseudo Cholinesterase OPC poisoning, Serum **	Hitech_GKS	C	1200	Daily : 9:00am to 9:00pm	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
P0114	PTH-Intact Molecule Parathyroid hormone	Hitech_GKS	B	1350	Daily : 9:00am	After 4hrs	3ml of Serum in Plain Vacutainer or 3ml of EDTA Plasma in Plain Tube	Yes
P0115	PUO Profile	Hitech_GKS	C	5000	Daily : 9:00am	2nd day : 6:00pm	2 Blood culture bottle (Aerobic and anaerobic), 3ml of Serum in Gel/Plain Vacutainer	No
P0117	Pyruvate, Serum **	Hitech_GKS	C	2690	Daily : 9:00am to 9:00pm	2nd day : 6:00pm	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	No
P0119	PSA with Free PSA ratio	Hitech_GKS	C	800	Mon, Wed & Fri : 7:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
P0123	Prolactin, Active & macroprolactin	Hitech_GKS	C	930	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
P0124	PSA reflex Free PSA Profile, Serum	Hitech_GKS	C	1000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
P0125	Porphobilinogen - Quantitative, Urine **	Hitech_GKS	C	4100	Thu : 11:30am	Next day : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
P0126	Proteins, Body Fluid	Hitech_GKS	A	100	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
P0127	Potassium, Body Fluid	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
P0128	Proteins, Peritoneal Fluid	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
P0135	PAN Neurotropic Virus Panel **	Hitech_GKS	D	6500	Daily : 9:00am	3rd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
P0139	Fecal Elastase, Stool **	Hitech_GKS	D	6500	Wed : 9:00am	Same day : 5:00pm	5gms of Stool in Sterile leak proof container	No
P0149	PV (Polycythemia Vera) PCR Profile, EDTA Blood	Hitech_GKS	D	8000	Wed & Sat : 9:00am	4th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
P0152	Preeclampsia screening **	Hitech_GKS	D	3200	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0154	Posaconazole**	Hitech_GKS	R	6000	Mon & Thu :	5th day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
					11:30am	6:00pm		
P0155	Plasma Acylcarnitine profile**	Hitech_GKS	R	5500	Daily : 11:30am	7th day : 6:00pm	3ml of separated EDTA plasma required . Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolsim suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations	No
P0156	PV (Polycythemia Vera) PCR Profile, EDTA Bone Marrow	Hitech_GKS	D	8000	Daily : 9:00am	After 24hrs	3-5 ml of EDTA bone marrow required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory.	No
P0158	PML/RARA - t(15;17) Qualitative by PCR **	Hitech_GKS	D	4900	Daily : 9:00am	4th day : 6:00pm	5-10 ml of EDTA whole blood required. Sample stable for 3 Days at 2 to 8 degree celsius. Clinical diagnosis, test prescription, referring clinicians contact number and TRF mandatory. Sample should reach to the lab within 48 to 72 hours.	No
P0159	Phencyclidine confirmation by LCMS, Spot Urine**	Hitech_GKS	R	680	Daily : 11:30am	10th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
P0160	Platinum, K-EDTA Blood **	Hitech_GKS	R	2750	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf	No
P0161	Platinum, Hair tests by ICPMS**	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
P0163	Propoxyphine confirmation by LCMS, Spot Urine**	Hitech_GKS	R	9000	Daily : 11:30am	10th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
P0165	POLG-Gene Analysis **	Hitech_GKS	E	17000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Do not freeze. TRF, history is mandatory.	
P0166	Pulmonary surfactant metabolism dysfunction-Gene Panel **	Hitech_GKS	E	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
P0167	PGS (Preimplantation genetic screening), Embryo	Hitech_GKS	R	22000	Daily : 11:30am	15th day : 6:00pm	CytogeneticsandFISH.pdf	No
P0168	Pre Screening for Bleeding Disorders, Citrated plasma **	Hitech_GKS	C	4200	Daily : 9:00am	Next day : 5:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
P0169	Panfungal DNA Detection and Identification by PCR and Sanger Sequencing	Hitech_GKS	D	9000	Daily : 7:30am	3rd day : 6:00pm	Pure culture on SDA plate/ slant	No
P0180	PAECILOMYCES VARIOTII(M24) - SPECIFIC IGE	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P0186	Protein S Antigen	Hitech_GKS	D	4800	Daily : 9:00am	2nd day : 6:00pm	-	Yes
P0187	Parietal Cell Antibody/ Intrinsic Factor	Hitech_GKS	O	1900	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
P0190	PRAWNS - SPECIFIC IGE_P0190	Hitech_GKS	O	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
P1002	Plasminogen Activator Inhibitor-1 (PAI-1) / SERPINE-1, 4G/5G Genotyping **	Hitech_GKS	R	14300	Wed : 11:30am	10th day : 6:00pm	Clinical history and TRF mandatory. Blood : 3ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius . Do not send sample in frozen condition. Sample can be shipped at Amibent or referigerated condition based on sample stability.	No
P1003	PCOS Profile - 1	Hitech_GKS	D	3400	Daily : 9:00am	After 10hrs	5 ml of serum and 2 ml of Fasting	No
P1004	PCOS Profile - 2	Hitech_GKS	D	6800	Tue & Fri :	2nd day :	2 ml of Fluoride plasma (F, PP), 5 ml of fasting	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
					9:00am	6:00pm	serum sample	
P1005	PCOS Profile - 3	Hitech_GKS	D	9900	Tue & Fri : 9:00am	2nd day : 6:00pm	2 ml of Fluoride plasma (F, PP), 6 ml of fasting serum sample	No
P1008	Prader-Willi / Angelman Syndrome by MS-PCR **	Hitech_GKS	D	7000	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
P1009	Prolactin (Tripooled Sample)	Hitech_GKS	D	600	Daily : 9:00am	After 6hrs	3ml of serum(0, 20, 40 min)	Yes
P1017	Phenol, Urine**	Hitech_GKS	R	2870	Daily : 11:30am	20th day : 6:00pm	31 ml Urine (collect Urine after end of work shift on last working day of shift)	No
P5629	Prega Plus Screening Profile	Hitech_GKS	E	8599	Daily : 9:00am	2nd day : 6:00pm	2 ml of EDTA whole blood in 2 vacutainers, , 5 ml of serum, 2 ml of fluoride plasma , 20 ml of spot urine, 10 ml of urine in Sterile Container . (Mid-stream or early morning) . Upon 1st visit sample for all other tests is collected Patient has to be then given 82.5 grams of commercial glucose (75 gram anhydrous Glucose ) and Sample has to be collected exactly after two hours.Sample for Pregascreen Dual is collected between 11-13 weeks gestation. Tests for partner to be registered separately under P0630. )	No
P5631	Prega Pro Screening Profile	Hitech_GKS	E	5599	Daily : 9:00am	2nd day : 6:00pm	2 ml of EDTA whole blood in 2 vacutainers, , 5 ml of serum, 2 ml of fluoride plasma , 20 ml of spot Urine 1st visit sample for all other tests is collected Patient has to be then given 82.5 grams of commercial glucose (75 gram anhydrous Glucose ) and Sample has to be collected exactly after two hours.Sample for Pregascreen Dual is collected between 11-13 weeks gestation...	No
P5633	Post COVID Panel 1	Hitech_GKS	O	7280	Daily : 9:00am	After 6hrs	-	No
P5634	Post COVID Panel 2	Hitech_GKS	O	8960	Daily : 9:00am	After 6hrs	-	No
P5641	PCOD	Hitech_GKS	O	2150	Daily : 9:00am	After 24hrs	-	No
P7001	p-ANCA (1:10) ,serum	Hitech_GKS	O	1400	Daily : 9:00am	2nd day :	3ml of Serum in Gel/Plain Vacutainer	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	by IF					6:00pm		
P7030	Protein (total), serum by Biuret method	Hitech_GKS	A	210	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
P8060	Phospholipid Antibodies	Hitech_GKS	O	2550	Daily : 9:00am	After 24hrs	-	No
P8220	Pneumocystis jirovecii DNA Qualitative PCR, Sputum/BAL **	Hitech_GKS	D	7500	Tue, Thu & Sat : 10:00am	Next day : 5:00pm	3ml Sputum or BAL	No
P8229	PLA2 RECEPTOR ANTIBODY QUANTITATIVE , SERUM	Hitech_GKS	D	5300	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
P8232	POST GLUCOSE 150 MINS	Hitech_GKS	A	150	Daily : 9:00am	After 24hrs	-	Yes
P8233	POST GLUCOSE 150 MINS URINE SUGAR	Hitech_GKS	A	20	Daily : 9:00am	After 10hrs	15ml of Spot Urine in Sterile leak proof container	No
P8235	POST GLUCOSE 3 HRS URINE SUGAR	Hitech_GKS	A	30	Daily : 9:00am	After 10hrs	15ml of Spot Urine in Sterile leak proof container	No
P8241	30 Mins Post Urine Sugar, Urine	Hitech_GKS	A	20	Daily : 9:00am	After 10hrs	15ml of Spot Urine in Sterile leak proof container	Yes
P8242	60 Mins Post Urine Sugar, Urine	Hitech_GKS	A	20	Daily : 9:00am	After 10hrs	15ml of Spot Urine in Sterile leak proof container	Yes
P8244	90 Mins Post Urine Sugar, Urine	Hitech_GKS	A	50	Daily : 9:00am	After 10hrs	15ml of Spot Urine in Sterile leak proof container	Yes
P8247	Pelvis -AP / LAT_P8247	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
P8277	PIC3CA NGS Mutation**	Hitech_GKS	R	45000	Daily : 9:00am	After 24hrs	Peripheral Blood in streck tube	No
P8495	PITUTARY FOSA (CONE VIEW SELLA)	Hitech_GKS	O	360	Daily : 9:00am	After 24hrs	-	No
P8496	Allergy - Mold-1 Panel **	Hitech_GKS	O	10000	Daily : 9:00am	After 24hrs	-	No
Q8101	QFPCR **	Hitech_GKS	E	5250	Daily : 9:00am	Next day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
R0001	RA (Rheumatoid Arthritis) Factor, Serum	Hitech_GKS	B	500	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
R0002	RA (Rheumatoid Arthritis) Factor, Synovial Fluid	Hitech_GKS	B	450	Daily : 9:00am	After 6hrs	2ml of Synovial Fluid in Sterile leak proof container	Yes
R0003	RAAS Screening Panel	Hitech_GKS	D	5200	Tue & Fri : 9:00am	2nd day : 6:00pm	-	No
R0004	Rabies Virus Antibodies, Serum **	Hitech_GKS	D	3880	Mon : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0005	RA (Rheumatoid Arthritis) IgA Antibodies, Serum **	Hitech_GKS	R	850	Daily : 11:30am	7th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0007	RBC Folate **	Hitech_GKS	C	2200	Daily : 9:00am	Next day : 5:00pm	EDTA Blood (2 ml) And Serum (2 ml)	No
R0009	Reducing Substances, Urine	Hitech_GKS	A	50	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
R0010	Reducing Substances, Stool	Hitech_GKS	A	100	Daily : 9:00am	After 6hrs	5gm of Stool specimen in Sterile leak proof container	No
R0012	RFT (Renal /Kidney) Function Tests) Profile - Mini	Hitech_GKS	C	1100	Daily : 9:00am	2nd day : 6:00pm	3ml of serum, 20 ml of spot urine	No
R0012_WithouteGFR	RFT (Renal /Kidney) Function Tests) Profile - Mini 2	Hitech_GKS	C	1050	Daily : 9:00am	2nd day : 6:00pm	3ml of serum, 20 ml of spot urine	No
R0013	Renin Direct, Plasma **	Hitech_GKS	C	3650	Daily : 9:00am	Same day : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
R0014	Respiratory Tract Infection Profile - IgG, Serum **	Hitech_GKS	D	6500	Thu : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0015	Respiratory Tract Infection Profile - IgM, Serum **	Hitech_GKS	D	6500	Thu : 7:30am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0016	Reticulocyte Count	Hitech_GKS	B	300	Daily : 9:00am	After 6hrs	-	No
R0018	Rett Syndrome MECP2 Sequencing Blood**	Hitech_GKS	E	8000	Daily : 9:00am	10th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
R0020	Rh Antibody Titre. Serum	Hitech_GKS	B	750	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
R0021	Rheumatic Fever Profile	Hitech_GKS	C	1650	Daily : 9:00am	3rd day : 6:00pm	3ml of EDTA blood and serum. And Throat swab	No
R0022	Rheumatoid Arthritis Profile - 1	Hitech_GKS	C	3350	Wed & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0023	Rheumatoid Arthritis Profile - 2	Hitech_GKS	C	5100	Wed & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0024	Rheumatoid Arthritis Profile - 3	Hitech_GKS	C	7750	Wed : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0025	Rheumatology Profile	Hitech_GKS	C	5900	Wed & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0026	Ri Antibody, Serum **	Hitech_GKS	D	4500	Daily : 11:30am	Next day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0027	RNP-Sm Antibody, Serum	Hitech_GKS	C	1000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
R0028	Rota Virus Antigen Detection, Stool **	Hitech_GKS	C	1300	Daily : 9:00am & 3:00pm	After 4hrs	5gm of Stool specimen in Sterile leak proof container	No
R0030	Routine Examination Profile, Stool	Hitech_GKS	A	240	Daily : 9:00am	After 6hrs	5gm of Stool specimen in Sterile leak proof container	No
R0031	Routine Examination Profile, Body fluid	Hitech_GKS	C	800	Daily : 9:00am	After 16hrs	2ml of Body Fluid in Sterile leak proof container	No
R0032	Routine Examination Profile, Ascitic fluid	Hitech_GKS	C	800	Daily : 9:00am	After 16hrs	2ml of Ascitic Fluid in Sterile leak proof container	No
R0032_2	Routine Examination Profile, Ascitic fluid - 2	Hitech_GKS	C	990	Daily : 9:00am	2nd day : 6:00pm	2ml of Ascitic Fluid in Sterile leak proof container	No
R0033	Routine Examination Profile, CSF	Hitech_GKS	C	200	Daily : 9:00am	After 16hrs	2ml of CSF in Sterile leak proof tube or container	No
R0033_2	Routine Examination Profile, CSF- 2	Hitech_GKS	C	1250	Daily : 9:00am	After 4hrs	2ml of CSF in Sterile leak proof tube or container	No
R0034	Routine Examination Profile, Pericardial Fluid	Hitech_GKS	C	800	Daily : 9:00am	After 16hrs	2ml of Pericardial Fluid in Sterile leak proof container	No
R0035	Routine Examination Profile, Peritoneal Fluid	Hitech_GKS	C	800	Daily : 9:00am	After 16hrs	2ml of Peritoneal Fluid in Sterile leak proof container	No
R0036	Routine Examination	Hitech_GKS	C	900	Daily : 9:00am	After 16hrs	2ml of Pleural Fluid in Sterile leak proof	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Profile, Pleural Fluid						container	
R0036_2	Routine Examination Profile, Pleural Fluid - 2	Hitech_GKS	C	1390	Daily : 9:00am	2nd day : 6:00pm	2ml of Pleural Fluid in Sterile leak proof container	No
R0037	Routine Examination Profile, Prostatic Fluid	Hitech_GKS	C	800	Daily : 9:00am	After 16hrs	2ml of Prostatic Fluid in Sterile leak proof container	No
R0039	Routine Examination Profile, Sputum**	Hitech_GKS	B	880	Daily : 9:00am	After 16hrs	2ml of Sputum in Sterile leak proof container	No
R0040	Routine Examination Profile, Synovial Fluid	Hitech_GKS	C	800	Daily : 9:00am	2nd day : 6:00pm	2ml of Synovial Fluid in Sterile leak proof container	No
R0041_M	Routine Examination Urine(Manual)	Hitech_GKS	A	150	Daily : 9:00am	After 5hrs	15ml of Spot Urine in Sterile leak proof container	No
R0042	RSV IgG Antibody, Serum **	Hitech_GKS	C	2100	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0043	RSV IgM Antibody, Serum **	Hitech_GKS	C	2100	Thu : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0044	Rubella Virus Avidity, Serum **	Hitech_GKS	C	1300	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0045	Rubella Virus IgG & IgM antibody, Serum	Hitech_GKS	C	1200	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0046	CSF-Rubella (German Measles)-IgG Antibodies by EIA**	Hitech_GKS	C	3000	Mon & Thu : 7:30am	3rd day : 6:00pm	-	No
R0047	Rubella Virus IgG antibody, Serum	Hitech_GKS	B	600	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0048	Rubella Virus IgM antibody, Serum	Hitech_GKS	B	600	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0049	Rubella virus RNA Detection, Amniotic Fluid **	Hitech_GKS	C	3300	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
R0050	Rubella virus RNA Detection, EDTA Blood **	Hitech_GKS	C	3300	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	3ml of Whole Blood in EDTA Vacutainer	No
R0051	Rubella virus RNA Detection, CSF **	Hitech_GKS	C	3300	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	2ml of CSF in Sterile leak proof tube or container	No
R0053	Rubella virus RNA	Hitech_GKS	C	3300	Mon, Wed &	Same day :	15ml of Spot Urine in Sterile leak proof	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Detection, Urine **				Fri : 9:00am	9:00pm	container	
R0055	RVVT (Russell Viper Venom Time), Citrated Plasma **	Hitech_GKS	C	1000	Daily : 9:00am & 3:00pm	After 6hrs	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
R0056	Retinitis PCR Profile **	Hitech_GKS	D	10000	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	3ml of Aqueous/ Vitreous Fluid in Sterile leak proof container	No
R0059	Retinol Binding Protein, Serum **	Hitech_GKS	R	2800	Daily : 11:30am	15th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0060	Ricketssia DNA Qualitative PCR, EDTA Blood **	Hitech_GKS	D	5300	Daily : 10:00am	After 24hrs	3ml of Whole Blood in EDTA Vacutainer	No
R0063	ROS1 Gene Rearrangement, Tissue **	Hitech_GKS	D	11500	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
R0066	Respiratory Profile by FilmArray **	Hitech_GKS	E	16800	Daily : 9:00am to 9:00pm	After 10hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM).NASOPHARYNGEAL /orOPHARYNGEAL	No
R0067	RET Gene Rearrangement, Tissue **	Hitech_GKS	E	9000	Daily : 9:00am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
R0069	RNA Polymerase III Antibodies IgG, Serum **	Hitech_GKS	C	3300	Daily : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R0080	Renal Biopsy Profile, Tissue	Hitech_GKS	R	11500	Daily : 9:00am	8th day : 6:00pm	Tissue in 10% NB formalin for histopathology Tissue in Michel Medium for Immunofluorescence.	No
R0086	Rifampicin, EDTA Plasma	Hitech_GKS	D	6000	Daily : 9:00am	After 24hrs	2 ml of K2-EDTA plasma in K2 EDTA Vacutainer	No
R0090	Reverse T3	Hitech_GKS	O	1770	Daily : 9:00am	After 24hrs	-	Yes
R0091	Retro Virus I & II	Hitech_GKS	O	825	Daily : 9:00am	After 24hrs	-	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	(CMIA)							
R0092	Retro Virus I & II (ELISA)	Hitech_GKS	O	825	Daily : 9:00am	After 24hrs	-	Yes
R1008	Ribosome Antibodies, Serum **	Hitech_GKS	R	7000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
R5523	Global Screening 9 Drug panel	Hitech_GKS	D	2000	Daily : 9:00am	2nd day : 6:00pm	-	No
R5588	Reassure BOH Profile - Mini	Hitech_GKS	D	5900	Daily : 9:00am	After 24hrs	5 ml serum, 3ml citrate plasma	No
R5589	Reassure BOH Profile - Maxi	Hitech_GKS	D	11000	Daily : 9:00am	After 24hrs	5 ml serum, 4 ml Heparin whole Blood (Husband and wife), 3ml citrate plasma	No
R8100	Right foot AP / LAT_R8100	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
R8101	Right Hand Ap/ Lat_R8101	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
R8106	right ankel ( ap / lateral )_R8106	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
S0001	Spinocerebellar Ataxia Cpmprehensive Profile, EDTA Blood **	Hitech_GKS	E	15000	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
S0002	Spinocerebellar Ataxia 1 (SCA1) DNA Detection, EDTA Blood **	Hitech_GKS	D	2900	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
S0003	Spinocerebellar Ataxia 2 (SCA2) DNA Detection, EDTA Blood **	Hitech_GKS	D	4000	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
S0004	Spinocerebellar Ataxia 3 (SCA3) DNA Detection, EDTA Blood **	Hitech_GKS	D	2900	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
S0005	Spinocerebellar Ataxia 6 (SCA6) DNA Detection, EDTA Blood **	Hitech_GKS	D	2900	Mon & Wed : 9:00am	7th day : 6:00pm	TRF mandatory. 3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
S0006	Spinocerebellar Ataxia 7 (SCA7) DNA Detection, EDTA Blood **	Hitech_GKS	D	4000	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
S0007	Spinocerebellar Ataxia 12 (SCA12) DNA Detection, EDTA Blood **	Hitech_GKS	D	3090	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
S0008	Scl-70 Antibody, Serum	Hitech_GKS	C	1350	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
S0009	Scleroderma Profile	Hitech_GKS	C	5250	Wed & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0010	Selenium, K-EDTA Blood **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
S0011	Selenium, Serum **	Hitech_GKS	D	3250	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
S0012	Selenium, Urine **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
S0013	Selenium, Urine 24Hrs **	Hitech_GKS	D	2750	Daily : 11:30am	3rd day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
S0014	Serine - Quantitative, EDTA Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
S0015	Serine - Quantitative, Urine 24Hrs **	Hitech_GKS	D	6200	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
S0016	Serotonin, Serum **	Hitech_GKS	D	4590	Wed : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0017	Serotonin, Urine 24Hrs **	Hitech_GKS	D	5060	Wed : 11:30am	Next day : 5:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
S0018	SGOT (AST), Serum	Hitech_GKS	A	180	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
S0019	SGPT (ALT), Serum	Hitech_GKS	A	190	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
S0020	SHBG, Serum	Hitech_GKS	C	2000	Mon, Wed & Fri : 7:30am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
S0021	Sickle Cell Anemia (HbS), EDTA Blood **	Hitech_GKS	D	3500	Wed & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius . Clinical history, referring clinicians contact number, HPLC Report, CBC findings, clinical/family history and TRF mandatory.	No
S0022	Sickling Test, EDTA Blood **	Hitech_GKS	B	300	Daily : 9:00am	2nd day : 6:00pm	3ml EDTA whole blood	No
S0024	Silver, Urine **	Hitech_GKS	R	3400	Daily : 11:30am	10th day : 6:00pm	Individual Metals and Minerals.pdf	No
S0026	SIROLIMUS, BLOOD BY LC MSMS (S0026) **	Hitech_GKS	C	5500	Tue & Fri : 11:30am	Next day : 5:00pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.	No
S0027	Sjogrens Syndrome Profile **	Hitech_GKS	D	2500	Wed & Sat : 7:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0028	Anti-SLA/LP, IgG **	Hitech_GKS	C	3150	Daily : 11:30am	Next day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0030	Sm AntibodySmith Antibody, Serum	Hitech_GKS	C	1000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
S0031	SMA Profile	Hitech_GKS	D	1780	Daily : 9:00am	2nd day : 6:00pm	2 ml of flouride plasma , 3ml of serum	No
S0032	Sodium, Serum	Hitech_GKS	A	190	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
S0033	Sodium, Urine	Hitech_GKS	A	225	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
S0034	Sodium, Urine 24 Hrs	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	
S0035	Sodium, Body Fluid	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
S0036	Soluble Transferrin Receptor, Serum	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0037	Specific Gravity, Urine	Hitech_GKS	A	100	Daily : 9:00am	2nd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	Yes
S0038	Spectral Karyotyping (SKY) (m-FISH) 24 Color Painting Blood**	Hitech_GKS	D	17500	Daily : 9:00am	15th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
S0040	Sperm Antibody-TotalASABserum	Hitech_GKS	C	1200	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
S0041	Sphingomyelinase Niemann Pick Disease Blood**	Hitech_GKS	R	7500	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
S0044	SMA (Spinal Muscular Atrophy) Microdeletion, EDTA Blood **	Hitech_GKS	D	3700	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
S0045	Sry Deletion FISH**	Hitech_GKS	D	5300	Daily : 9:00am	12th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
S0046	SSA-AntibodyRo, Serum	Hitech_GKS	C	1350	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
S0047	SSB-AntibodyLa, Serum	Hitech_GKS	C	1350	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
S0048	STD (Sexually	Hitech_GKS	D	5000	Tue, Thu & Sat :	3rd day :	3ml of Serum in Gel Vacutainer or in Plain	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Transmitted Diseases) Profile - 1				9:00am	6:00pm	Vacutainer	
S0049	STD (Sexually Transmitted Diseases) Profile - 2	Hitech_GKS	D	5000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0050	STD (Sexually Transmitted Diseases) Profile - 3	Hitech_GKS	D	8300	Daily : 9:00am	2nd day : 6:00pm	6 ml of EDTA whole blood, 15ml Urine in sterile container. For HPV : Swab, Tissue for male and LBC, Swab, Tissue for female	No
S0051	Steroid Analysis Profile, Medicine **	Hitech_GKS	R	11000	Daily : 11:30am	10th day : 6:00pm	Medicine sample (10 grm )	No
S0052	Stomach Marker Profile **	Hitech_GKS	D	3550	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
S0053	Calculus (Stone) Analysis by FTIR, Gall bladder	Hitech_GKS	D	1300	Daily : 9:00am	2nd day : 6:00pm	Collect sample in dry plain container, mention stone type and history	No
S0054	Calculus (Stone) Analysis by FTIR, Kidney (Renal)	Hitech_GKS	D	1250	Daily : 9:00am	2nd day : 6:00pm	Collect sample in dry plain container, mention stone type and history	No
S0055	Calculus (Stone) Analysis by FTIR, Urine calculus	Hitech_GKS	D	1300	Daily : 9:00am	After 24hrs	Collect sample in dry plain container, mention stone type and history	No
S0056	Stone Screening Profile - 3, Urine 24 Hrs	Hitech_GKS	D	2150	Daily : 9:00am	2nd day : 6:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
S0058	Streptococcus Group B Antigen Detection, CSF	Hitech_GKS	C	1300	Daily : 9:00am & 3:00pm	After 4hrs	2ml of CSF in Sterile leak proof tube or container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
**								
S0059	Streptococcus Group B Antigen Detection, Serum **	Hitech_GKS	C	1300	Daily : 9:00am & 3:00pm	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
S0060	Streptococcus pneumoniae Antigen Detection, CSF **	Hitech_GKS	C	1300	Daily : 9:00am & 3:00pm	After 4hrs	2ml of CSF in Sterile leak proof tube or container	No
S0061	Streptococcus pneumoniae Antigen Detection, Serum **	Hitech_GKS	C	1300	Daily : 9:00am & 3:00pm	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
S0062	Streptococcus pneumoniae Antigen Detection, Urine **	Hitech_GKS	C	1300	Daily : 9:00am & 3:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container	No
S0066	Glucose, Urine	Hitech_GKS	A	75	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
S0067	Syphilis Antibodies Treponema Serum **	Hitech_GKS	C	2000	Tue & Fri : 11:30am	Next day : 5:00pm	3ml of Serum in Gel Vacutainer or in Plain Vacutainer	No
S0070	Scrub Typhus Profile	Hitech_GKS	C	1100	Tue & Fri : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
S0071	Scrub typhus IgM Serum	Hitech_GKS	C	1100	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
S0074	SMA Carrier Detection Genetic Disorders**	Hitech_GKS	R	9000	Tue & Fri : 9:00am	7th day : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
S0075	SCA17 PCR-Fragment analysis **	Hitech_GKS	D	2900	Mon & Wed : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Amibent Temperature and 7 Days at 2 to 8 degree celsius. Clinical/family history, referring clinicians contact number and TRF mandatory.	No
S0077_Sperm-DFI	Sperm DNA Fragmentation (DFI)	Hitech_GKS	D	5300	Daily : 9:00am	After 24hrs	2-3ml of freshly collected Semen sample in a sterile leak proof container. If reaching the lab within 4hrs of collection, transported at ambient temperature.If more than 4 hrs - then	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							transported in frozen condition.3 days abstinence is mandatory.	
S0079	SYT gene rearrangement t(X;18)**	Hitech_GKS	R	5200	Daily : 11:30am	7th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
S0083	Stool for Compylobacter Culture and Identification**	Hitech_GKS	C	660	Daily : 9:00am to 9:00pm	5th day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	No
S0084	SUCCINYLACETONE, BLOOD**	Hitech_GKS	R	4700	Daily : 11:30am	8th day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	No
S0085	Succinylacetone Urine**	Hitech_GKS	R	4700	Daily : 11:30am	7th day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
S0097	STI (Sexually Transmitted Infection) Urethritis Profile	Hitech_GKS	D	6500	Daily : 9:00am	After 24hrs	Specimen Type: Urethral discharge, Genital discharge, Blister fluid, Ulcer, Ulcer base, Semen , High Vaginal swab, Urethral Swab, Endocervical swab in a sterile leak proof container.	No
S0103	Soft Tissue Sarcoma Panel	Hitech_GKS	R	40000	Daily : 9:00am	After 24hrs	Paraffin Block	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
S0105	Semen Analysis	Hitech_GKS	O	1000	Daily : 9:00am	2nd day : 6:00pm	-	No
S0108	SQUID ( F 258)-SPECIFIC IGE	Hitech_GKS	O	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0543	Settle Plate Microbiological Surveillance Panel	Hitech_GKS	C	250	Daily : 9:00am	2nd day : 6:00pm	-	No
S0547	sFlt-1 (Soluble fms-like tyrosine kinase-1) **	Hitech_GKS	D	3800	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0548	PLGF (Placental Growth Factor) **	Hitech_GKS	D	3000	Mon & Thu : 11:30am	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0549	sFlt-1/PLGF ratio **	Hitech_GKS	D	5800	Daily : 7:30am	Same day : 9:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S0551	Sanger Sequencing / Additional family member screening**	Hitech_GKS	R	9000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
S0552	Selenium, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
S0556	Steroids test by LCMS method	Hitech_GKS	R	11000	Daily : 11:30am	10th day : 6:00pm	Require clinician provisional diagnosis, homeopathic, allopathic, ayurvedic or unani medicine history, duration of intake, dose and clincial symptoms if any. Reported in 7 days	No
S0558	SARS- CoV-2 (COVID 19) RNA Qualitative PCR, VTM Swab	Hitech_GKS	O	400	Daily : 9:00am	After 24hrs	1 Swab with Sufficient Material in Viral Transport Medium (VTM).NASOPHARYNGEAL /orOPHARYNGEAL	Yes
S0565	Soluble CD25 ( IL 2 Receptor), Serum **	Hitech_GKS	D	11670	Daily : 11:30am	5th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S1005	SCC-TA4 antigen, Serum **	Hitech_GKS	R	8800	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S1006	Schistosomiasis - confirmation**	Hitech_GKS	R	9500	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
S1020	Strongyloidiasis	Hitech_GKS	R	5700	Daily : 11:30am	After 4 weeks :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	serology, Serum By EIA**					6:00pm		
S1038	Sickle Cell Anemia Mutation Æ&¬œ Prenatal Diagnosis **	Hitech_GKS	D	6600	Wed & Fri : 9:00am	7th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
S1039	SMA (Spinal Muscular Atrophy) Microdeletion, Amniotic Fluid **	Hitech_GKS	D	6000	Daily : 9:00am	7th day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
S1039_C	Spinal Muscular Atrophy (SMA )-SMN1 Gene deletion	Hitech_GKS	D	6000	Daily : 9:00am	7th day : 6:00pm	20-30 mg of Chorionic Villus sample in Sterile saline container	No
S8322	SARS-CoV-2 (COVID 19) Rapid Detection, VTM Swab	Hitech_GKS	E	1975	Daily : 9:00am	2nd day : 6:00pm	1 Swab with Sufficient Material in Viral Transport Medium (VTM).NASOPHARYNGEAL /orOPHARYNGEAL	No
S8370	Sexually transmitted infections (Basic panel)	Hitech_GKS	O	1595	Daily : 9:00am	After 24hrs	-	No
S8371	Sexually transmitted infections (Advanced Panel)	Hitech_GKS	O	1860	Daily : 9:00am	After 24hrs	-	No
S8399	Streptococcus Group A Antigen Detection, Throat Swab	Hitech_GKS	C	4895	Daily : 9:00am & 3:00pm	After 6hrs	Throat Swab	No
S8514	Salivary Cortisol, Saliva **	Hitech_GKS	E	2800	Daily : 9:00am	After 24hrs	4-5 ml saliva in sterile lolli sponge tube	No
S8529	SRH BONE AND JOINT PROFILE	Hitech_GKS	O	1250	Daily : 9:00am	After 24hrs	-	No
S8530	SRH BONE AND JOINT PROFILE WITH ANA	Hitech_GKS	O	1850	Daily : 9:00am	After 24hrs	-	No
S8532	SRH Profile - I	Hitech_GKS	O	800	Daily : 9:00am	After 24hrs	-	No
S8534	SRH PROFILE WITH HB A1C	Hitech_GKS	O	1000	Daily : 9:00am	After 24hrs	-	No
S8536	SLE Profile	Hitech_GKS	C	2000	Daily : 9:00am	After 24hrs	-	No
T0004	t(1 19)by FISH E2A(ALL) **	Hitech_GKS	D	3900	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0005	t(1 19)By FISH E2A	Hitech_GKS	D	3900	Daily : 9:00am	3rd day :	3ml Bone Marrow in Sodium Heparin	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	(ALL) Bone Marrow **					6:00pm	Vacutainer	
T0006	t(11;14) by FISH IGH/CCND1 (ALL, NHL) Bone Marrow **	Hitech_GKS	D	4500	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
T0007	t(11;14) by FISH IGH/CCND1 Blood**	Hitech_GKS	D	4500	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0008	t(11q23) by FISH MLL gene rearrangement (ALL, AML) Blood **	Hitech_GKS	D	4100	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0009	t(11q23) by FISH MLL gene rearrangement (ALL, AML) Bone Marrow **	Hitech_GKS	D	4100	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
T0010	TEL/AML1 t(12 21) (ALL), Heparin Blood **	Hitech_GKS	D	3900	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0011	TEL/AML1 t(12 21) (ALL), Heparin Bone Marrow **	Hitech_GKS	D	3900	Daily : 9:00am	3rd day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
T0012	PML RARA t(15;17) (AML-M3), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0013	PML RARA t(15;17) (AML-M3), Heparin Bone Marrow **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
T0014	PML RARA t(15;17) - Quantitative PCR, EDTA Blood **	Hitech_GKS	D	4900	Daily : 7:30am	7th day : 6:00pm	3ml of EDTA Whole Blood	No
T0015	PML Ra Ra (Quanti) by PCR**	Hitech_GKS	D	4900	Daily : 7:30am	7th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0016	PDGFR Alpha rearrangement t(4q12), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0017	PDGFR Alpha rearrangement t(4q12), Heparin Bone	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Marrow **							
T0018	PDGFR Beta rearrangement t(5q33), Heparin Blood **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0019	PDGFR Beta rearrangement t(5q33), Heparin Bone Marrow **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
T0020	ETO/AML1 (AML-M2), Heparin Blood **	Hitech_GKS	D	4300	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0021	ETO/AML1 (AML-M2), Heparin Bone Marrow **	Hitech_GKS	D	4300	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
T0024	BCR-ABL (Philadelphia) FISH, Heparin Blood **	Hitech_GKS	D	4000	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0025	BCR-ABL (Philadelphia) FISH, Heparin Bone Marrow **	Hitech_GKS	D	4400	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
T0028	FT3 (Free Tri-iodothyronine), Serum	Hitech_GKS	B	280	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0029	T3 (Total Tri-iodothyronine), Serum	Hitech_GKS	B	220	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0030	FT4 (Free Thyroxine), Serum	Hitech_GKS	B	270	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0031	T4 (Total Thyroxine), Serum	Hitech_GKS	B	220	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0032	Tacrolimus by ECLIA, EDTA Blood	Hitech_GKS	C	3800	Daily : 9:00am	After 5hrs	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.	Yes
T0033	Tacrolimus by LCMS, EDTA Blood **	Hitech_GKS	C	4200	Tue, Thu & Sat : 9:00am	Same day : 9:00pm	Blood to be collected in 3ml EDTA vacutainer tube and shipped at Ambient temperature. The sample is stable for 6 hours and 7days at	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Ambient & 2-8C respectively. Please indicate history of the drug dose taken, time of sample collection (peak or trough levels, e.g C0 or C2 ) and clinical History along with the sample.	
T0035	TB-Interferon-y(gamma) release assay (IGRA)-3 Tube	Hitech_GKS	C	2600	Daily : 9:00am	2nd day : 6:00pm	5 ml of Lithium Heparin Blood	No
T0036	TCR (T-cell Receptor)-Alpha Beta, EDTA Blood **	Hitech_GKS	D	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
T0037	TCR (T-cell Receptor)-Gamma Delta, EDTA Blood **	Hitech_GKS	D	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
T0038	TDT (Terminal deoxynucleotidyl transferase)-Nuclear, EDTA Blood **	Hitech_GKS	D	2300	Daily : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood required. Sample stable for 2 days at Ambient temperature and sample to be transported in Ambient condition(preferably). Clinical history and clinician number required.	No
T0039	Testicular Tumor Marker Profile	Hitech_GKS	D	1300	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0040	Testosterone Bioavailable, Serum	Hitech_GKS	C	2400	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0041	Testosterone Free, Serum **	Hitech_GKS	C	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0042	Testosterone Total, Serum	Hitech_GKS	B	650	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0043	Testosterone Profile	Hitech_GKS	C	3500	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0044	Tetanus Toxoid-IgG, Serum **	Hitech_GKS	C	3496	Fri : 9:00am	Same day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0045	Thalassemia Studies	Hitech_GKS	C	1800	Daily : 9:00am	After 24hrs	3ml EDTA whole blood and serum sample	No
T0046	Thallium, K-EDTA Blood	Hitech_GKS	D	2750	Daily : 11:30am	5th day :	HeavyMetalSamplingguidelines.pdf	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	**					6:00pm		
T0047	Thallium, Serum **	Hitech_GKS	D	2750	Daily : 11:30am	5th day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
T0048	Thallium, Urine **	Hitech_GKS	D	2750	Daily : 11:30am	5th day : 6:00pm	HeavyMetalSamplingguidelines.pdf	No
T0049	Theophylline, Serum **	Hitech_GKS	C	1030	Daily : 9:00am to 9:00pm	After 4hrs	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	No
T0050	Threonine - Quantitative, Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
T0051	Threonine - Quantitative, Urine **	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
T0052	Thrombin Time, Citrate Plasma **	Hitech_GKS	B	1090	Daily : 9:00am,3:00pm & 9:00pm	After 6hrs	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
T0053	Thrombotic Risk DNA Profile **	Hitech_GKS	D	12000	Wed & Fri : 9:00am	10th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .	No
T0056	Thrombotic Profile	Hitech_GKS	D	16500	Mon & Thu : 9:00am	2nd day : 6:00pm	Serum and 1 ml of citrated platelet poor plasma in frozen condition.	No
T0057	Thyroglobulin, Serum	Hitech_GKS	C	1500	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0058	Thyroglobulin antibody, CSF **	Hitech_GKS	C	1350	Daily : 9:00am to 9:00pm	After 6hrs	2ml of CSF in Sterile leak proof tube or container	No
T0059	Thyroglobulin antibody, Serum	Hitech_GKS	B	1150	Daily : 9:00am	After 5hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0060	Thyroid Antibodies, CSF **	Hitech_GKS	C	2200	Daily : 9:00am to 9:00pm	After 6hrs	2ml of CSF in Sterile leak proof tube or container	No
T0061	Thyroid Antibodies, Serum	Hitech_GKS	C	2100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0062	Thyroid Comprehensive Profile - 1	Hitech_GKS	B	2700	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0063	Thyroid Comprehensive Profile - 2	Hitech_GKS	B	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
T0064	Thyroid Marker Profile	Hitech_GKS	D	3990	Tue & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0065	Thyroid Panel - 1	Hitech_GKS	B	490	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0066	Thyroid Panel - 2	Hitech_GKS	B	570	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0066_ CLIA	Thyroid Profile (CLIA)	Hitech_GKS	C	600	Daily : 9:00am	After 24hrs	-	No
T0067	Thyroid Profile - 3 (Reflex), Serum	Hitech_GKS	B	400	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0068	Thyroid Panel - 4	Hitech_GKS	B	600	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
T0069	Thyroxine Binding Globulin, Serum **	Hitech_GKS	C	5000	Daily : 11:30am	5th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0070	TIBC Biochemical Serum	Hitech_GKS	B	550	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0071	TNF Alpha (Tumour Necrosis Factor), Serum **	Hitech_GKS	C	4485	Wed & Sat : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0072	TORCH PCR Profile, Amniotic Fluid **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
T0073	TORCH PCR Profile, EDTA Blood **	Hitech_GKS	C	6500	Daily : 9:00am	3rd day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
T0074	TORCH PCR Profile, CVS **	Hitech_GKS	C	7500	Daily : 9:00am	5th day : 6:00pm	20-30 mg of Chorionic Villus sample in Sterile saline container	No
T0075	TORCH PCR Profile, CSF **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
T0076	TORCH PCR Profile, Urine **	Hitech_GKS	C	7500	Daily : 9:00am	3rd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
T0077	TORCH 10 Profile (IgG & IgM), Serum	Hitech_GKS	C	3200	Mon, Wed & Fri : 7:30am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
T0078	TORCH 13 Profile (IgG & IgM), Serum **	Hitech_GKS	C	3610	Mon : 9:00am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0079	TORCH 4 Profile (IgG), Serum	Hitech_GKS	C	1700	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0080	Tacrolimus Genotyping	Hitech_GKS	R	8000	Tue & Thu :	7th day :	3ml of EDTA whole blood required to be send	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	(CYP3A5), EDTA Blood **				11:30am	6:00pm	at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	
T0081	TORCH 5 Profile (IgM), Serum	Hitech_GKS	C	1700	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0082	TORCH-5 IgG, CSF and Serum**	Hitech_GKS	D	11000	Daily : 9:00am	2nd day : 6:00pm	-	No
T0083	TORCH 5 Profile (IgG), Serum	Hitech_GKS	C	1600	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0084	TORCH 5 Profile (IgG & IgM), Serum	Hitech_GKS	C	1750	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0086	Toxoplasma Avidity, Serum **	Hitech_GKS	C	1300	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0087	Toxoplasma DNA Detection by PCR, Amniotic Fluid **	Hitech_GKS	C	3300	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
T0088	Toxoplasma DNA Detection by PCR, EDTA Blood **	Hitech_GKS	C	3300	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	3ml of Whole Blood in EDTA Vacutainer	No
T0089	Toxoplasma DNA Detection by PCR, Chorionic Villus **	Hitech_GKS	C	3300	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	2ml of CVS in Sterile leak proof tube or container	No
T0091	Toxoplasma DNA Detection by PCR, CSF **	Hitech_GKS	C	3300	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	2ml of CSF in Sterile leak proof tube or container	No
T0092	Toxoplasma DNA Detection by PCR, Urine **	Hitech_GKS	C	3300	Mon, Wed & Fri : 9:00am	Same day : 9:00pm	15ml of Spot Urine in Sterile leak proof container	No
T0093	CSF-Toxoplasma-IgG, by EIA**	Hitech_GKS	C	3300	Mon & Thu : 7:30am	3rd day : 6:00pm	-	No
T0094	Toxoplasma - IgG antibody, Serum	Hitech_GKS	B	550	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0095	Toxoplasma Profile	Hitech_GKS	B	1300	Tue, Thu & Sat :	2nd day :	3ml of Serum in Gel/Plain Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	(IgG & IgM), Serum				9:00am	6:00pm		
T0096	Toxoplasma - IgM antibody, Serum	Hitech_GKS	B	660	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0097	TPHA (Treponema Pallidum Hemagglutination Assay), Serum	Hitech_GKS	B	700	Daily : 9:00am	Same day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0098	TPMT (Thiopurine S-Methyltransferase) Enzyme Activity, EDTA Blood	Hitech_GKS	D	4500	Wed & Sat : 9:00am	2nd day : 6:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
T0099	TPMT (Thiopurine S-Methyltransferase) Genotype, EDTA Blood **	Hitech_GKS	D	5750	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .	No
T0100	Microsomal TPO Antibody Titre, CSF **	Hitech_GKS	C	1250	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	No
T0101	Microsomal TPO Antibody Titre, Serum	Hitech_GKS	B	1100	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
T0102	Transferrin, Serum	Hitech_GKS	B	950	Mon, Wed & Fri : 7:30am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0103	TRH Stimulation Test for Prolactin, Serum	Hitech_GKS	C	1350	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
T0104	TRH Stimulation Test for TSH, Serum	Hitech_GKS	C	1100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer (0, 30, 60 min)	No
T0105	Triglycerides, Urine	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
T0106	Triglycerides, Serum	Hitech_GKS	A	220	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0107	Triglycerides, Body Fluid	Hitech_GKS	A	150	Daily : 9:00am	After 6hrs	2ml of Body Fluid in Sterile leak proof container	Yes
T0108	Tripeptidyl Peptidase 1, EDTA Blood **	Hitech_GKS	R	5600	Daily : 11:30am	10th day : 6:00pm	sample type - 5 ml Heparin Blood ( sample required within 12 - 24 hrs of collection, Avoid collection on weekend & Holidays)	No
T0109	Trisomy 12 (CLL), Heparin Blood **	Hitech_GKS	D	9900	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
T0110	Trisomy 12 (CLL), Heparin Bone Marrow **	Hitech_GKS	D	3900	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
T0111	Trisomy 8 (AML), Heparin Blood **	Hitech_GKS	D	3900	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0112	Trisomy 8 (AML), Heparin Bone Marrow **	Hitech_GKS	D	3900	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
T0113	Trisomy (Aneuploidy) for Chromosome 13 & 21, Amniotic Fluid **	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
T0114	Trisomy (Aneuploidy) for Chromosome 13 & 21, EDTA Blood **	Hitech_GKS	D	4900	Daily : 9:00am	5th day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
T0115	Trisomy (Aneuploidy) for Chromosome 13 & 21 By FISH Chorionic Villus**	Hitech_GKS	D	4900	Daily : 9:00am	3rd day : 6:00pm	20-30 mg of Chorionic Villus sample in Sterile saline container	No
T0116	Trisomy (Aneuploidy) for Chromosome 13 & 21, Cord blood **	Hitech_GKS	D	4900	Daily : 9:00am	5th day : 6:00pm	3ml of Prenatal Cord Blood In Na-Heparin Vacutainer	No
T0118	Trisomy (Aneuploidy) for Chromosome 13, 18, 21, X, Y, Amniotic Fluid **	Hitech_GKS	D	8800	Daily : 9:00am	3rd day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
T0119	Trisomy (Aneuploidy) for Chromosome 13, 18, 21, X, Y, EDTA Blood **	Hitech_GKS	D	8800	Daily : 9:00am	5th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
T0120	Trisomy (Aneuploidy) for Chromosome 13, 18, 21, X, Y By FISH Chorionic Villus**	Hitech_GKS	D	8000	Daily : 9:00am	3rd day : 6:00pm	20-30 mg of Chorionic Villus sample in Sterile saline container	No
T0121	Trisomy (Aneuploidy) for Chromosome 13, 18, 21, X, Y, Cord blood **	Hitech_GKS	D	8800	Daily : 9:00am	5th day : 6:00pm	3ml of Prenatal Cord Blood In Na-Heparin Vacutainer	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
T0123	Trisomy (Aneuploidy) for Chromosome 18, X & Y, Amniotic Fluid **	Hitech_GKS	D	5300	Daily : 9:00am	3rd day : 6:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No
T0124	Trisomy (Aneuploidy) for Chromosome 18, X & Y, EDTA Blood **	Hitech_GKS	D	5300	Daily : 9:00am	5th day : 6:00pm	3ml of Blood in Sodium Heparin Vacutainer	No
T0125	Trisomy (Aneuploidy) for Chromosome 18, X & Y By FISH Chorionic Villus**	Hitech_GKS	D	5300	Daily : 9:00am	3rd day : 6:00pm	20-30 mg of Chorionic Villus sample in Sterile saline container	No
T0126	Trisomy (Aneuploidy) for Chromosome 18, X & Y, Cord blood **	Hitech_GKS	D	5300	Daily : 9:00am	5th day : 6:00pm	3ml of Prenatal Cord Blood In Na-Heparin Vacutainer	No
T0128	Troponin-I, Serum	Hitech_GKS	C	1500	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0129	Troponin-T, Serum	Hitech_GKS	C	1500	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0130	TSH - Ultrasensitive, Serum	Hitech_GKS	B	250	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
T0131	TSH Receptor Antibody (IgG), Serum	Hitech_GKS	C	4200	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0132	TSH, Dried Blood	Hitech_GKS	B	450	Daily : 9:00am	2nd day : 6:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Provide blood transfusion history and sample to be collected post 72 hrs after transfusion.	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
T0133	tTG (Tissue Transglutaminase) IgA antibody, Serum	Hitech_GKS	C	1100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0134	tTG (Tissue Transglutaminase) IgG, Serum	Hitech_GKS	C	1100	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0135	Typhi Dot IgM Antibody, Serum	Hitech_GKS	B	650	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0136	Typhoid DNA Qualitative PCR, EDTA Blood **	Hitech_GKS	C	5500	Daily : 10:00am	After 24hrs	3ml of Whole Blood in EDTA Vacutainer	No
T0137	Typhoid DNA Qualitative PCR, CSF **	Hitech_GKS	C	5500	Daily : 10:00am	After 24hrs	2ml of CSF in Sterile leak proof tube or container	No
T0138	Typhoid Profile	Hitech_GKS	D	2050	Daily : 9:00am	5th day : 6:00pm	3ml of EDTA whole blood, 3ml of serum and 1 blood culture bottle	No
T0139	Tyrosine - Quantitative, EDTA Plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
T0140	Tyrosine - Quantitative, Urine **	Hitech_GKS	R	6200	Thu : 11:30am	Tue : 5:00pm	15ml of Spot Urine in Sterile leak proof container	No
T0141	Tzanck smear (Microscopic examination)	Hitech_GKS	B	400	Daily : 9:00am	2nd day : 6:00pm	Air Dried Smears From Vesicular fluid	No
T0143	Tickborne Encephalitis Antibodies, Serum **	Hitech_GKS	D	7300	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0145	Trypanosoma Cruzi IgG Antibody, Serum **	Hitech_GKS	R	2250	Daily : 11:30am	20th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0158	t(12;16):FUS rearrangement, Tissue **	Hitech_GKS	R	16000	Daily : 11:30am	12th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
T0160	t(X;18):SSX18 translocation, Tissue **	Hitech_GKS	R	16000	Daily : 11:30am	12th day : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							will be applicable. Clinical history with Histopathology report.	
T0162	Tumor Marker Comprehensive Profile (170 genes), Tissue/ FFPE Block **	Hitech_GKS	D	47000	Daily : 7:30am	After 4 weeks : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
T0168	Tumor Mutation Burden with actionable variants, Tissue/FFPE Block **	Hitech_GKS	E	43000	Daily : 7:30am	After 4 weeks : 6:00pm	Tumor containing FFPE block (>10% of tumor) in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
T0169	Thallium, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
T0170	Tin, K-EDTA Blood	Hitech_GKS	R	2750	Daily : 9:00am	After 24hrs	Individual Metals and Minerals.pdf	No
T0171	Tin, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
T0174	Tungsten, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
T0182	TB Check Profile, Pulmonary	Hitech_GKS	D	9999	Daily : 9:00am	22nd day : 6:00pm	Pulmonary Smear positive samples or Culture positive specimen	No
T0184	TB Check Profile, Extra Pulmonary	Hitech_GKS	D	9999	Daily : 9:00am	22nd day : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)	No
T0192	TB Spectrum Profile, Pulmonary	Hitech_GKS	D	17500	Daily : 9:00am	22nd day : 6:00pm	Pulmonary Smear positive samples or Culture positive specimen	No
T0200	TRIO-Clinical Exome sequencing - 26MB (80-100x), EDTA Blood **	Hitech_GKS	E	56000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs.	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Do not freeze. TRF, history is mandatory.	
T0201	TB Spectrum Profile, Extra Pulmonary	Hitech_GKS	D	17500	Daily : 9:00am	22nd day : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)	No
T0225	TURKEY ( F 284)SPECIFIC IGE	Hitech_GKS	O	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0229	Drug Allergen - Trimethoprim	Hitech_GKS	O	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T0234	Thyroid Panel - Free and Total	Hitech_GKS	C	1000	Daily : 9:00am	After 6hrs	-	No
T0236	Typhoid IGG/IGM	Hitech_GKS	O	550	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
T0501	TSH (CLIA)	Hitech_GKS	B	325	Daily : 9:00am	After 6hrs	-	Yes
T0502	TBC1D24 NGS Gene Panel , EDTA Blood **	Hitech_GKS	E	20000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
T0504	TRIO-Whole exome sequencing - 50MB (80-100x), EDTA Blood **	Hitech_GKS	E	56000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
T0505	TTN - Gene sequencing, EDTA Blood **	Hitech_GKS	E	19000	Daily : 7:30am	After 4 weeks : 6:00pm	3ml of EDTA whole blood required to be send at Ambient temperature for local samples and refrigerated condition for outstation samples. Samples stable for 2 days at Ambeint and 2 to 3 days for refrigerated condition. Do not keep EDTA whole blood in contact with ice packs. Do not freeze. TRF, history is mandatory.	No
T0507	Thrombophilia Profile -	Hitech_GKS	D	22000	Mon : 9:00am	3rd day :	2 ml of citrated platelet poor plasma in frozen	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Super Maxi					6:00pm	condition ,3ml serum and 3ml of EDTA whole blood is required.	
T0938	TPMT and NUDT15 Gene analysis, EDTA Blood **	Hitech_GKS	R	14700	Tue & Fri : 7:30am	10th day : 6:00pm	4 ml EDTA Whole blood	No
T0987	Tricyclic Antidepressants - Qualitative, Urine **	Hitech_GKS	D	200	Daily : 9:00am to 9:00pm	After 4hrs	15ml of Spot Urine in Sterile leak proof container	No
T0988	Taurine - Quantitative, EDTA plasma **	Hitech_GKS	D	6200	Thu : 11:30am	Tue : 5:00pm	Dried blood spot: 1 drop of heel prick or finger prick blood on special filter paper DBS card. DBS card to be send in Ambient temperature only . Newborn Screening sample is obtained in the hospital between 48 hours and 5 days of age, or as close to discharge as possible if discharged prior to 24 hours of age. Baby DOB, sample collection date and relevant clinical history mentioned on DBS card to be filled mandatory. Positive screen cases may require repeat testing or further workup in terms of confirmation by plasma or LCMS or GCMS method. No foreign substances should contaminate the filter paper. The blood should fill all printed circles and is applied evenly on one side of the filter paper only, free of layering and clots. The specimen should be dried in a horizontal position for at least three hours, away from direct contact with surfaces, heat, and sunlight. Plz provide blood transfusion history and sample to be collected post 72 hrs after transfusion. Sample to be shipped at Frozen condition . Sample stable at refrigerated condition 2 to 8 degree for 1 day. Clinical history, metabolic disorders or inborn errors of metabolism suspicion or provisional diagnosis of clinician required fasting recommended not mandatory. Amino acid supplementation or medications needs to stoped based on physician recommendations	No
T0989	Diabetes Profile	Hitech_GKS	E	300	Daily : 9:00am	2nd day :	Glucose Screen in pregnancy. ADA	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Gestational					6:00pm	recommends 2 step procedure for Screening and diagnosis of Gestational Diabetes Mellitus (GDM). Step 1: A 50 g glucose challenge test (GCT) is used for screening without regard to the time of last meal or time of the day.Step 2: If 1 hour GCT value is more than 140 mg/dl, 100g oral Glucose Tolerance Test (OGTT) is recommended and plasma glucose is estimated at 0, 1, 2 and 3 hours.G0027_50(post glucose 1 hr 50 gms ) and G0066 (GTT-Gestational 3 hrs 100 gms glucose). If Post Glucose 1hr 50 gms value Above 140 then reflex G0066 GTT- Gestational ,Three Hour(100 grams glucose) taken.	
T0990	THYVIT profile	Hitech_GKS	C	3000	Daily : 9:00am	2nd day : 6:00pm	-	No
T1170	BCR-ABL IS (International Scale), p210 Transcript Fusion Quantitative by Real Time PCR, EDTA Blood **	Hitech_GKS	D	6900	Tue & Fri : 9:00am	3rd day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
T1171	BCR-ABL IS (International Scale), p210 Transcript Fusion Quantitatvie by Real Time PCR, EDTA Bone Marrow **	Hitech_GKS	D	6000	Tue & Fri : 9:00am	3rd day : 6:00pm	3ml of Bone Marrow in EDTA Vacutainer	No
T1801	TRANSVAGINAL USG	Hitech_GKS	O	1200	Daily : 9:00am	After 24hrs	-	No
T1911	Thyroid Cancer Mutation Profile, Tissue/FFPE **	Hitech_GKS	E	35000	Daily : 11:30am	After 4 weeks : 6:00pm	Tumor containing FFPE block (>10% of tumor). Tumor containing tissue fixed in 10% neutral buffered formalin with duration of 6 to 72 hours. If tissue provided then tissue processing and FFPE block making charges will be applicable. Clinical history with Histopathology report.	No
T5031	TB (QFT Plus) Q2 Lab	Hitech_GKS	C	3585	Daily : 9:00am	After 24hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
T5565	Typhoid Early detection	Hitech_GKS	E	550	Daily : 9:00am	After 24hrs	-	No
T5566	Typhoid Advanced	Hitech_GKS	E	1250	Daily : 9:00am	After 24hrs	-	No
T5642	Thyroid Care	Hitech_GKS	O	500	Daily : 9:00am	After 24hrs	-	No
T5709	TB Viram Screening	Hitech_GKS	D	6110	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer. 2ml of Fluoride Plasma in Fluoride Vacutainer. 2ml of Pulmonary or Extra Pulmonary specimen in Sterile leak proof container.	No
T5710	TB Viram Susceptibility	Hitech_GKS	D	19150	Daily : 9:00am	2nd day : 6:00pm	2ml of Sputum/BAL/Other respiratory samples in Sterile leak proof container Pure Culture (Mtb Complex) Bottle or MGIT Tube or LJ slant	No
T5711	Tofacitinib Lab test Coupon	Hitech_GKS	C	990	Daily : 9:00am	After 24hrs	-	No
T8006	Tissue processing **	Hitech_GKS	C	500	Daily : 9:00am	After 24hrs	Tissue to be sent in adequate 10% Neutral Buffered Formalin in a Leak proof container along with relevant clinical & radiological details	No
T8085	Thyroid Capsule-3	Hitech_GKS	O	500	Daily : 9:00am	After 4hrs	-	No
T8242	THYRO - 5	Hitech_GKS	C	850	Daily : 9:00am	After 6hrs	-	Yes
T8308	Thorasic Spine Ap/ Lat_T8308	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
T8327	THYROID AND NECK SCAN	Hitech_GKS	O	1200	Daily : 9:00am	After 24hrs	-	No
T8342	TREE MIX I [T2/T3/T4/T12]( TX 2)- SPECIFIC IGE	Hitech_GKS	E	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
T8343	TREE MIX II [T1/T7/T12/T14]( TX3)- SPECIFIC IGE	Hitech_GKS	E	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
U0001	U1-SnRNP (68 KDa) IgG, Serum	Hitech_GKS	C	1000	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
U0002	UGT1A1 Gene Polymorphism, EDTA Blood **	Hitech_GKS	D	6200	Tue & Fri : 9:00am	7th day : 6:00pm	3-5 ml of EDTA whole blood required. Sample stable for 3 Days at Ambient Temperature and 7 Days at 2 to 8 degree celsius .	No
U0003	Urea, Serum	Hitech_GKS	A	180	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
U0004	Urea, 24 Hrs Urine	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	20 ml Urine in Urine Container. Collection	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	
U0006	Urea Clearance Test, Serum & 24 Hrs Urine **	Hitech_GKS	A	550	Daily : 9:00am	2nd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container 2ml of Serum in Plain Vacutainer	No
U0007	Uric Acid, Serum	Hitech_GKS	A	180	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
U0008	Uric Acid, Urine	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	15ml of Spot Urine in Sterile leak proof container	Yes
U0009	Uric Acid, 24 Hrs Urine	Hitech_GKS	A	250	Daily : 9:00am	After 6hrs	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	Yes
U0012	UIBC (TIBC), Serum	Hitech_GKS	A	700	Daily : 9:00am	After 6hrs	-	Yes
U0014	Urea, Urine	Hitech_GKS	A	200	Daily : 9:00am	After 6hrs	3ml of serum for single test and 5 ml serum for profiles and reflex tests.	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
U1801	Ultrasound (USG) : Abdomen	Hitech_GKS	0	2500	Daily : 9:00am	After 6hrs	-	No
U1802	Ultrasound (USG) : Pelvis	Hitech_GKS	0	1200	Daily : 9:00am	After 6hrs	-	No
U1803	Ultrasound (USG) : Thigh	Hitech_GKS	0	1200	Daily : 9:00am	After 6hrs	-	No
U1804	Ultrasound (USG) : Full Abdomen with pelvis	Hitech_GKS	0	1200	Daily : 9:00am	After 6hrs	-	No
U1805	Ultrasound (USG) : K.U.B	Hitech_GKS	0	1800	Daily : 9:00am	After 6hrs	-	No
U1806	Ultrasound (USG) : Musculoskeletal (Shoulder : Elbow : Ankle : Knee)	Hitech_GKS	0	960	Daily : 9:00am	After 6hrs	-	No
U1807	Ultrasound (USG) : Pelvis	Hitech_GKS	0	1500	Daily : 9:00am	After 6hrs	-	No
U1809	Ultrasound (USG) : Pregnancy : 3rd trimester **	Hitech_GKS	0	2200	Daily : 9:00am	After 6hrs	-	No
U1810	Ultrasound (USG) : Pregnancy : Early	Hitech_GKS	0	1500	Daily : 9:00am	After 6hrs	-	No
U1811	Ultrasound (USG) : Pregnancy : Level 3 Scan	Hitech_GKS	0	2000	Daily : 9:00am	After 6hrs	-	No
U1812	Ultrasound (USG) : Small parts (Thyroid : Scrotum)	Hitech_GKS	0	2500	Daily : 9:00am	After 6hrs	-	No
U1813	Ultrasound (USG) : Trans rectal with K.U.B	Hitech_GKS	0	960	Daily : 9:00am	After 6hrs	-	No
U1814	Ultrasound (USG) : Upper abdomen	Hitech_GKS	0	2500	Daily : 9:00am	After 6hrs	-	No
U1817	Ultrasound (USG) : Follicular Study	Hitech_GKS	0	1200	Daily : 9:00am	After 6hrs	-	No
U1818	DOP CAROTID - VERTIBRAL STUDY	Hitech_GKS	0	3800	Daily : 9:00am	After 6hrs	-	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
U1819	Ultrasound (USG) : OBS (Anomaly Scan)	Hitech_GKS	O	2800	Daily : 9:00am	After 6hrs	-	No
U1821	Ultrasound (USG) : Breast Mammography	Hitech_GKS	O	2400	Daily : 9:00am	After 6hrs	-	No
U1827	Ultrasound (USG) : OBS (Early Pregnancy)	Hitech_GKS	O	1800	Daily : 9:00am	After 6hrs	-	No
U1828	Ultrasound (USG) : OBS (2nd Trimester)	Hitech_GKS	O	2000	Daily : 9:00am	After 6hrs	-	No
U1829	Ultrasound (USG) : OBS (3rd Trimester)	Hitech_GKS	O	2200	Daily : 9:00am	After 6hrs	-	No
U1830	Ultrasound (USG) : OBS (Early Twins)	Hitech_GKS	O	3000	Daily : 9:00am	After 6hrs	-	No
U1835	Ultrasound (USG) : Transrectal	Hitech_GKS	O	4000	Daily : 9:00am	After 6hrs	-	No
U1836	Ultrasound (USG) : Guided Aspiration/ FNAC	Hitech_GKS	O	1500	Daily : 9:00am	After 6hrs	-	No
U1837	Ultrasound (USG) : Superfacial Parts	Hitech_GKS	O	2500	Daily : 9:00am	After 6hrs	-	No
U1841	Ultrasound (USG) : Upper Abdomen	Hitech_GKS	O	1200	Daily : 9:00am	After 6hrs	-	No
U1842	Ultrasound (USG) : Breast Single	Hitech_GKS	O	2400	Daily : 9:00am	After 6hrs	-	No
U1853	Ultrasound (USG) : Transcranial	Hitech_GKS	O	1080	Daily : 9:00am	After 24hrs	-	No
U1868	Ultrasound (USG) : Lower Abdomen with Foetal Doppler	Hitech_GKS	O	1200	Daily : 9:00am	After 24hrs	-	No
U1875	Ultrasound (USG) : Single Organ	Hitech_GKS	O	1200	Daily : 9:00am	After 24hrs	-	No
U1880	Ultrasound (USG) : Whole Abdomen	Hitech_GKS	O	1500	Daily : 9:00am	After 24hrs	-	No
U5022	UDS panel - Urine Drug scan	Hitech_GKS	C	155	Daily : 9:00am	After 24hrs	-	No
U8003	Urine Sugar, Fasting	Hitech_GKS	A	40	Daily : 9:00am	After 5hrs	15ml of Spot Urine in Sterile leak proof	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
							container	
U8004	Urine Sugar, 2 hrs Post Prandial	Hitech_GKS	A	50	Daily : 9:00am	After 10hrs	15ml of Spot Urine in Sterile leak proof container	Yes
U8004_PP	Urine Sugar, Post Prandial	Hitech_GKS	A	40	Daily : 9:00am	After 10hrs	15ml of Spot Urine in Sterile leak proof container	Yes
U8005	Urine Sugar, Random	Hitech_GKS	A	40	Daily : 9:00am	After 5hrs	15ml of Spot Urine in Sterile leak proof container	Yes
V0001	Valproic Acid (Sodium Valporate), Serum	Hitech_GKS	C	900	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
V0002	Vancomycin, Serum **	Hitech_GKS	R	6500	Daily : 11:30am	4th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V0003	VDRL (RPR), Serum	Hitech_GKS	B	300	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
V0004	VDRL, CSF **	Hitech_GKS	C	430	Daily : 9:00am & 3:00pm	After 6hrs	2ml of CSF in Sterile leak proof tube or container	No
V0005	VGCC (Voltage Gated Calcium Channel) Antibody, Serum **	Hitech_GKS	R	10000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V0006	VGKC Antibody, CSF	Hitech_GKS	D	8000	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container	Yes
V0007	VGKC Antibody, Serum	Hitech_GKS	D	8500	Daily : 9:00am	2nd day : 6:00pm	2ml of CSF in Sterile leak proof tube or container 3ml of Serum in Gel/ Plain Vacutainer	Yes
V0008	Vitamin A (Retinol), Serum **	Hitech_GKS	D	4400	Mon & Thu : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V0009	Vitamin B1 (Thiamine), EDTA Blood **	Hitech_GKS	D	3550	Wed & Sat : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood covered In Aluminium Foil	No
V0010	Vitamin B12 (Cyanocobalamin), Serum	Hitech_GKS	B	1150	Daily : 9:00am	After 4hrs	3ml of Serum in Gel/Plain Vacutainer	No
V0011	Vitamin B12 (Active Holo Transcobalamin), Serum **	Hitech_GKS	C	1450	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V0012	Vitamin B2 (Riboflavin), EDTA Blood **	Hitech_GKS	D	3500	Wed : 11:30am	Next day : 5:00pm	3ml of EDTA whole blood covered In Aluminium Foil	No
V0013	Vitamin B6	Hitech_GKS	D	3450	Sat : 11:30am	Mon : 7:00pm	3ml of EDTA whole blood covered In	No



Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	(Pyridoxine), EDTA Blood **						Aluminium Foil	
V0014	Vitamin C, Serum **	Hitech_GKS	D	3500	Tue & Fri : 11:30am	Next day : 5:00pm	3ml Lithium Heparin Plasma in Lithium Vacutainer or 3ml of Serum in Gel/Plain Vacutainer (In Fasting condition covered In Aluminium Foil)	No
V0015	Vitamin D Total-25 Hydroxy, Serum	Hitech_GKS	B	1350	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	Yes
V0016	Vitamin D Plus Profile	Hitech_GKS	A	1650	Daily : 9:00am	After 6hrs	3ml of Serum in Plain Vacutainer or 3ml of EDTA Plasma in Plain Tube	No
V0017	Vitamin D 1, 25-Dihydroxy, Serum	Hitech_GKS	C	3400	Daily : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V0018	Vitamin E, Serum **	Hitech_GKS	D	4400	Mon & Thu : 11:30am	Next day : 5:00pm	2 ml Serum or EDTA Plasma In aluminium Foil	No
V0020_LC	VMA (Vanillyl Mandelic Acid), Urine 24Hrs **	Hitech_GKS	C	3650	Mon & Thu : 1:00pm	Next day : 5:00pm	20 ml Urine in Urine Container. Collection Guideline : 24 hour Urine should be collected in mug and transferred to relevant Urine container with or without preservative. 20 ml of aliquot to be send to lab in refrigerated condition along with clinical history and mention Urine volume of 24 Hr collected sample for calculation purpose. Time of collection, start time to end time and exclude first urine sample and include last voided urine sample. Do not consume bananas, pineapple, chocolates, coffee, icecream, high diet in cereals and vanilla, potatoes and B complex 48 hours before collection. Provide CT scan , USG report and medication history.	No
V0021	VRE (Vancomycin Resistant Enterococci), Perianal swab **	Hitech_GKS	C	1000	Daily : 9:00am to 9:00pm	4th day : 6:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
V0022	Vw-Von Willebrand Antigen, Citrated plasma **	Hitech_GKS	D	9500	Mon : 9:00am	Same day : 8:00pm	2ml of citrated platelet poor plasma in 3.2 % Sodium citrate Vacutainer	No
V0023	VZV (Varicella Zoster Virus) DNA Detection by Real Time PCR,	Hitech_GKS	C	3300	Mon & Thu : 9:00am	Next day : 5:00pm	20ml of Amniotic Fluid in Sterile Leak proof Falcon Tube/ Sterile Container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Amniotic fluid **							
V0024	VZV (Varicella Zoster Virus) DNA Detection by Real Time PCR, Blood **	Hitech_GKS	C	3300	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Whole Blood in EDTA Vacutainer	No
V0025	VZV (Varicella Zoster Virus) DNA Detection by Real Time PCR, CSF **	Hitech_GKS	C	3300	Mon & Thu : 9:00am	Next day : 5:00pm	2ml of CSF in Sterile leak proof tube or container	No
V0026	VZV (Varicella Zoster Virus) DNA Detection by Real Time PCR, CVS **	Hitech_GKS	C	3300	Mon & Thu : 9:00am	Next day : 5:00pm	2ml of CVS in Sterile leak proof tube or container	No
V0027	VZV (Varicella Zoster Virus) DNA Detection by Real Time PCR, Swab **	Hitech_GKS	C	3300	Mon & Thu : 9:00am	Next day : 5:00pm	1 Swab in Normal Saline with Sufficient Material in Sterile Falcon Tube/Vacutainer.	No
V0029	VZV (Varicella Zoster Virus) IgG antibody, Serum	Hitech_GKS	C	1500	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
V0030	VZV (Varicella Zoster Virus) IgM antibody, Serum	Hitech_GKS	C	990	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	Yes
V0031	VDRL RPR reflex Syphilis Antibodies (Total), Serum **	Hitech_GKS	B	650	Mon & Thu : 11:30am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V0032	Voriconazole, Plasma	Hitech_GKS	D	5700	Tue & Fri : 9:00am	After 24hrs	3ml of EDTA plasma or heparin plasma to be sent in aliquot tube at proper temperature.	No
V0036	Vitamin B Complex Profile	Hitech_GKS	E	6200	Daily : 9:00am	4th day : 6:00pm	3ml of serum and 3ml of EDTA whole bloodIn aluminium Foil	No
V0037	Vitamin K1, Serum **	Hitech_GKS	R	4750	Daily : 11:30am	15th day : 6:00pm	5 ml serum without gel tube. Wrap in aluminium foil. Frozen.	No
V0144	Vitamin D Gold Profile	Hitech_GKS	D	2500	Daily : 9:00am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V0146	Vitamin D, advanced	Hitech_GKS	B	1550	Daily : 9:00am	After 6hrs	-	No
V0147	Vitamin B12, Advanced,	Hitech_GKS	B	1150	Daily : 9:00am	After 6hrs	-	Yes

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Serum							
V0148	Vasculitis Marker Profile - 1	Hitech_GKS	D	4000	Tue, Thu & Sat : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
V0149	Vesicobullous Disorder Profile **	Hitech_GKS	E	9000	Mon : 11:30am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V0151	Grass Allergen - Velvet Gross (Holcus Lanatus) - G13, Serum	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V0152	Vaginal smear for Trichomonas Vaginalis (Wet mount preparation)	Hitech_GKS	O	100	Daily : 9:00am	2nd day : 6:00pm	2ml of Vaginal Discharge in Sterile leak proof container	No
V5108	Vitamins Advanced with Iron Studies and Calcium	Hitech_GKS	D	1530	Daily : 9:00am	After 24hrs	-	No
V7005	Vascular Endothelial Growth Factor (VEGF), Serum **	Hitech_GKS	R	6000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V8119	Vitamin Panel - TDH	Hitech_GKS	O	1300	Daily : 9:00am	After 24hrs	-	No
V8123	Vitamin B3 (Niacin)**	Hitech_GKS	D	3600	Daily : 9:00am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V8124	Vitamin B7 (Biotin)**	Hitech_GKS	D	3600	Daily : 9:00am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V8125	Vitamin B5**	Hitech_GKS	D	3600	Daily : 9:00am	3rd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
V8151	Allergy - Vegetable - 1 Panel **	Hitech_GKS	O	8000	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
V8153	Vasculitis Marker Profile - 2	Hitech_GKS	D	4000	Daily : 9:00am	After 24hrs	-	No
W0001	Warfarin Sensitivity, EDTA Blood**	Hitech_GKS	R	14400	Daily : 11:30am	10th day : 6:00pm	-	No
W0002	Water Chemistry Profile - 2 **	Hitech_GKS	R	1380	Daily : 11:30am	10th day : 6:00pm	2 Liters of Water in Sterile leak proof container	No
W0003	Water Culture for coliforms, Water **	Hitech_GKS	C	600	Daily : 9:00am to 9:00pm	3rd day : 6:00pm	50ml of Water in Sterile leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
W0008	Total Leucocytes (WBC) count	Hitech_GKS	A	170	Daily : 9:00am	After 6hrs	-	No
W0009	WBC - Total Counts, Body Fluid	Hitech_GKS	A	200	Daily : 9:00am	2nd day : 6:00pm	Body fluid to be send in sterile EDTA container in refrigerated condition. Clinical history and clinician number required. Body fulids (CSF, Pleural, Peritoneal, Pericardial, synovial fluid)	Yes
W0010	Weil Felix Test for Rickettsia, Serum **	Hitech_GKS	B	1020	Daily : 9:00am & 3:00pm	Next day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
W0011	Widal Test for Typhoid by Tube Agglutination, Serum	Hitech_GKS	B	480	Daily : 9:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
W0013	Wilsons Disease Profile **	Hitech_GKS	D	4200	Mon & Thu : 9:00am	2nd day : 6:00pm	3ml of Whole blood in EDTA Vacutainer 2ml Fluoride plasma in Fluoride Vacutainer 3ml of Serum in Gel/Plain Vacutainer 10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
W0014	West Nile Virus IgG Antibody, Serum **	Hitech_GKS	D	3500	1st & 3rd Fri : 7:30am	4th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
W0015	West Nile Virus IgM Antibody, Serum **	Hitech_GKS	D	3500	1st & 3rd Fri : 7:30am	4th day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
W0017	West Nile Virus DNA Detection by Real Time PCR, EDTA Blood **	Hitech_GKS	D	5700	Daily : 10:00am	After 24hrs	3ml of Whole blood in EDTA Vacutainer	No
W0018	Whole Mitochondrial Genome NGS Panel, EDTA Blood **	Hitech_GKS	R	14000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Whole blood in EDTA Vacutainer	No
W0019	WT1 Mutation Detection, EDTA Blood **	Hitech_GKS	R	7550	Daily : 11:30am	12th day : 6:00pm	3ml of Whole blood in EDTA Vacutainer	No
W0020	Whole Exome Sequencing NGS Panel, EDTA Blood **	Hitech_GKS	R	25000	Daily : 11:30am	After 4 weeks : 6:00pm	3ml of Whole blood in EDTA Vacutainer	No
W0021	Whole Genome Sequencing (Mean 30x) NGS Panel, EDTA Blood **	Hitech_GKS	R	95550	Daily : 11:30am	After 6 weeks : 6:00pm	3ml of Whole blood in EDTA Vacutainer	No
W0023	Water Chemistry	Hitech_GKS	R	4500	Daily : 11:30am	10th day :	2 Liters of Water in Sterile leak proof container	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Profile - 3 **					6:00pm		
W0024	Water Test Profile - Routine **	Hitech_GKS	R	2500	Daily : 11:30am	10th day : 6:00pm	2 Liters of Water in Sterile leak proof container	No
W0025	Water Test Profile - Comprehensive **	Hitech_GKS	R	9000	Daily : 11:30am	10th day : 6:00pm	2 Liters of Water in Sterile leak proof container	No
W0026	Water Chemistry Profile - 1 **	Hitech_GKS	R	600	Daily : 11:30am	10th day : 6:00pm	2 Liters of Water in Sterile leak proof container	No
W0027	WEED MIX I [W1/W6/ W7/W10/W19] (WX 1) - SPECIFIC IGE	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
W0028	WEED MIX II [W1/W6/ W7/W8/W9] (WX2) - SPECIFIC IGE	Hitech_GKS	C	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
W0029	Food Allergen - Whole Egg (F-245)	Hitech_GKS	O	600	Mon, Wed & Fri : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
W0030	Widal Test For Typhoid by Slide Agglutination, Serum	Hitech_GKS	O	200	Daily : 9:00am	After 6hrs	3ml of Serum in Gel/Plain Vacutainer	No
W8100	Digital X- Ray Wrist (AP/Lateral) Right	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
W8101	Digital X- Ray Wrist (AP/Lateral)	Hitech_GKS	O	600	Daily : 9:00am	After 24hrs	-	No
X0001	X & Y (Sex Mismatch Bone Marrow Transplant), Heparin Blood **	Hitech_GKS	D	4400	Daily : 9:00am	3rd day : 6:00pm	3ml Blood in Sodium Heparin Vacutainer	No
X0002	X & Y (Sex Mismatch Bone Marrow Transplant), Heparin Bone Marrow **	Hitech_GKS	D	4400	Daily : 9:00am	3rd day : 6:00pm	3ml Bone Marrow in Sodium Heparin Vacutainer	No
X8011	MTB - Xpert XDR Rapid Plus Panel, Extra Pulmonary	Hitech_GKS	D	6100	Daily : 9:00am	8th day : 6:00pm	Tissue, Lymph Node, Endometrium, Biopsy, Cervical Lymph Node, FNAC, Biopsy 2ml sample in sterile container (Ascitic fluid, Pericardial fluid, Urine, Gastric lavage, Pleural fluid, Pus, Peritoneal Fluid, CSF, Synovial fluid)	No
X8012	MTB - Xpert XDR Rapid	Hitech_GKS	D	6100	Daily : 9:00am	8th day :	2ml of Pulmonary specimen in Sterile leak	No

Test Code	Test Name	location	Category	Price(Rs.)	Testschedule	Reportedon	Sample Guideline	NABL
	Plus Panel, Pulmonary					6:00pm	proof container	
Y0001	Y-Chromosome Microdeletion Analysis, EDTA Blood**	Hitech_GKS	D	8100	Tue & Fri : 9:00am	7th day : 6:00pm	3ml of Whole Blood in EDTA Vacutainer	No
Y0002	Yersinia Enterocolitica Culture, Stool **	Hitech_GKS	C	1650	Daily : 9:00am to 9:00pm	4th day : 6:00pm	5gm of Stool specimen in Sterile leak proof container	No
Y0005	Yo -Neuronal Antibody for Paraneoplastic Syndromes, Serum **	Hitech_GKS	D	4640	Daily : 11:30am	Next day : 8:00pm	3ml of Serum in Gel/Plain Vacutainer	No
Z0001	ZAP-70 Protein Analysis, EDTA Blood **	Hitech_GKS	D	5500	Daily : 11:30am	4th day : 6:00pm	3ml of Whole blood in EDTA Vacutainer	No
Z0002	Zinc, serum	Hitech_GKS	B	950	Tue, Thu & Sat : 9:00am	2nd day : 6:00pm	3ml of Serum in Gel/Plain Vacutainer	No
Z0005	Zinc, Urine **	Hitech_GKS	D	2100	Daily : 11:30am	3rd day : 6:00pm	15ml of Spot Urine in Sterile leak proof container	No
Z0006	Zinc, K EDTA Blood **	Hitech_GKS	D	2270	Daily : 11:30am	3rd day : 6:00pm	3ml of Blood in K EDTA Trace Metal Free Vacutainer	No
Z0007	Zinc, Serum **	Hitech_GKS	D	2200	Daily : 11:30am	3rd day : 6:00pm	3ml of Serum in K EDTA Trace Metal Free Vacutainer	No
Z0009	Zinc, 24 Hrs Urine **	Hitech_GKS	D	2100	Daily : 11:30am	3rd day : 6:00pm	10ml aliquot of 24 hrs Urine in Sterile Urine Container	No
Z0011	Zika Virus RNA Detection by Real Time PCR, Serum **	Hitech_GKS	D	6500	Daily : 10:00am	After 24hrs	3ml of Serum in Gel/Plain Vacutainer	No
Z0013	Zinc, Hair **	Hitech_GKS	R	1800	Daily : 11:30am	10th day : 6:00pm	1gram of hair in Sterile leak proof container	No
Z0014	Zika Virus RNA Detection by Real Time PCR, Urine **	Hitech_GKS	D	6500	Daily : 10:00am	After 24hrs	15ml of Spot Urine in Sterile leak proof container	No
Z0015	Zinc Transporter 8 (ZnT8) antibody , Serum **	Hitech_GKS	D	3000	Mon & Thu : 9:00am	Next day : 5:00pm	3ml of Serum in Gel/Plain Vacutainer	No